

# Cucumber Report

22-Apr-2023, 4:32:42 pm

Start : Apr 22, 4:31:53.399 pm

End : Apr 22, 4:32:41.549 pm

Duration : 48.150 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	48.150 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	checking if the user is abel to reverse a chequebook - short process	14	9	1	4	48.140 s


**(F)- To verify the functionality of chequebook under receive from provider**




<b>FAILED</b>	<b>DURATION - 48.150 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 9 Fail - 1 Skip - 4	
/ 4:31:53.399 pm // 4:32:41.549 pm /					

**(S)- checking if the user is able to reverse a chequebook - short process**

<div>FAILED</div> <div>DURATION - 48.140 s</div>		Steps	
/ 4:31:53.409 pm // 4:32:41.549 pm /		Total - 14	
To verify the functionality of chequebook under receive from provider		Pass - 9	
@CHB_009		Fail - 1	
		Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	16.889 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			
2	And user click the chequebook request button	PASSED	0.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click the to be reversed chequebook screen	PASSED	1.764 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
			
4	And user click the checkbook code in to be reversed chequebook screen	PASSED	6.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
5	And user enter the value in chequebook code	PASSED	0.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
			
6	And user click the to be reversed button	PASSED	3.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
7	Then user click the ok button to validate the confiern message popup	PASSED	2.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user click the reverse chequebook screen	PASSED	6.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			
9	And user click the chequebook code in reverse chequebook screen	PASSED	3.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
10	And user enter the value in chequebook code under reverse chequebook screen	FAILED	0.310 s
	<pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7be7e8a019ce65079d2d9116c8804e2, actions {actions=[org.openqa.selenium.interactions.Sequence@7860a014]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\112.0.5615.49\wdp}, goog:chromeOptions: {debuggerAddress: localhost:56248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56248/devtools, se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f7be7e8a019ce65079d2d9116c8804e2     at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)     at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)     at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)     at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)     at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)     at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</pre>		


#	Step / Hook Details	Status	Duration
	<p>at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1921)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)</p> <p>at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.</p> <p>user_enter_the_value_in_chequebook_code_under_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen.java:316)</p> <p>at ?.user enter the value in chequebook code under reverse chequebook screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:52)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:40)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)</p> <p>at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.</p> <p>user_enter_the_value_in_chequebook_code_under_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen.java:316)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:78)</p>		

#	Step / Hook Details	Status	Duration
	<p>java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.  JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.  java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.  runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.  cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.  cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.  CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.  runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.  runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.  invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.  MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.  java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.  runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at  org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.  invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.  base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.  TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.  runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.  run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.  run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.  runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031)  at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.  initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.  InvocationTargetException  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:119)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)  at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)  at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1921)  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)  at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61) at stepdefinitions.CSM_ChequeBookRequest_Screen. user_enter_the_value_in_chequebook_code_under_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen.java:316) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#td_chequeBookGridTbl_Id_Q000AR_1_ctschqbookVO.CODE"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7be7e8a019ce65079d2d9116c8804e2, findElement {using=id, value=td_chequeBookGridTbl_Id_Q000AR_1_ctschqbookVO.CODE}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\NININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools}, goog:chromeOptions: {debuggerAddress: localhost:56248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56248/devtools, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f7be7e8a019ce65079d2d9116c8804e2</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) </pre> <p>* Not displayable characters are replaced by '?'. *</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.247 s
11	And user click the reverse button under reverse chequebook screen	SKIPPED	0.000 s
12	And user click the maintenance screen under chequebook request	SKIPPED	0.000 s
13	And user enter the cheque code for reverse chequebook	SKIPPED	0.000 s
14	Then user validate the status record present in the maintenance screen for reverse chequebook	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is abel to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

AZENTIO

User: CHRISAG 01 January 2020  
Company: BAJ  
Branch: Head Office

Customer ID: -  
Customer Name: -

New Session Full Screen Options Advanced Options Switch View Home Log Out Help

Language

360 Degrees view  
Card Integration  
Customer Segmentation  
Accounts  
ADD Management  
Front Office Management  
Profiling  
Black List Management  
Links Management  
Safe Box  
Transfer Accounts  
Beneficiary Cooling Exceptions  
Accounts Rates  
Standing Order  
Action Transaction Report  
Chequebook Request  
Maintenance  
Approve  
Amend Submitted  
Apply to Submit  
To Cancel  
Batch Approval  
Submit  
Suspend  
Approve Cancel  
Reactivate  
Print  
List  
Approve / Reject Bulk Destroy  
To Be Destroyed  
Bulk Destroy  
Approve Destroyed  
Send To Branch  
In Branch  
Send To/Receive From Provider  
Reject Destroy  
Received by branch  
Chequebook Query  
Reverse Chequebook  
To Be Reversed Chequebook

Chequebook Request / To Be Reversed Chequebook

Copyright ©2023 Azentio & All Rights Reserved impCustomer Service Management 14.7.0.0 Build 269 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is abel to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

AZENTIO

User: CHRISAG 01 January 2020  
Company: BAJ  
Branch: Head Office

Customer ID: -  
Customer Name: -

New Session Full Screen Options Advanced Options Switch View Home Log Out Help

Language

360 Degrees view  
Card Integration  
Customer Segmentation  
Accounts  
ADD Management  
Front Office Management  
Profiling  
Black List Management  
Links Management  
Safe Box  
Transfer Accounts  
Beneficiary Cooling Exceptions  
Accounts Rates  
Standing Order  
Action Transaction Report  
Chequebook Request  
Maintenance  
Approve  
Amend Submitted  
Apply to Submit  
To Cancel  
Batch Approval  
Submit  
Suspend  
Approve Cancel  
Reactivate  
Print  
List  
Approve / Reject Bulk Destroy  
To Be Destroyed  
Bulk Destroy  
Approve Destroyed  
Send To Branch  
In Branch  
Send To/Receive From Provider  
Reject Destroy  
Received by branch  
Chequebook Query  
Reverse Chequebook  
To Be Reversed Chequebook

Chequebook Request / To Be Reversed Chequebook

Q000AR

Code	Cheque Code	Branch Code	Currency	GL	CIF	SL	Acc Add Ref	IBAN ACC No	From Number	To Number	Status
583	101	1	840	6002	1306	0	04000600200001306000				Approved
583	200	1	840	210210	1158	1	04011021000001158001				Approved
477	1	1	840	11784	1117	0	04001178400001117000		1	650	Approved
475	1	1	48	6002	1179	0	04800600200001179000		4313	4962	Approved
473	1	1	48	6002	1179	0	04800600200001179000		3013	3662	Approved
472	1	1	48	6002	1179	0	04800600200001179000		2363	3012	Approved
468	123	1	48	6002	1179	0	04800600200001179000		2163	2212	Approved

Page 1 of 10 20 View 1 - 20 of 184

Copyright ©2023 Azentio & All Rights Reserved impCustomer Service Management 14.7.0.0 Build 269 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot shows the AZENTIO interface with a sidebar menu on the left and a main table titled 'Chequebook Request / To Be Reversed Chequebook'. The table has columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table contains several rows of data, including one with a 'Loading...' button overlay. The bottom of the screen shows copyright information: 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot shows the AZENTIO interface with a sidebar menu on the left and a main form titled 'Chequebook Request / To Be Reversed Chequebook'. The form includes fields for Request Number, Cheque Code, Design, Leaves, Types, Account Number, A/C No., Account Name, Account Cy, Account Type, Account CIF, Serial Number, Number of Papers, From Number, To Number, Normal/Urgent, Destination Branch, Date Submitted, Printing Location, Name to be Printed, Deduct Charges, and Remarks. The bottom of the screen shows copyright information: 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is abel to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is abel to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider