

Cucumber Report

22-May-2023, 6:16:20 pm

Start : May 22, 6:14:44.319 pm

End : May 22, 6:16:18.838 pm

Duration : 1 m 34.519 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	1 m 34.519 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating</u>	29	14	1	14	1 m 34.513 s

(F)- To verify the functionality of transaction on staff account

FAILED	DURATION - 1 m 34.519 s	Scenarios		Steps	
/ 6:14:44.319 pm // 6:16:18.838 pm /		Total - 1		Total - 29	
		Pass - 0		Pass - 14	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	

(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating


<div>FAILED</div> <div>DURATION - 1 m 34.513 s</div>		<div></div>	<div>Steps</div> <div>Total - 29</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 6:14:44.325 pm // 6:16:18.838 pm /</div>				
<div>To verify the functionality of transaction on staff account</div>				
<div>@TSA_016</div>				


#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	1 m 13.877 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
4	And user click user submenu	PASSED	0.618 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
5	And user click populate user submenu	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	0.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	6.980 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
			
14	And user click and enter the value in branch field	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	<p>And user click and enter the value in new user template field</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input role="livesearch" type="text" id="new_1684759576243_ctstellerPopulateBranchesVO.TMPL_CODE_lookuptxt_tab2_GridTbl_Id_E000POMT" class="liveSearchText liveSearchCompSize ui-widget-content liveSearchInputCorner" name="lookupTxt_ctstellerPopulateBranchesVO.TMPL_CODE" prevvalue="" value="" dependency="ctstellervo.CODE:ctstellerPopulateBranchesVO.TMPL_CODE_lookuptxt" dependencysrc="" params="TELLER_CODE:ctstellerPopulateBranchesVO.TMPL_CODE_lookuptxt" afterdepevent="" leadzeros="" mode="" nbformat="" colmodel="[object Object]" maxlength="6" gridid="tab2_GridTbl_Id_E000POMT" editrowid="new_1684759576243" required="required"> is not clickable at point (678, 433). Other element would receive the click: <div class="progBarContent" style="left: 0px;">...</div> (Session info: chrome=113.0.5672.127) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c50afa4b319ccc7cd0fcd45530f6b5f, clickElement {id=216D941818BA5FE38457259AEE9C27A5_element_313}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:63503}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63503/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3c50afa4b319ccc7cd0fcd45530f6b5f)] -> xpath: //input[@name='lookupTxt_ctstellerPopulateBranchesVO.TMPL_CODE']] Session ID: 3c50afa4b319ccc7cd0fcd45530f6b5f</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_click_and_enter_the_value_in_new_user_template_field(CSM_TransactionOnStaffAccount_Steps.java:213) </pre>	FAILED	1.330 s

#	Step / Hook Details	Status	Duration
	<p>at ?.user click and enter the value in new user template field(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:23)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.257 s
16	And user click save button under populate user	SKIPPED	0.000 s
17	And user click confirm message ok button	SKIPPED	0.000 s
18	And user click success message ok button	SKIPPED	0.000 s
19	And user click approve screen under populate user	SKIPPED	0.001 s
20	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
21	And user click approve button	SKIPPED	0.000 s
22	And user click confirm message ok button	SKIPPED	0.001 s
23	And user click success message ok button	SKIPPED	0.000 s
24	And user click populate screen	SKIPPED	0.000 s
25	And user click and enter the value in cheque code under populate screen	SKIPPED	0.001 s
26	And user click populate button	SKIPPED	0.000 s
27	And user click confirm message ok button	SKIPPED	0.000 s
28	And user click success message ok button	SKIPPED	0.000 s
29	And user logout from the csm params application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The main area displays the 'Populate User' form. The form has several input fields: 'Code' (157), 'Status', 'Brief Description' (test157), 'Long Description' (test), 'User Code' (1), 'User ID', and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO system interface with the 'Populate User' form and an empty 'Destination Branches' table.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form displays the 'E000P0MT' user profile with the following fields: Code (157), Status, Brief Description (test157), Long Description (test), User Code (longArabic), and User ID. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form displays the 'E000P0MT' user profile with the following fields: Code (157), Status, Brief Description (test157), Long Description (test), User Code (longArabic), and User ID. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'User' category is selected, and the 'Populate User' option is highlighted. The main area displays a form for creating a new user. The form includes fields for Code (157), Status, Brief Description (test157), Long Description (test), User Code (20561), User ID (320561), and a checkbox for 'Suspend user in logged in bran'. The 'Destination Branches' table is empty, showing columns for Branch Code, Branch Name, and New User Template. The bottom of the interface shows the copyright notice 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'Intel Parametrisation 14.7.0.0 Build 201'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' option is selected in the sidebar. The main form area shows the same fields as before, but with a loading spinner (a blue circular arrow) appearing over the 'Destination Branches' table, indicating that the system is processing the population of users. The bottom of the interface shows the copyright notice 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'Intel Parametrisation 14.7.0.0 Build 201'.

(Step) AFTER_STEP - stepdefinitions.
 HooksClass.addScreenshot(io.cucumber.
 java.Scenario)

(S) Checking if all the new profiles are
 created as "Active" in the branches set in
 the "Destination Branch" after populating

(F) To verify the functionality of
 transaction on staff account

The screenshot displays the AZENTIO user management interface. The top navigation bar shows the user 'GOWRI' from company 'BJA' at the 'Head Office' on '01 December 2022'. The left sidebar contains a 'Menu Options' tree with categories like Parameters, User, and Maintenance. The main content area is titled 'Parameters / System Parameters / User / Populate User / Maintenance'. It features a form for creating or updating a user profile. Fields include 'Code' (157), 'Status', 'Brief Description' (text157), 'Long Description' (text), 'User Code' (320561), 'User ID' (320561), and 'Brief Description' (Adebayo Riyad Latoun). There is a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table shows one entry with 'Branch Code' 3. A 'Save' button is at the bottom. The footer contains copyright information: 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.