

Cucumber Report

13-May-2023, 11:51:53 am

Start : May 13, 11:50:25.705 am

End : May 13, 11:51:52.378 am

Duration : 1 m 26.673 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 2


FAILED - 1

SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of CSM passbooks</u>	1	0	1	0	1 m 26.673 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of CSM passbooks	Checking on the "OR" restriction for CIF Type "X" and GL "Y" under Passbooks	18	2	1	15	1 m 26.667 s

(F)- To verify the functionality of CSM passbooks

FAILED	DURATION - 1 m 26.673 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 2 Fail - 1 Skip - 15	
/ 11:50:25.705 am // 11:51:52.378 am /					


(S)- Checking on the "OR" restriction for CIF Type "X" and GL "Y" under Passbooks

<div>FAILED</div> <div>DURATION - 1 m 26.667 s</div>			<div>Steps</div> <div>Total - 18</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 15</div>	
/ 11:50:25.711 am // 11:51:52.378 am /				
To verify the functionality of CSM passbooks				
@TC_SAD_0074				

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	20.579 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
	screenshot		
			
2	And user update test data set id for TC_SAD_0074	PASSED	0.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	<p>And user click the passbooks in menu options</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: passbook - //td[text()='PassBooks']' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_Passbooks_Restriction.user_click_the_passbooks_in_menu_options(CSM_Passbooks_Restriction.java:56) at ?.user click the passbooks in menu options(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Passbooks.feature:6) Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression passbook - //td[text()='PassBooks'] because of the following error: TypeError: Failed to execute 'evaluate' on 'Document': The result is not a node set, and therefore cannot be converted to the desired type. (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec2f66c18b150a7d1ad16fec7289b4ed, findElement {using=xpath, value=passbook - //td[text()='PassBooks']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\scoped_dir11111_1111111111}, goog:chromeOptions: {debuggerAddress: localhost:57765}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57765/devtoo. ..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ec2f66c18b150a7d1ad16fec7289b4ed at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIsVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) </pre>	FAILED	1 m 0.035 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_Passbooks_Restriction.user_click_the_passbooks_in_menu_options(CSM_Passbooks_Restriction.java:56) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.314 s
4	And user click the maintenance under passbooks	SKIPPED	0.001 s
5	Then user enter the value for passbook type	SKIPPED	0.000 s
6	And user click the passbooks maintenance icon	SKIPPED	0.000 s
7	And user enter the branch code value under passbook type	SKIPPED	0.000 s
8	And user click the passbooks maintenance icon	SKIPPED	0.000 s
9	And user enter the currency code value under passbook type	SKIPPED	0.000 s
10	And user click the passbooks maintenance icon	SKIPPED	0.000 s
11	And user enter the GL code value under passbook type	SKIPPED	0.000 s
12	And user click the passbooks maintenance icon	SKIPPED	0.000 s
13	And user enter the CIF code value under passbook type	SKIPPED	0.000 s
14	And user click the passbooks maintenance icon	SKIPPED	0.000 s
15	And user enter the serial no value under passbook type	SKIPPED	0.000 s
16	And user click the passbooks maintenance icon	SKIPPED	0.001 s
17	Then user verify the popup message	SKIPPED	0.000 s
18	And user logout from this application	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking on the "OR" restriction for
CIF Type "X" and GL "Y" under
Passbooks


(F) To verify the functionality of CSM
passbooks



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking on the "OR" restriction for
CIF Type "X" and GL "Y" under
Passbooks

(F) To verify the functionality of CSM
passbooks



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking on the "OR" restriction for
CIF Type "X" and GL "Y" under
Passbooks

(F) To verify the functionality of CSM
passbooks

The screenshot displays the Azentio CSM application interface. The top header bar is blue and contains the following information: User: GOWRI, Company: BAJ, Branch: Head Office, Date: 01 January 2020, Customer ID, and Customer Name. On the right side of the header, there are links for New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, and Help, along with a Language dropdown menu.

On the left side, there is a 'Menu Options' sidebar with a list of menu items, including: Clubbed Accounts, Amend Cheque/Card status, 360 Degrees view, Card Integration, Denial Test Dynamic Screen, Customer Segmentation, Accounts, Profiling, ADD Management, Front Office Management, Black List Management, Links Management, Safe Box, JV Tickets (Hubs Branch), Transfer Accounts, Beneficiary Cooling Exceptions, Accounts Rates, Chequebook Request, Standing Order, Action Transaction Report, SMS Subscription, Transfer Bill, Recording of Remittance, Transfer Cash, Passbooks, Credit Evaluation, Memo Detail, Charges Refund, Remittance, Customer Registration, Authorization/Cancellation of the draw down, Lost & Found Management, and BPS Application.

The main content area is currently blank. At the bottom of the interface, there is a footer bar with the text: Copyright ©2023 Azentio All Rights Reserved, Inq Customer Service Management 14.7.0.0 Build 291, and Powered by Azentio.