

# Cucumber Report

17-May-2023, 12:39:10 pm

Start : May 17, 12:37:22.085 pm

End : May 17, 12:39:08.257 pm

Duration : 1 m 46.172 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 16  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	1 m 46.172 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	24	16	1	7	1 m 46.163 s

**(F)- To verify the functionality of transaction on staff account**

<b>FAILED</b>	<b>DURATION - 1 m 46.172 s</b>	Scenarios		Steps	
/ 12:37:22.085 pm // 12:39:08.257 pm /		Total - 1		Total - 24	
		Pass - 0		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

**(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating**




<div>FAILED</div> <div>DURATION - 1 m 46.163 s</div>			Steps		
/ 12:37:22.094 pm // 12:39:08.257 pm /			Total - 24		
To verify the functionality of transaction on staff account			Pass - 16		
			Fail - 1		
@TSA_016			Skip - 7		

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	21.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
4	And user click user submenu	PASSED	0.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
5	And user click populate user submenu	PASSED	1.897 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	1.904 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	6.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
14	And user click and enter the value in branch code field	PASSED	0.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in new user template field	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
			
16	And user click save button under populate user	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
17	And user click confirm message ok button	FAILED	1 m 0.047 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='_popup_path_sol_confirm_ok']' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_TransactionOnStaffAccount_Steps.</p> <p>user_click_confirm_message_ok_button(CSM_TransactionOnStaffAccount_Steps.java:38)</p> <p>at ?user click confirm message ok button(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:21)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='_popup_path_sol_confirm_ok']"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f306ee23623f8e0c9680e83865ba085e, findElement {using=xpath, value="//input[@id='_popup_path_sol_confirm_ok']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:50665}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50665/devtoo.</p>		



#	Step / Hook Details	Status	Duration
	<pre> .., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f306ee23623f8e0c9680e83865ba085e   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)   at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_click_confirm_message_ok_button(CSM_TransactionOnStaffAccount_Steps.java:38)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:104)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.344 s
18	And user click success message ok button	SKIPPED	0.000 s
19	And user click approve screen under populate user	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
21	And user click approve button	SKIPPED	0.000 s
22	And user click populate screen	SKIPPED	0.000 s
23	And user click and enter the value in cheque code under populate screen	SKIPPED	0.001 s
24	And user click populate button	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as “Active” in the branches set in  
the “Destination Branch” after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as “Active” in the branches set in  
the “Destination Branch” after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, Accounts Parameters, System Parameters, and User. The 'User' category is expanded, showing options like Maintenance, Approve, Update after Approve, Suspend, Reactivate, List, and TELLER AXIS LIST. The 'Populate User' option is selected. The main form displays fields for Code (15715), Status, Brief Description, Long Description, User Code (1), User ID, and a checkbox for 'Suspend user in logged in bran'. Below these fields is a 'Destination Branches' table with columns for Branch Code, Branch Name, and New User Template. The table contains one row with Branch Code 1 and Branch Name 'البنك الرئيسي'. A 'Save' button is at the bottom left of the form.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

This screenshot is similar to the previous one, showing the AZENTIO user management interface with the 'Populate User' form. However, a 'Missing Elements' dialog box is open in the foreground. The dialog box lists the following elements: Brief Description, Long Description, الإسم بالعربي, الإسم بالانكليزي, User Code, Branch Code, and New User Template. An 'OK' button is at the bottom of the dialog box. The background form and sidebar are the same as in the previous screenshot.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot displays the AZENTIO web application interface. The top navigation bar includes the user profile (GOWRI, Company: IDAJ, Branch: Head Office) and the date (01 December 2022). The left sidebar menu is expanded, showing the 'Maintenance' option under the 'User' category. The main content area is titled 'Parameters / System Parameters / User / Populate User / Maintenance'. It features a form for user management with fields for Code (150), Status, Brief Description, Long Description, User Code (20), User ID, and a checkbox for 'Suspend user in logged in bran'. Below the form is a table titled 'Destination Branches' with columns for Branch Code, Branch Name, and New User Template. The table contains one row with Branch Code 20 and Branch Name 'البنك الرئيسي'. The bottom of the page shows the copyright notice 'Copyright ©2023 Azentio All Rights Reserved' and the version 'Inet Parametization 14.7.0.0 Build 195'.