

Cucumber Report

22 May 2023, 2:41:36 PM

Start : May 22, 2:39:51.166 PM

End : May 22, 2:41:30.161 PM

Duration : 1 m 38.995 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>To check the functionality of Populate User Flag</u>	1	0	1	0	1 m 38.995 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the functionality of Populate User Flag</u>	<u>Checking if only the “Approved” population tasks appear at the level of populate screen</u>	32	13	1	18	1 m 38.968 s

(F)- To check the functionality of Populate User Flag

FAILED	DURATION - 1 m 38.995 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 32 Pass - 13 Fail - 1 Skip - 18	
/ 2:39:51.166 PM // 2:41:30.161 PM /					




(S)- Checking if only the “Approved” population tasks appear at the level of populate screen


FAILED	DURATION - 1 m 38.968 s		Steps Total - 32 Pass - 13 Fail - 1 Skip - 18	
/ 2:39:51.193 PM // 2:41:30.161 PM /				
To check the functionality of Populate User Flag				
@TSA_014				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	32.995 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.532 s
	screenshot		
			
2	And Click the Parameters Flag	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click the System Parameters Flag	PASSED	0.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
			
4	And Click the User Flag under System Parameters Flag	PASSED	5.877 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		
			
5	Then Click the Populate user Flag under User Flag	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
6	And Click Maintenance Flag under Populate user Flag	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
			
7	Then Enter the code value under populate user maintenance screen	PASSED	7.534 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Enter the brief description valuse under populate user maintenance screen	PASSED	0.517 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
			
9	Then Enter the long description valuse under populate user maintenance screen	PASSED	0.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
			
10	And Enter the brief description arabic values under populate user maintenance screen	PASSED	0.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
11	Then Enter the long description arabic valuse under populate user maintenance screen	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And Enter the user code value under populate user maintenance screen	PASSED	0.492 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
			
13	Then Click the search icon in user code	PASSED	0.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
			
14	And Click the addbutton icon under destination branches	FAILED	1.624 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <td class="ui-pg-button ui-corner-all" title="Add new row" id="add_tab2_GridTbl_Id_E000POMT">...</td> is not clickable at point (282, 685). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=113.0.5672.93) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5cb8dec2d32ac58a99ee090d607bd24f, clickElement {id=2FE436228E32FE55191AEC83FAB27A8C_element_263}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64732}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64732/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5cb8dec2d32ac58a99ee090d607bd24f)] -> xpath: //td[@id='add_tab2_GridTbl_Id_E000POMT']] Session ID: 5cb8dec2d32ac58a99ee090d607bd24f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) atjdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.CSM_ParamTransStaffAccPopulateUser. click_the_addbutton_icon_under_destination_branches(CSM_ParamTransStaffAccPopulateUser.java:132) at ?.Click the addbutton icon under destination branches(file:///C:/Users/inindc00604/git/BharaniCSM/CSM_Bharani/src/test/java/features/ CSMPParam_PopulateUser.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.428 s
15	Then Enter the branch code value under destination branches	SKIPPED	0.000 s
16	And Enter the new user template value under destination branches	SKIPPED	0.000 s
17	Then Click the save button under destination branches	SKIPPED	0.000 s
18	And Click the Ok popup under maintenance flag	SKIPPED	0.000 s
19	Then Click the Ok popup under the success popup	SKIPPED	0.000 s
20	And Click the populate flag under Populate user	SKIPPED	0.000 s
21	Then Enter the Population code under populate screen	SKIPPED	0.000 s
22	And Click the Approve Flag under Populate user	SKIPPED	0.000 s
23	Then Enter the approve code under approve Flag	SKIPPED	0.000 s
24	And Select the entered value code under approve flag	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
25	And click on approve button in populate user	SKIPPED	0.000 s
26	And Click Okpopup under Approve Screen	SKIPPED	0.000 s
27	And Click the populate flag under Populate user	SKIPPED	0.002 s
28	Then Again Enter the Population code under populate screen	SKIPPED	0.000 s
29	And Double Click the Entered code under populate screen	SKIPPED	0.000 s
30	Then Approve the selected code under populate screen	SKIPPED	0.000 s
31	And Click okpopup under populate screen	SKIPPED	0.000 s
32	Then Click okpop sucess under populate screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the "Approved"
population tasks appear at the level of
populate screen


(F) To check the functionality of Populate
User Flag



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the "Approved"
population tasks appear at the level of
populate screen


(F) To check the functionality of Populate
User Flag



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen


(F) To check the functionality of Populate
User Flag



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen


(F) To check the functionality of Populate
User Flag



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen


(F) To check the functionality of Populate
User Flag



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - System Parameters
 - Backlist Source
 - ADD Parameters
 - Control Record
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
- User
 - Maintenance
 - Approve
 - Update after Approve
 - Suspend
 - Reactivate
 - List
 - TELLER AXIS LIST
 - Populate User
 - Maintenance
 - Approve
 - Update after Approve
 - Populate
 - Reject
 - List
 - ADD Categories
 - Status
 - Charges
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Cleaning House
 - Bill Type
 - Reasons
 - Memo

Parameters / System Parameters / User / Populate User / Maintenance

ED00PMHT

Code * 643 Status

Brief Description * 643

Long Description * 643

User Code * 643

User ID

Brief Description

Destination Branches

Branch Code	Branch Name	New User Template
No records to view		

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametrisation 14.7.0.0 Build 201 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - System Parameters
 - Backlist Source
 - ADD Parameters
 - Control Record
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
- User
 - Maintenance
 - Approve
 - Update after Approve
 - Suspend
 - Reactivate
 - List
 - TELLER AXIS LIST
 - Populate User
 - Maintenance
 - Approve
 - Update after Approve
 - Populate
 - Reject
 - List
 - ADD Categories
 - Status
 - Charges
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Cleaning House
 - Bill Type
 - Reasons
 - Memo

Parameters / System Parameters / User / Populate User / Maintenance

ED00PMHT

Code * 643 Status

Brief Description * 643

Long Description * 643

User Code * 643

User ID

Brief Description

Destination Branches

Branch Code	Branch Name	New User Template
No records to view		

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametrisation 14.7.0.0 Build 201 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if only the “Approved”
population tasks appear at the level of
populate screen

(F) To check the functionality of Populate
User Flag