

Cucumber Report

22-May-2023, 5:49:36 pm

Start : May 22, 5:47:54.490 pm

End : May 22, 5:49:34.883 pm

Duration : 1 m 40.393 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 19







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 40.393 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of chequebook under receive from provider</u>	<u>Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *</u>	28	8	1	19	1 m 40.386 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of chequebook under receive from provider




FAILED	DURATION - 1 m 40.393 s	Scenarios		Steps	
/ 5:47:54.490 pm // 5:49:34.883 pm /		Total - 1		Total - 28	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

(S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type


<div>FAILED</div> <div>DURATION - 1 m 40.386 s</div>		Steps	
/ 5:47:54.497 pm // 5:49:34.883 pm /		Total - 28	
To verify the functionality of chequebook under receive from provider		Pass - 8	
@CHB_179		Fail - 1	
		Skip - 19	

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	24.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.747 s
	screenshot		
			
2	And user update test data set id for CHB_179	PASSED	0.418 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click parameters menu	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
			
4	And user click the Account parameters submenu	PASSED	0.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
			
5	And user click the General Ledger submenu	PASSED	0.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
			
6	And user click the update after approve screen under general ledger	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click code under update after approve screen	PASSED	6.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
			
8	And user enter the value in code	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
			
9	And user retrieve the record under update approve screen	FAILED	1 m 0.038 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//td[text()='400402'])[1]' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.</p> <p>user_retrieve_the_record_under_update_approve_screen(CSM_ChequeBookRequest_Screen.java:1362)</p> <p>at ?user retrieve the record under update approve screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:572)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//td[text()='400402'])[1]"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [307a0c6c9cac376a6c69415963e2993f, findElement {using=xpath, value=(//td[text()='400402'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\p...}, goog:chromeOptions: {debuggerAddress: localhost:63103}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63103/devtoo..., se:cdpVersion: 113.0.5672.127,</p>		

#	Step / Hook Details	Status	Duration
	<p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 307a0c6c9cac376a6c69415963e2993f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBookRequest_Screen. user_retrieve_the_record_under_update_approve_screen(CSM_ChequeBookRequest_Screen.java:1362) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.263 s
10	And user click on additional details	SKIPPED	0.000 s
11	Then user select the required dropdown field under additonal details	SKIPPED	0.000 s
12	And user click on update button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	And user click on approve screen	SKIPPED	0.000 s
14	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
15	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
16	And user click on additional details	SKIPPED	0.000 s
17	Then user click on approve button	SKIPPED	0.000 s
18	And user navigate to system parameters	SKIPPED	0.000 s
19	And user click on transaction type submenu	SKIPPED	0.000 s
20	And user click on update after approve	SKIPPED	0.000 s
21	And user click and enter the value in code under transaction type	SKIPPED	0.000 s
22	And user retrieve the record under transaction type	SKIPPED	0.001 s
23	Then user verify required flag is checked or not	SKIPPED	0.000 s
24	And user click on update after approve button	SKIPPED	0.000 s
25	And user click on approve screen	SKIPPED	0.000 s
26	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
27	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
28	Then user click on approve button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the Azentio software interface. The top bar displays the user 'GOWRI', company 'IDAJ', branch 'Head Office', and the date '01 December 2022'. The sidebar menu on the left lists various options, including 'Parameters', 'Accounts Parameters', 'General Ledger', and 'System Parameters'. The main area is titled 'Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE'. It features a table with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and status_Key. The table is currently empty, showing 'No records to view'. The bottom of the screen displays the copyright notice 'Copyright ©2023 Azentio All Rights Reserved' and the version 'Azentio Parametrisation 14.7.0.0 Build 201'.