

Cucumber Report

22-Apr-2023, 4:13:28 pm

Start : Apr 22, 4:12:43.153 pm

End : Apr 22, 4:13:26.848 pm

Duration : 43.695 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 6







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>To verify the functionality of chequebook under receive from provider</u> | 1 | 0 | 1 | 0 | 43.695 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|---|---|---|----------|
| 1 | To verify the functionality of chequebook under receive from provider | checking if the user is abel to reverse a chequebook - short process | 14 | 7 | 1 | 6 | 43.685 s |



(F)- To verify the functionality of chequebook under receive from provider


| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 43.695 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 14 Pass - 7 Fail - 1 Skip - 6 |  |
| / 4:12:43.153 pm // 4:13:26.848 pm / | | | | | |


(S)- checking if the user is able to reverse a chequebook - short process

| | | | |
|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 43.685 s</div> |  | <div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| <div>/ 4:12:43.163 pm // 4:13:26.848 pm /</div> | | | |
| <div>To verify the functionality of chequebook under receive from provider</div> | | | |
| <div>@CHB_009</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login as csm core application | PASSED | 17.714 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.367 s |
| | screenshot | | |
| |  | | |
| 2 | And user click the chequebook request button | PASSED | 0.877 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.307 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And user click the to be reversed chequebook screen | PASSED | 1.188 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.293 s |
| | screenshot | | |
| |  | | |
| 4 | And user click the checkbook code in to be reversed chequebook screen | PASSED | 6.694 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.303 s |
| | screenshot | | |
| |  | | |
| 5 | And user enter the value in chequebook code | PASSED | 0.452 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.309 s |
| | screenshot | | |
| |  | | |
| 6 | And user click the to be reversed button | PASSED | 6.920 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | screenshot | | |
| |  | | |
| 7 | Then user click the ok button to validate the confiern message popup | PASSED | 1.773 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.322 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 8 | <p>And user click the reverse chequebook screen</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (82, 856). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=112.0.5615.138) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e92c1d3cffb6391b9984cbe3b86398b, clickElement {id=2b8d79df-a782-4eb8-9231-f72005bf1d66}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1e92c1d3cffb6391b9984cbe3b86398b)] -> xpath: //span[text()='Reverse Chequebook']] Session ID: 1e92c1d3cffb6391b9984cbe3b86398b</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_the_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen.java:284) at ?.user click the reverse chequebook screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:50) </pre> <p>* Not displayable characters are replaced by '?'. </p> | FAILED | 1.254 s |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> | PASSED | 0.282 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| |  | | |
| 9 | And user click the chequebook code in reverse chequebook screen | SKIPPED | 0.000 s |
| 10 | And user enter the value in chequebook code under reverse chequebook screen | SKIPPED | 0.000 s |
| 11 | And user click the reverse button under reverse chequebook screen | SKIPPED | 0.000 s |
| 12 | And user click the maintenance screen under chequebook request | SKIPPED | 0.000 s |
| 13 | And user enter the cheque code for reverse chequebook | SKIPPED | 0.000 s |
| 14 | Then user validate the status record present in the maintenance screen for reverse chequebook | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

| Code | Cheque Code | Branch Code | Currency | GL | CIF | SL | Acc Add Ref | IBAN ACC No | From Number | To Number | Status |
|------|-------------|-------------|----------|--------|------|----|-----------------------|-------------|-------------|-----------|----------|
| 887 | 150 | 1 | 840 | 435123 | 0 | | 34 520900308998029901 | | | | Approved |
| 878 | 105 | 1 | 840 | 435123 | 0 | | 37 520900308998023037 | | | | Approved |
| 875 | 105 | 1 | 840 | 435123 | 0 | | 37 520900308998023037 | | | | Approved |
| 587 | 960 | 1 | 840 | 210202 | 1158 | | 0 8402102020001158000 | | 0 | | Approved |
| 583 | 101 | 1 | 840 | 6602 | 1306 | | 0 8400600200011306000 | | | | Approved |
| 582 | 200 | 1 | 840 | 210210 | 1158 | | 1 8402102100001158001 | | | | Approved |
| 488 | 1 | 1 | 840 | 11784 | 1117 | | 0 8400117840001117000 | | 7151 | 7800 | Approved |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

The screenshot displays the 'Chequebook Request / To Be Reversed Chequebook' interface. The table lists several requests, with the first one being 'Approved'. The interface includes a sidebar with navigation options like '360 Degrees view', 'Card Integration', 'Customer Segmentation', 'Accounts', 'ADD Management', 'Front Office Management', 'Profiling', 'Black List Management', 'Links Management', 'Safe Box', 'Transfer Accounts', 'Beneficiary Cooling Exceptions', 'Accounts Rates', 'Standing Order', 'Action Transaction Report', and 'Chequebook Request'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the 'Chequebook Request / To Be Reversed Chequebook' details page. It contains various input fields for request information, account details, and charges. The 'Request Information' section shows a 'Request Number' of 887 and a 'Status' of 'Approved'. The 'Account Number' section shows an 'A/C No.' of 1 and an 'Account Name' of 'GL - FC cash-USD'. The 'Deduct Charges' section shows a 'Deduct Charges' of 1 and a 'Charge A/C' of 520900309898029901. The 'Remarks' section is empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is able to reverse
a chequebook - short process

(F) To verify the functionality of
chequebook under receive from provider