


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	0	1	0	2 m 17.939 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	18	10	1	7	2 m 17.933 s
	Transaction on staff account in CSM *	Prerequisites (Enable Multi Branch flag - Check)					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Testing the functionalities of Transaction on staff account in CSM Application

FAILED	DURATION - 2 m 17.939 s	Scenarios		Steps	
		Total - 1		Total - 18	
/11:30:25.396	6 am // 11:32:43.335 am /	Pass - 0	1	Pass - 10	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

DURATION - 2 m 17.933 s								1					- 1			Steps		
11:30:25.402 am // 11:32:43.335 am /	60							1								Total - 18		
esting the functionalities of Transaction on staff	40		-	 		 		1								Pass - 10	18	١
ccount in CSM Application	20	\parallel		 	-	 	<u>'</u>				- -			 		Fail - 1		
②TRS 052 01	0	- -	<u>=</u>	 		 	<u> </u>	+	+	_		_		 	 <u></u>	Skip - 7		

#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	22.799 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.485 s
	screenshot		
2	And User Click on Parameters under CSMParam Application	PASSED	0.616 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AA du Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1 186 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	0.353 s
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.623 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.630 s
4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAND User Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	0.317 s
screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.368 s 8.490 s PASSED O.812 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.828 s 1.186 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.623 s	· ·			
And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.490 s PASSED 9.812 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Duble Click on the Searched Code in Update After Approve Screen PASSED 1.186 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s			-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s PASSED 0.623 s				
screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.623 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.560 s
And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s PASSED 0.623 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.186 s PASSED 0.623 s				
Screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	8.490 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.812 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.623 s		With the control of t		
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	1.186 s
and the state of t		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.623 s
Screenshot		screenshot		

#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	1.607 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.344 s
		-	
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	3.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot	1	
10	And User Click Ok Button in information PopUp menu in Update After Approve Screen	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	FAILED	1 m 10.055 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.140) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd0bdfe15436d9fe17adcbbc551c2b1e, findElement {using=id, value=_popup_path_sol_confirm_ok}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.140, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61114/devtoo, se:cdpVersion: 112.0.5615.140,		


#	Step / Hook Details	Status	Duration
#	SetWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:rlargeBlob: true, webauthn:extension:minPinLength: frue, webauthn:extension:rlargeBlob: true, webauthn:extension:prf: frue, webauthn:extension:rlargeBlob: true, webauthn:extension:prf: frue, Session ID: fd0bdfel5436d9fel7adcbbc551c2b1e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:481) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:142) at org.openqa.selenium.remote.ElementLocation.selementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:34) at org.openqa.selenium.remote.RemoteWebDriver.selementRemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:39) at jdk.proxy2jdk_proxy2.45proxy45.15cffg(Unknown Source) at java.base/	Status	Duration
	at stepdefinitions.CSM_TransactionSA. user_click_ok_button_in_confirm_popup_menu_in_update_after_approve_screen(CSM_TransactionSA.java:1356) at ?.User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen(file:///C:/Users/inindc00605/git/CSM/AzentioAutomationFramework_CSM_Kiruthiga2/src/test/java/features/CSM_TransactionSA.feature:389) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.012 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.140) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd0bdfe15436d9fe17adcbbc551c2b1e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.140, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61114}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61114/devtoo, se:cdpVersion: 112.0.5615.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: fd0bdfe15436d9fe17adcbbc551c2b1e		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)		
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:64)		
12	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	SKIPPED	0.003 s
13	And User Click on Approve under Transaction Type	SKIPPED	0.002 s
14	And User Enter the Trx Type in Code under Approve Screen	SKIPPED	0.006 s
15	And User Double Click on the Searched Code in Approve Screen	SKIPPED	0.001 s
16	And User Click on Approve Button in Approve Screen under System Parameters	SKIPPED	0.003 s
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	SKIPPED	0.000 s
18	And User Click on Ok Button in Success PopUp under Approve Screen	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --




EXPANDED SECTION --- 13 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

(F) Testing the functionalities of Transaction on staff account in CSM Application

