

Cucumber Report

24-May-2023, 12:10:30 pm

Start : May 24, 12:09:47.092 pm

End : May 24, 12:10:28.807 pm

Duration : 41.715 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	41.715 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of chequebook under receive from provider</u>	<u>Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *</u>	30	15	1	14	41.707 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 41.715 s	Scenarios		Steps	
/ 12:09:47.092 pm // 12:10:28.807 pm /		Total - 1		Total - 30	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	



(S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type



<div>FAILED</div> <div>DURATION - 41.707 s</div>	<div></div>	<div>Steps</div> <div>Total - 30</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 12:09:47.100 pm // 12:10:28.807 pm /</div>			
<div>To verify the functionality of chequebook under receive from provider</div>			
<div>@CHB_179</div>			


#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	18.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
2	And user update test data set id for CHB_179	PASSED	0.395 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click parameters menu	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
			
4	And user click the Account parameters submenu	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
5	And user click the General Ledger submenu	PASSED	2.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
			
6	And user click the update after approve screen under general ledger	PASSED	1.890 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click code under update after approve screen	PASSED	4.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			
8	And user enter the value in code	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
9	And user retrieve the record under update approve screen	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
10	And user click on additional details	PASSED	1.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then user select the required dropdown field under additional details	PASSED	0.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
			
12	And user click on update button	PASSED	0.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		
			
13	And user click on ok button	PASSED	0.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
			
14	And user click on approve screen	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in code under approve screen	PASSED	0.817 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
16	And user retrieve the internal account record in approve screen	FAILED	0.231 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [13fe6c54b3b42a4373d0400fb2bcb581, actions {actions=[org.openqa.selenium.interactions.Sequence@5d8fd077]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53647}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53647/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 13fe6c54b3b42a4373d0400fb2bcb581</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61) at stepdefinitions.CSM_ChequeBookRequest_Screen. user_retrieve_the_internal_account_record_in_approve_screen(CSM_ChequeBookRequest_Screen.java:1427) </pre>		

#	Step / Hook Details	Status	Duration
	<p>at ?.user retrieve the internal account record in approve screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:579)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.264 s
17	And user click on additional details	SKIPPED	0.001 s
18	Then user click on approve button	SKIPPED	0.000 s
19	And user click on ok button	SKIPPED	0.000 s
20	And user click system parameters submenu	SKIPPED	0.000 s
21	And user click on transaction type submenu	SKIPPED	0.000 s
22	And user click on update after approve	SKIPPED	0.001 s
23	And user click and enter the value in code under transaction type	SKIPPED	0.000 s
24	And user retrieve the record under transaction type	SKIPPED	0.000 s
25	Then user verify required flag is checked or not	SKIPPED	0.000 s
26	And user click on update after approve button	SKIPPED	0.000 s
27	And user click on approve screen under transaction type	SKIPPED	0.000 s
28	And user click and enter the value in code in approve screen under transaction type	SKIPPED	0.001 s
29	And user retrieve the internal account record in approve screen under transaction type	SKIPPED	0.000 s
30	Then user click on approve button under transaction type	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user name 'GOWRI', company 'BJJ', and branch 'Head Office'. The date is '01 December 2022'. The main content area displays the 'UPDATE AFTER APPROVE' screen for a General Ledger account. The account code is 400402, and the status is 'Approved'. The left sidebar shows the navigation menu with 'UPDATE AFTER APPROVE' selected under 'General Ledger'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user name 'GOWRI', company 'BJJ', and branch 'Head Office'. The date is '01 December 2022'. The main content area displays the 'UPDATE AFTER APPROVE' screen for a General Ledger account. The account code is 400402, and the status is 'Approved'. The left sidebar shows the navigation menu with 'UPDATE AFTER APPROVE' selected under 'General Ledger'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO web application interface. The user is logged in as GOWRI, Company: BAJ, Branch: Head Office, on 01 December 2022. The navigation menu on the left includes options like Parameters, Accounts Parameters, General Ledger, and others. The main content area displays a table with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and Status Key. The table contains several rows of data related to 'Ijara Rentals due'. A 'Success' dialog box is overlaid on the screen, stating 'Saved Successfully' with an 'Ok' button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO web application interface. The user is logged in as GOWRI, Company: BAJ, Branch: Head Office, on 01 December 2022. The navigation menu on the left is the same as in the previous screenshot. The main content area is mostly blank, with a large blue loading spinner in the center, suggesting that the data is still being loaded or there is a system error.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider