

# Cucumber Report

25-Apr-2023, 1:36:04 pm

Start : Apr 25, 1:34:28.620 pm

End : Apr 25, 1:36:02.932 pm

Duration : 1 m 34.312 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 34.312 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of <u>chequebook under receive from provider</u>	<u>Check if the Collected By ID field is not amendable at the level of "Chequebook Request – Submit screen</u>	8	6	1	1	1 m 34.305 s





**(F)- To verify the functionality of chequebook under receive from provider**

<b>FAILED</b>	<b>DURATION - 1 m 34.312 s</b>	Scenarios		Steps	
/ 1:34:28.620 pm // 1:36:02.932 pm /		Total - 1		Total - 8	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**(S)- Check if the Collected By ID field is not amendable at the level of "Chequebook Request – Submit screen**


<div>FAILED</div> <div>DURATION - 1 m 34.305 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 1:34:28.627 pm // 1:36:02.932 pm /</div>			
<div>To verify the functionality of chequebook under receive from provider</div>			
<div>@CHB_047</div>			

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	18.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
			
2	And user click the chequebook request button	PASSED	0.728 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click the submit screen	PASSED	1.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
4	And user click the cheque code in submit screen	PASSED	6.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
			
5	And user enter the value in cheque code under submit screen	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
			
6	Then user retrieve the record which was created checkbox	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.465 s
	screenshot		
			
7	And user click to maximize the request information menu	FAILED	1 m 0.039 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[text()='Request Information']/parent::div//child::span/span' (tried for 60 second(s) with 5 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBookRequest_Screen. user_click_to_maximize_the_request_information_menu(CSM_ChequeBookRequest_Screen.java:614)   at ?.user click to maximize the request information menu(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:98) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Request Information']/parent::div//child::span/span"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3cd1d301f3f5d0efc1a7df75b7d51e6d, findElement {using=xpath, value=//span[text()='Request Information']/parent::div//child::span/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-1064621\chrome-win-1064621}, goog:chromeOptions: {debuggerAddress: localhost:64771}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64771/devtools, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3cd1d301f3f5d0efc1a7df75b7d51e6d   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)   at stepdefinitions.CSM_ChequeBookRequest_Screen. user_click_to_maximize_the_request_information_menu(CSM_ChequeBookRequest_Screen.java:614) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		


#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.315 s
8	Then user validate to check the collected by id field	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
"Chequebook Request – Submit screen


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
"Chequebook Request – Submit screen


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
“Chequebook Request – Submit screen

(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
“Chequebook Request – Submit screen

(F) To verify the functionality of  
chequebook under receive from provider

Code	Cheque Code	Branch Code	Currency	GL	CIF	SL	Acc Add Ref	IBAN ACC No	From Number	To Number	Status
900	150	1	840	435123	0		34 52090030898029901				Apply To Submit
899	150	1	840	435123	0		34 52090030898029901				Apply To Submit
895	150	1	840	435123	0		34 52090030898029901				Apply To Submit
893	3	1	840	5386	100105		0 8400538600100105000				Apply To Submit
886	150	1	840	435123	0		34 52090030898029901				Apply To Submit
881	150	1	840	435123	0		36 52090030898022001				Apply To Submit
880	150	1	840	435123	0		36 52090030898022001				Apply To Submit

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
“Chequebook Request – Submit screen

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the AZENTIO system interface for the 'Chequebook Request / Submit' screen. The interface includes a menu on the left, a header with user and company information, and a main table with columns for Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table contains several rows of data, and a 'Loading...' button is visible in the center. The footer shows copyright information and the version number 14.7.0.0.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
“Chequebook Request – Submit screen

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the AZENTIO system interface for the 'Chequebook Request / Submit' screen. The interface includes a menu on the left, a header with user and company information, and a main table with columns for Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. The table contains several rows of data, and a 'Loading...' button is visible in the center. The footer shows copyright information and the version number 14.7.0.0.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the Collected By ID field is  
not amendable at the level of  
"Chequebook Request – Submit screen

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the Azenzio Customer Service Management interface. The top navigation bar includes the Azenzio logo, user information (User: CHRISAG, Company: BAJ, Branch: Head Office), date (01 January 2020), and various utility links (New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, Help). The left sidebar contains a 'Menu Options' tree with categories like 'Amend Cheque/Card status', 'Clubbed Accounts', '360 Degrees view', 'Card Integration', 'Customer Segmentation', 'Accounts', 'ADD Management', 'Front Office Management', 'Profiling', 'Black List Management', 'Links Management', 'Safe Box', 'Transfer Accounts', 'Beneficiary Cooling Exceptions', 'Accounts Rates', 'Standing Order', 'Action Transaction Report', and 'Chequebook Request'. The 'Chequebook Request' category is expanded, showing sub-options: Maintenance, Approve, Amend Submitted, Apply to Submit, To Cancel, Batch Approval, Submit (highlighted), Suspend, Approve Cancel, Reactivate, Print, List, Approve / Reject Bulk Destroy, To Be Destroyed, Bulk Destroy, Approve Destroyed, Send To Branch, In Branch, Send To/Receive From Provider, and Reject Destroy. The main content area is titled 'Chequebook Request / Submit' and shows a table with columns: Code, Cheque Code, Branch Code, Currency, GL, CIF, SL, Acc Add Ref, IBAN ACC No, From Number, To Number, and Status. A single row is visible with values: 900, 150, 1, B40, 435123, 0, 34, 520900309898029901, and 'Apply To Submit'. The bottom of the screen shows copyright information: 'Copyright ©2023 Azenzio All Rights Reserved' and 'Powered By Azenzio'.