

# Cucumber Report

28 Jun 2023, 5:44:28 PM

Start : Jun 28, 5:44:06.129 PM

End : Jun 28, 5:44:23.087 PM

Duration : 16.958 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 41







#	Feature Name	T	P	F	S	Duration
1	Checking functionality of transaction	1	0	1	0	16.958 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking functionality of transaction	Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment *	41	0	0	41	16.951 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

**(F)- Checking functionality of transaction**

<b>FAILED</b>	<b>DURATION - 16.958 s</b>	Scenarios		Steps	
/ 5:44:06.129 PM // 5:44:23.087 PM /		Total - 1		Total - 41	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 41	

**(S)- Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment Cash**

<div>FAILED</div> <div>DURATION - 16.951 s</div>			Steps	
/ 5:44:06.136 PM // 5:44:23.087 PM /			Total - 41	
Checking functionality of transaction			Pass - 0	
@TRS_394			Fail - 0	
			Skip - 41	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)  org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: uniqueContextId not found (Session info: chrome=114.0.5735.134) Host info: host: 'DESKTOP-PSK9T3S', ip: '10.81.234.10' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --incognito], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --incognito], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)	<b>FAILED</b>	16.784 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at resources.BaseClass.initializeDriver(BaseClass.java:30) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:45)		
1	Given navigate to CSM param application and login with valid credentials	SKIPPED	0.001 s
2	And user update test data set id for TRS_394	SKIPPED	0.001 s
3	And user click the parameters menu	SKIPPED	0.000 s
4	And user click the system parameters submenu	SKIPPED	0.001 s
5	And user click on the transaction type under the system parameters	SKIPPED	0.000 s
6	And user click on the update after approve field under the transaction type	SKIPPED	0.001 s
7	And user enters the transaction type code in the code column under the update after approve	SKIPPED	0.000 s
8	And user double clicks on the entered transaction type code from the list to view the transaction type details	SKIPPED	0.001 s
9	And user check the MultipleTransfer check Box	SKIPPED	0.000 s
10	And user click on the update after approve button to save the changes	SKIPPED	0.001 s
11	And user click on the approve field under the transaction type menu	SKIPPED	0.001 s
12	And user enters the transaction type code in the code column under the approve menu	SKIPPED	0.000 s
13	And user double clicks on the entered transaction type code from the list to view the transaction type details in approve screen	SKIPPED	0.001 s
14	And user click on the approve button to approve the changes	SKIPPED	0.003 s
15	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
16	And user update test data set id for TRS_394	SKIPPED	0.000 s
17	And user click on Date to Change the Current Date in the CSM core application	SKIPPED	0.000 s
18	And user Enters the Date in user Running Date in the CSM core application	SKIPPED	0.002 s
19	And user click on Use Button in Change Running Date Popup in the CSM core application	SKIPPED	0.004 s
20	And User Click Ok Button for confirmation PopUp for Company Holiday	SKIPPED	0.001 s
21	And user click Ok Button in Information PopUp menu in the CSM core application	SKIPPED	0.001 s
22	And user click on Close Button in Change Running Date Popup in the CSM core application	SKIPPED	0.000 s
23	And user click on Technical Details Icon in the CSM core application	SKIPPED	0.000 s
24	And user click Clear Cache in Technical Details Icon in the CSM core application	SKIPPED	0.000 s
25	And user click Ok Button Under Information PopUp Menu in the CSM core application	SKIPPED	0.001 s
26	And user click on Transactions under CSM application in the CSM core application	SKIPPED	0.006 s
27	And user click on Maintenance under Transactions in the CSM core application	SKIPPED	0.001 s
28	And user enters the transaction type	SKIPPED	0.001 s
29	And user change the mode of payment to Account	SKIPPED	0.000 s
30	And user Enter the currency on cash field	SKIPPED	0.000 s
31	And user double click the record on cash field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
32	And user Enter the Currency in Maintenance Screen	SKIPPED	0.000 s
33	And user click random click	SKIPPED	0.001 s
34	And user Enter the Amount in Maintenance Screen	SKIPPED	0.001 s
35	And user click random click	SKIPPED	0.000 s
36	And user click the AccountDetails button under maintenance screen	SKIPPED	0.000 s
37	And user click the Add button on AccountDetails button	SKIPPED	0.000 s
38	And user click the record on accountDetails	SKIPPED	0.001 s
39	And user Enter the GL on AccountDetails button	SKIPPED	0.002 s
40	And user Enter the Cif on AccountDetails button	SKIPPED	0.000 s
41	And user Enter the SerialNo on AccountDetails button	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:65)		