

# Cucumber Report

09-May-2023, 10:09:48 am

*Start : May 09, 10:09:00.446 am*

*End : May 09, 10:09:45.422 am*

*Duration : 44.976 s*

*Features*

*Scenarios*

*Steps*

*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*


*PASSED - 0*  
*FAILED - 1*  
*SKIPPED - 0*

*PASSED - 3*  
*FAILED - 1*  
*SKIPPED - 3*







#	Feature Name	T	P	F	S	Duration
1	<u>To destory the ChequeBook Record</u>	1	0	1	0	44.976 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	destory the ChequeBook Record	7	3	1	3	44.969 s


**(F)- To destroy the ChequeBook Record**


<b>FAILED</b>	<b>DURATION - 44.976 s</b>	Scenarios		Steps	
/ 10:09:00.446 am // 10:09:45.422 am /		Total - 1		Total - 7	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

**(S)- destroy the ChequeBook Record**

<div>FAILED</div> <div>DURATION - 44.969 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 10:09:00.453 am // 10:09:45.422 am /</div>				
<div>To destroy the ChequeBook Record</div>				
<div>@CHB_111</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	21.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.583 s
	screenshot		
			
2	And Click the ChequeBook request under CSM application	PASSED	3.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.491 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	Then Click the to be destory button under ChequeBook request	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.651 s
	<div> <div>screenshot</div> <div>  </div> </div>		
4	<p>And Click on search existing checkbook record</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='chequeBookGridTbl_Id_Q000TD_gs_ctschrqbookVO.CODE']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c1996b867027148a43c99b2d62e8ae2b, findElement {using=xpath, value="//input[@id='chequeBookGridTbl_Id_Q000TD_gs_ctschrqbookVO.CODE']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:61061}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61061/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c1996b867027148a43c99b2d62e8ae2b     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)     at stepdefinitions.CSM_CB_DestroytheRecord_steps.click_on_search_existing_checkbook_record(CSM_CB_DestroytheRecord_steps.java:45)</pre>	FAILED	0.079 s

#	Step / Hook Details	Status	Duration
	at ?.Click on search existing checkbook record(file:///C:/Users/inindc00605/eclipse-workspace/Azentio_CSM_Gowtham/src/test/java/features/CSM_CB_DestroytheRecord.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.752 s
	screenshot		
			
5	And search a existing checkbook record	SKIPPED	0.000 s
6	Then double click the approve option	SKIPPED	0.000 s
7	And click the todestory button	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) destroy the ChequeBook Record


(F) To destroy the ChequeBook Record



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) destroy the ChequeBook Record


(F) To destroy the ChequeBook Record



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) destroy the ChequeBook Record

(F) To destroy the ChequeBook Record



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) destroy the ChequeBook Record

(F) To destroy the ChequeBook Record

