

# Cucumber Report

22-Apr-2023, 3:57:33 pm

Start : Apr 22, 3:55:54.370 pm

End : Apr 22, 3:57:31.663 pm

Duration : 1 m 37.293 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 7







| # | Feature Name  | T | P | F | S | Duration     |
|---|---|---|---|---|---|--------------|
| 1 | To verify the functionality of chequebook under receive from provider | 1 | 0 | 1 | 0 | 1 m 37.293 s |







| # | Feature Name   | Scenario Name   | T  | P | F | S | Duration     |
|---|--|---|----|---|---|---|--------------|
| 1 | To verify the functionality of<br>chequebook under receive from provider | checking if the user is abel to reverse a chequebook - short<br>process | 14 | 6 | 1 | 7 | 1 m 37.286 s |





**(F)- To verify the functionality of chequebook under receive from provider**

|                                      |                                |           |   |            |   |
|--------------------------------------|--------------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 1 m 37.293 s</b> | Scenarios |  | Steps      |  |
| / 3:55:54.370 pm // 3:57:31.663 pm / |                                | Total - 1 |   | Total - 14 |   |
|                                      |                                | Pass - 0  |   | Pass - 6   |   |
|                                      |                                | Fail - 1  |   | Fail - 1   |   |
|                                      |                                | Skip - 0  |   | Skip - 7   |   |

**(S)- checking if the user is able to reverse a chequebook - short process**


|   |  |  |            |   |
|---|--|--|------------|---|
| <div>FAILED</div> <div>DURATION - 1 m 37.286 s</div>                  |  |  | Steps      |  |
| / 3:55:54.377 pm // 3:57:31.663 pm /                                  |  |  | Total - 14 |   |
| To verify the functionality of chequebook under receive from provider |  |  | Pass - 6   |   |
| @CHB_009  |  |  | Fail - 1   |   |
|   |  |  | Skip - 7   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user login as csm core application  | PASSED | 17.148 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.276 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | And user click the chequebook request button  | PASSED | 1.021 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.410 s  |
|   | screenshot  |        |          |
|   |  |        |          |

| # | Step / Hook Details  | Status | Duration    |
|---|--|--------|-------------|
| 3 | And user click the to be reversed chequebook screen  | PASSED | 1.055 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.348 s     |
|   | screenshot   |        |             |
|   |  +  |        |             |
| 4 | And user click the checkbook code in to be reversed chequebook screen  | PASSED | 6.549 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.289 s     |
|   | screenshot   |        |             |
|   |  +  |        |             |
| 5 | And user enter the value in chequebook code  | PASSED | 0.499 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.298 s     |
|   | screenshot   |        |             |
|   |  +   |        |             |
| 6 | And user click the to be reversed button   | PASSED | 4.491 s     |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.295 s     |
|   | screenshot   |        |             |
|   |  +  |        |             |
| 7 | Then user click the ok button to validate the confiern message popup   | FAILED | 1 m 0.048 s |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[text()='[32115] You Are Reversing "1" Cheques With Serial From 1 To 650.']' (tried for 60 second(s) with 5 milliseconds interval) |        |             |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.</p> <p>user_click_the_ok_button_to_validate_the_confitem_message_popup(CSM_ChequeBookRequest_Screen.java:241)</p> <p>at ?.user click the ok button to validate the confitem message popup(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:49)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='32115'] You Are Reversing '1' Cheques With Serial From 1 To 650.'"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1954373a9aacbbd4ae4b4fa4495e84da, findElement {using=xpath, value="//div[text()='32115'] You Are Reversing '1' Cheques With Serial From 1 To 650.'"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chromeOptions: {debuggerAddress: localhost:55130}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55130/devtools, se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1954373a9aacbbd4ae4b4fa4495e84da</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.</p> <p>user_click_the_ok_button_to_validate_the_confitem_message_popup(CSM_ChequeBookRequest_Screen.java:241)</p> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)<br>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)<br>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)<br>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)<br>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)<br>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)<br>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)<br>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:794)<br>at org.testng.TestRunner.run(TestRunner.java:596)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:276)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)<br>at org.testng.TestNG.runSuites(TestNG.java:1063)<br>at org.testng.TestNG.run(TestNG.java:1031)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) |        |          |


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)<br>* Not displayable characters are replaced by '?'. |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br>screenshot<br>      | PASSED  | 0.249 s  |
| 8  | And user click the reverse chequebook screen   | SKIPPED | 0.000 s  |
| 9  | And user click the chequebook code in reverse chequebook screen  | SKIPPED | 0.000 s  |
| 10 | And user enter the value in chequebook code under reverse chequebook screen  | SKIPPED | 0.000 s  |
| 11 | And user click the reverse button under reverse chequebook screen  | SKIPPED | 0.001 s  |
| 12 | And user click the maintenance screen under chequebook request   | SKIPPED | 0.000 s  |
| 13 | And user enter the cheque code for reverse chequebook  | SKIPPED | 0.000 s  |
| 14 | Then user validate the status record present in the maintenance screen for reverse chequebook  | SKIPPED | 0.000 s  |



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is abel to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is abel to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

| Code | Cheque Code | Branch Code | Currency | GL     | CIF  | SL | Acc Add Ref            | IBAN ACC No | From Number | To Number | Status   |
|------|-------------|-------------|----------|--------|------|----|------------------------|-------------|-------------|-----------|----------|
| 887  | 150         | 1           | 840      | 435123 | 0    |    | 34 520900308998029901  |             |             |           | Approved |
| 878  | 105         | 1           | 840      | 435123 | 0    |    | 37 520900308998023037  |             |             |           | Approved |
| 875  | 105         | 1           | 840      | 435123 | 0    |    | 37 520900308998023037  |             |             |           | Approved |
| 600  | 1           | 1           | 840      | 210210 | 1281 |    | 0 84021021000001281000 |             | 3251        | 3900      | Approved |
| 587  | 960         | 1           | 840      | 210202 | 1158 |    | 0 84021020200001158000 |             | 0           | 0         | Approved |
| 583  | 101         | 1           | 840      | 6002   | 1306 |    | 0 8400600200001306000  |             |             |           | Approved |
| 582  | 200         | 1           | 840      | 210210 | 1158 |    | 1 84021021000001158001 |             |             |           | Approved |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the 'Chequebook Request / To Be Reversed Chequebook' interface. The table lists several requests, all with a status of 'Approved'. The 'Loading...' button is positioned over the table data.

| Code | Cheque Code | Branch Code | Currency | GL     | CIF  | SL | Acc Add Ref            | IBAN ACC No | From Number | To Number | Status   |
|------|-------------|-------------|----------|--------|------|----|------------------------|-------------|-------------|-----------|----------|
| 482  | 150         | 1           | 840      | 435123 | 0    | 34 | 520900309898029901     |             |             |           | Approved |
| 878  | 105         | 1           | 840      | 435123 | 0    | 37 | 520900309898023037     |             |             |           | Approved |
| 875  | 105         | 1           | 840      | 435123 | 0    | 37 | 520900309898023037     |             |             |           | Approved |
| 600  | 1           | 1           | 840      | 210210 |      |    | 0 84021021000011281000 |             | 3251        | 3900      | Approved |
| 587  | 960         | 1           | 840      | 210202 | 1158 |    | 0 840210200001158000   |             | 0           | 0         | Approved |
| 583  | 101         | 1           | 840      | 6002   | 1306 |    | 0 84020600200001306000 |             |             |           | Approved |
| 582  | 200         | 1           | 840      | 210210 | 1158 |    | 1 8402102100001158001  |             |             |           | Approved |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the 'Chequebook Request / To Be Reversed Chequebook' form. The form is filled with data for a request. The 'Request Number' is 887, 'Status' is 'Approved', and 'Number of Chequebooks' is 1. The 'Cheques' section shows details for a cheque with code 150, design 'test chq', leaves 100, and types 'Cheque 10' and 'Cheque 15'. The 'Account Number' is 520900309898029901. The 'A/C No.' is 1, 'Account Name' is 'GL - FC cash-USD', 'Account Cy' is 'USD', 'Account Type' is 'FF CASH ACCOUNT', and 'Account CIF' is '840'. The 'Serial Number' is 0, 'Number of Papers' is 10, 'From Number' is 34, and 'To Number' is 34. The 'Normal/Urgent' is 'Normal', 'Destination Branch' is 'Head Office', 'Date Submitted' is '1', 'Printing Location' is 'By Provider', and 'Name to be Printed' is blank. The 'Deduct Charges' section shows 'By Account' with 'Deduct Charges' 1, 'Charge A/C' 520900309898029901, and 'Account Name' 'GL - FC cash-USD'. The 'Remarks' field is empty.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) checking if the user is able to reverse  
a chequebook - short process

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot displays the Azentio Customer Service Management (CSM) interface. The top navigation bar shows the user is logged in as CHRISAG (Head Office) on 01 January 2020. The main menu on the left includes options like '360 Degrees view', 'Card Integration', 'Customer Segmentation', 'Accounts', 'ADD Management', 'Front Office Management', 'Profiling', 'Black List Management', 'Links Management', 'Safe Box', 'Transfer Accounts', 'Beneficiary Cooling Exceptions', 'Accounts Rates', 'Standing Order', 'Action Transaction Report', 'Chequebook Request', 'Maintenance', 'Approve', 'Amend Submitted', 'Apply to Submit', 'To Cancel', 'Batch Approval', 'Submit', 'Suspend', 'Approve Cancel', 'Reactivate', 'Print', 'List', 'Approve / Reject Bulk Destroy', 'To Be Destroyed', 'Bulk Destroy', 'Approve Destroyed', 'Send To Branch', 'In Branch', 'Send To/Receive From Provider', 'Reject Destroy', 'Received by branch', 'Chequebook Query', 'Reverse Chequebook', and 'To Be Reversed Chequebook' (which is currently selected).

The main content area shows the 'Chequebook Request / To Be Reversed Chequebook' screen. It includes a search bar, a 'Request Number' field (887), a 'Number of Chequebooks\*' field (1), and a 'Status' field (Approved). Below this, there are sections for 'Cheques', 'Account Number', 'Request Information', 'Deduct Charges', and 'Charges'. The 'Cheques' section shows details for a cheque with Code 150, Design 1, and Type 15. The 'Account Number' section shows details for an account with A/C No. 52090030988029901, Account Name G/L - FC cash-USD, and Account Type PF CASH ACCOUNT. The 'Request Information' section shows details for a request with Request Number 887 and Status Approved. The 'Deduct Charges' section shows details for a charge with Charge A/C 52090030988029901 and Account Name G/L - FC cash-USD. The 'Charges' section shows details for a charge with Charge A/C 52090030988029901 and Account Name G/L - FC cash-USD.

A 'CONFIRM' dialog box is displayed in the center of the screen, asking for confirmation to reverse 1 cheque. The dialog box contains the text: 'CONFIRM [32116] You Are Reversing "1" Cheques Do You Want To Proceed?'. It has 'OK' and 'Cancel' buttons.

The footer of the interface shows the copyright notice: 'Copyright ©2023 Azentio ©All Rights Reserved' and the version number: '14.7.0.0 Build 289'. It also indicates the system is 'Powered By'.