

Cucumber Report

24-May-2023, 11:13:48 am

Start : May 24, 11:13:03.976 am

End : May 24, 11:13:45.718 am

Duration : 41.742 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 18


FAILED - 1

SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	41.742 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of chequebook under receive from provider</u>	<u>Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *</u>	29	18	1	10	41.733 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 41.742 s	Scenarios		Steps	
/ 11:13:03.976 am // 11:13:45.718 am /		Total - 1		Total - 29	
		Pass - 0		Pass - 18	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

<div>FAILED</div> <div>DURATION - 41.733 s</div>	<div></div>	<div>Steps</div> <div>Total - 29</div> <div>Pass - 18</div> <div>Fail - 1</div> <div>Skip - 10</div> <div></div>
<div>/ 11:13:03.985 am // 11:13:45.718 am /</div>		
<div>To verify the functionality of chequebook under receive from provider</div>		
<div>@CHB_179</div>		


#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	17.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
2	And user update test data set id for CHB_179	PASSED	0.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click parameters menu	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
4	And user click the Account parameters submenu	PASSED	0.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
5	And user click the General Ledger submenu	PASSED	0.508 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
			
6	And user click the update after approve screen under general ledger	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click code under update after approve screen	PASSED	3.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
8	And user enter the value in code	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
			
9	And user retrieve the record under update approve screen	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
10	And user click on additional details	PASSED	1.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then user select the required dropdown field under additional details	PASSED	0.653 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
12	And user click on update button	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
13	And user click on ok button	PASSED	0.660 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
			
14	And user click on approve screen	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in code under approve screen	PASSED	0.788 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
16	And user retrieve the internal account record in approve screen	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
17	And user click on additional details	PASSED	0.876 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
			
18	Then user click on approve button	PASSED	0.693 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
19	<p>And user click system parameters submenu</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <td>...</td> is not clickable at point (79, 675). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=113.0.5672.127) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6be1f6a0f30e48c6beeadd6312d5b008, clickElement {id=314D85BBE9E661773D7E56DD78547C65_element_348}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:52418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52418/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6be1f6a0f30e48c6beeadd6312d5b008)] -> xpath: //td[text()='System Parameters']] Session ID: 6be1f6a0f30e48c6beeadd6312d5b008</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_click_system_parameters_submenu(CSM_TransactionOnStaffAccount_Steps.java:55) at ?.user click system parameters submenu(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:582) * Not displayable characters are replaced by '?'. </pre>	FAILED	1.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
20	And user click on transaction type submenu	SKIPPED	0.001 s
21	And user click on update after approve	SKIPPED	0.000 s
22	And user click and enter the value in code under transaction type	SKIPPED	0.000 s
23	And user retrieve the record under transaction type	SKIPPED	0.000 s
24	Then user verify required flag is checked or not	SKIPPED	0.000 s
25	And user click on update after approve button	SKIPPED	0.000 s
26	And user click on approve screen under transaction type	SKIPPED	0.000 s
27	And user click and enter the value in code in approve screen under transaction type	SKIPPED	0.001 s
28	And user retrieve the internal account record in approve screen under transaction type	SKIPPED	0.000 s
29	Then user click on approve button under transaction type	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO software interface. The top navigation bar includes the user name 'GOWRI', company 'BJJ', and branch 'Head Office'. The date is '01 December 2022'. The main menu on the left lists various options under 'Parameters', 'Accounts Parameters', 'General Ledger', and 'System Parameters'. The main content area displays a table with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and status_Key. The table contains several rows of data, including entries for 'HOF suspenseTFA', 'test2164', 'Test9611', and 'Test9612'. A 'Loading...' button is visible next to the entry with code 9611. The bottom status bar indicates 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By AZENTIO'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO software interface. The top navigation bar includes the user name 'GOWRI', company 'BJJ', and branch 'Head Office'. The date is '01 December 2022'. The main menu on the left lists various options under 'Parameters', 'Accounts Parameters', 'General Ledger', and 'System Parameters'. The main content area displays a table with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and status_Key. The table contains several rows of data, including entries for 'Revenue GL A/C' and 'Revenue GL A/C'. A 'Loading...' button is visible next to the entry with code 400402. The bottom status bar indicates 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By AZENTIO'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot displays the AZENTIO software interface. The top navigation bar includes the AZENTIO logo, user information (User: GOWRI, Company: IDAJ, Branch: Head Office), the date (01 December 2022), and various utility icons (Full Screen, Options, Advanced Options, Home, Log Out, Help). The left sidebar shows a 'Menu Options' tree with categories like Parameters, Accounts Parameters, CIP Parameters, and General Ledger. The main content area is titled 'Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE'. It contains a table with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and status_Key. The table lists several records, including 'HQP suspendedTFA' and 'Test9611'. An 'Approve' dialog box is open in the center, displaying the message 'Record was Approved Successfully' and an 'Ok' button. The bottom status bar shows 'Copyright ©2023 Azentio & All Rights Reserved' and 'Powered By AZENTIO'.

Code	Additional Reference	Brief Desc Eng	Long Name	Type	status_Key
797	797	ssss	ss	Header	Active
1089	1089	HQP suspendedTFA	HQP suspendedTFA	Non-Internal	Active
2164	2164	test2164	test2164	Internal	Active
9611	9611	Test9611	Test9611	Non-Internal	Active
9612	9612	Test9611	Test9611	Non-Internal	Active