

Cucumber Report

15 May 2023, 1:17:00 PM

Start : May 15, 1:14:26.726 PM

End : May 15, 1:16:55.104 PM

Duration : 2 m 28.378 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 16
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of Chequebook request module</u>	1	0	1	0	2 m 28.378 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to *	27	16	1	10	2 m 28.348 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of Chequebook request module

FAILED	DURATION - 2 m 28.378 s	Scenarios		Steps	
/ 1:14:26.726 PM // 1:16:55.104 PM /		Total - 1		Total - 27	
		Pass - 0		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch




<div>FAILED</div> <div>DURATION - 2 m 28.348 s</div>		<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 1:14:26.756 PM // 1:16:55.104 PM /</div>				
<div>To verify the functionality of Chequebook request module</div>				
<div>@CHB_186</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	25.905 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
			
2	And user click the parameters menu	PASSED	2.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click the system parameters submenu	PASSED	0.577 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		
			
4	And user click the User screen in system parameters	PASSED	0.778 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		
			
5	And user click the update after approve screen	PASSED	0.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
			
6	And user update test data set id for CHB_186	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.757 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click and send the values in user id under update after approve screen	PASSED	1.688 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			
8	And user double click the user id	PASSED	0.966 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
			
9	And user select the logged in branch	PASSED	3.825 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
10	And user click the update after approve button	PASSED	0.557 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.521 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click the save ok button	PASSED	0.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.499 s
	screenshot		
			
12	And user click the ok	PASSED	3.692 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		
			
13	And user click the approve in user screen	PASSED	1.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.549 s
	screenshot		
			
14	And user update test data set id for CHB_186	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.616 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user click and send the values in user id under Approve screen	PASSED	2.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
			
16	And user double click the user id in approve screen	PASSED	0.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		
			
17	And user click the approve box	FAILED	1 m 0.079 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (/td[text()='User']/ancestor::a/following-sibling::ul/span[text()='Approve'])' (tried for 60 second(s) with 1 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:103)</p> <p>at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_approve_box(CSM_Chequebookrequest_step.java:177)</p> <p>at ?user click the approve box(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_feature_Chequebook_Request.feature:25)</p> <p>Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression (/td[text()='User']/ancestor::a/following-sibling::ul/span[text()='Approve']) because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '(/td[text()='User']/ancestor::a/following-sibling::ul/span[text()='Approve'])' is not a valid XPath expression. (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception</p> <p>#invalid_selector_exception Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53118980fba6ef042ed00463b600c221, findElement {using=xpath, value=(/td[text()='User']/ancestor::a/following-sibling::ul/span[text()='Approve'])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:/Users/ININDC~1/AppData/L...}, goog:chromeOptions: {debuggerAddress: localhost:59606}, networkConnectionEnabled: false,</p>		

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59606/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 53118980fba6ef042ed00463b600c221</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)</p> <p>at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_approve_box(CSM_Chequebookrequest_step.java:177)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.516 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
18	And user click the save ok button	SKIPPED	0.000 s
19	And user click the ok	SKIPPED	0.000 s
20	Given navigate to CSM application and login with valid credentials	SKIPPED	0.001 s
21	And user click the chequebook request in csmcore	SKIPPED	0.000 s
22	And user click the send to receive from provider	SKIPPED	0.001 s
23	And user click the send to provider screen	SKIPPED	0.000 s
24	And user click the retrieve button in send to provider	SKIPPED	0.000 s
25	And user update test data set id for CHB_186_D3	SKIPPED	0.000 s
26	And user click the receive from provider screen	SKIPPED	0.000 s
27	And user update test data set id for CHB_186_D3	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - System Parameters
 - Blacklist Source
 - ADD Parameters
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
- User
 - Maintenance
 - Approve
 - Update after Approve
 - Suspend
 - Reactivate
 - List
 - TELLER AXIS LIST
 - Populate User
 - ADD Categories
 - Status
 - Vault
 - Charges
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Cleaning House
 - Bill Type
 - Reasons
 - Hemo
 - Request Type
 - Safebox Parameters
 - Blacklist Type
 - HICK
 - Report Arguments
 - Specific Points

Parameters / System Parameters / User / Update after Approve

User Code	User Id	User Type	Privilege Level	Division Code	Department	Role	Brief Name	Long Name	الاسم المختصر	long_name_arab_ke
120524	USERA	2	3	1	1	13	USERA Branch Manager	USERA Branch Manager	USERA Branch Manager	USERA Branch Manager
147	ELIEL	3	5	1	1	8,4	Branch Manager	Branch Manager	عبدو فرج	عبدو فرج
901075	SNLUSR	2	6	1	1	1	Amnashagan	Amnashagan	Amnashagan	Amnashagan
369	AHMED	3	2	3	8	8	AHMED	AHMED	AHMED	AHMED
901076	RAKESH	2	3	1	1	1	111	111	11	11

Page 1 of 20

Copyright ©2023 Azentio @All Rights Reserved Intel Parametization 14.7.0.0 Build 195

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - System Parameters
 - Blacklist Source
 - ADD Parameters
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
- User
 - Maintenance
 - Approve
 - Update after Approve
 - Suspend
 - Reactivate
 - List
 - TELLER AXIS LIST
 - Populate User
 - ADD Categories
 - Status
 - Vault
 - Charges
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Cleaning House
 - Bill Type
 - Reasons
 - Hemo
 - Request Type
 - Safebox Parameters
 - Blacklist Type
 - HICK
 - Report Arguments
 - Specific Points

Parameters / System Parameters / User / Update after Approve

User Code	User Id	User Type	Privilege Level	Division Code	Department	Role	Brief Name	Long Name	الاسم المختصر	long_name_arab_ke
130	KARTHIK	2	3	1	102	7	Branch Manager	Branch Manager	عبدو فرج	عبدو فرج

Page 1 of 1

Copyright ©2023 Azentio @All Rights Reserved Intel Parametization 14.7.0.0 Build 195

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

The screenshot shows the Azenzio system configuration page for 'Update after Approve'. The left sidebar contains a 'Menu Options' tree with categories like Parameters, Accounts Parameters, System Parameters, and User. The main content area is titled 'Update after Approve' and contains various configuration options. Key settings include: 'Create CIF as approved' (checked), 'Show All Trx. Exchange Rate' (2.000), 'Front Office Management Param' (checked), 'Allow to Create CIF without Civil ID' (checked), 'Allow to create CIF without Account' (checked), 'Get CIF No From Reserved List' (checked), 'Allow Modify PEP Manually on Creation' (unchecked), 'Allow to Create CIF with Minimum Info' (unchecked), 'Apply CIF Type Restriction on Account Opening' (checked), 'Bypass Special Condition' (unchecked), 'Allow to Modify Markets By User Under Accounts' (unchecked), 'Allow user to delete special condition for deceased CIF' (unchecked), 'Allow to bypass Account Creation Restriction' (unchecked), 'Allow Batch Files Import/Process by Same User' (checked), 'Login after Final Sign Off' (Allow), 'Allow User to access ATH Cash Box' (unchecked), 'Populate User' (unchecked), 'Allow to Modify CRP Risk Rating' (unchecked), 'Hide signature of dormant accounts and CIF' (unchecked), 'Allow user to waive charges on approval of products' (checked), 'Restriction of "Submitted Date" in PMA' (unchecked), 'Dormant A/C' (Proceed on Dormant A/C and view Signature), 'Suspend A/C' (Don't Proceed on Suspended A/C), 'Teller Balance/Cash Short Over' (Show Both), 'Forbid Void House Chq after Value date' (unchecked), 'Cheque Scanner Device' (unchecked), 'Forbid amendment of active transaction' (unchecked), 'Generate Advice Serial No' (checked), 'Show Send To/Receive From Chequebooks in' (Logged-in branch), and 'Update after Approve' (checked). A 'CONFIRM' dialog box is visible in the foreground with the text 'Confirm Save Process' and 'OK' and 'Cancel' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module

This screenshot is identical to the one above, showing the Azenzio system configuration page for 'Update after Approve'. The configuration options are the same, and the 'CONFIRM' dialog box is also present, displaying 'Confirm Save Process' with 'OK' and 'Cancel' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch


(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

(Step) AFTER_STEP - stepdefinitions.
 HooksClass.addScreenshot(io.cucumber.
 java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

The screenshot displays the Azenzio system configuration interface. The top navigation bar shows the user 'KARTHIK' from company 'DAJ' and branch 'Head Office' on '01 December 2022'. The left sidebar contains a 'Menu Options' tree with categories like Parameters, Accounts Parameters, System Parameters, and User. The main content area is titled 'Parameters' and includes sections for 'Front Office Management Param', 'Login After Final Sign Off', and 'Restriction of "Submitted Date" in PFA'. Various checkboxes and dropdown menus are visible, such as 'Allow to Create CFI without Civil ID', 'Allow to Modify CFI', and 'Allow to Recover Full PCS Profit and Eds Related GL At BOD'. The bottom status bar indicates 'Copyright ©2023 Azenzio All Rights Reserved' and 'Powered By Azenzio'.