

# Cucumber Report

19 May 2023, 1:48:21 PM

Start : May 19, 1:47:18.387 PM

End : May 19, 1:48:19.191 PM

Duration : 1 m 0.804 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 13  
FAILED - 1  
SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>To check the functionality of Populate User Flag</u>	1	0	1	0	1 m 0.804 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the functionality of Populate User Flag</u>	<u>Checking if only the “Approved” population tasks appear at the level of populate screen</u>	32	13	1	18	1 m 0.797 s

**(F)- To check the functionality of Populate User Flag**

<b>FAILED</b>	<b>DURATION - 1 m 0.804 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 32 Pass - 13 Fail - 1 Skip - 18	
/ 1:47:18.387 PM // 1:48:19.191 PM /					




**(S)- Checking if only the “Approved” population tasks appear at the level of populate screen**


<b>FAILED</b>	<b>DURATION - 1 m 0.797 s</b>		Steps Total - 32 Pass - 13 Fail - 1 Skip - 18	
/ 1:47:18.394 PM // 1:48:19.191 PM /				
To check the functionality of Populate User Flag				
@TSA_014				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	25.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
2	And Click the Parameters Flag	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click the System Parameters Flag	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
			
4	And Click the User Flag under System Parameters Flag	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
			
5	Then Click the Populate user Flag under User Flag	PASSED	0.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
6	And Click Maintenance Flag under Populate user Flag	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
			
7	Then Enter the code value under populate user maintenance screen	PASSED	5.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Enter the brief description valuse under populate user maintenance screen	PASSED	0.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
9	Then Enter the long description valuse under populate user maintenance screen	PASSED	0.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
10	And Enter the brief description arabic values under populate user maintenance screen	PASSED	0.434 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
11	Then Enter the long description arabic valuse under populate user maintenance screen	PASSED	0.437 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And Enter the user code value under populate user maintenance screen	PASSED	0.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
			
13	Then Click the search icon in user code	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
			
14	And Click the addbutton icon under destination branches	FAILED	1.417 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;td class="ui-pg-button ui-corner-all" title="Add new row" id="add_tab2_GridTbl_Id_E000POMT"&gt;...&lt;/td&gt; is not clickable at point (282, 685). Other element would receive the click: &lt;div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"&gt;&lt;/div&gt; (Session info: chrome=113.0.5672.93) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b6c3711868a3f52cbd6a9e47863fe5d7, clickElement {id=4BCE3D488A67F2E61853EB75AC200576_element_253}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:63051}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63051/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b6c3711868a3f52cbd6a9e47863fe5d7)] -&gt; xpath: //td[@id='add_tab2_GridTbl_Id_E000POMT']] Session ID: b6c3711868a3f52cbd6a9e47863fe5d7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) atjdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.CSM_ParamTransStaffAccPopulateUser. click_the_addbutton_icon_under_destination_branches(CSM_ParamTransStaffAccPopulateUser.java:132)   at ?.Click the addbutton icon under destination branches(file:///C:/Users/inindc00604/git/BharaniCSM/CSM_Bharani/src/test/java/features/ CSMPParam_PopulateUser.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.338 s
15	Then Enter the branch code value under destination branches	SKIPPED	0.000 s
16	And Enter the new user template value under destination branches	SKIPPED	0.001 s
17	Then Click the save button under destination branches	SKIPPED	0.000 s
18	And Click the Ok popup under maintenance flag	SKIPPED	0.000 s
19	Then Click the Ok popup under the success popup	SKIPPED	0.000 s
20	And Click the populate flag under Populate user	SKIPPED	0.000 s
21	Then Enter the Population code under populate screen	SKIPPED	0.000 s
22	And Click the Approve Flag under Populate user	SKIPPED	0.000 s
23	Then Enter the approve code under approve Flag	SKIPPED	0.000 s
24	And Select the entered value code under approve flag	SKIPPED	0.000 s




#	Step / Hook Details	Status	Duration
25	And click on approve button in populate user	SKIPPED	0.000 s
26	And Click Okpopup under Approve Screen	SKIPPED	0.000 s
27	And Click the populate flag under Populate user	SKIPPED	0.000 s
28	Then Again Enter the Population code under populate screen	SKIPPED	0.000 s
29	And Double Click the Entered code under populate screen	SKIPPED	0.000 s
30	Then Approve the selected code under populate screen	SKIPPED	0.000 s
31	And Click okpopup under populate screen	SKIPPED	0.000 s
32	Then Click okpop sucess under populate screen	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the "Approved"  
population tasks appear at the level of  
populate screen


(F) To check the functionality of Populate  
User Flag



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the "Approved"  
population tasks appear at the level of  
populate screen


(F) To check the functionality of Populate  
User Flag



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen


(F) To check the functionality of Populate  
User Flag



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen


(F) To check the functionality of Populate  
User Flag



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen


(F) To check the functionality of Populate  
User Flag



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'User' category is expanded, and the 'Populate User' option is selected. The main form displays fields for 'Code' (643), 'Status', 'Brief Description', 'Long Description', 'User Code' (2), 'User ID', and 'Brief Description'. There is a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table is currently empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

This screenshot is identical to the one above, showing the AZENTIO user management interface with the 'Populate User' form and an empty 'Destination Branches' table.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if only the “Approved”  
population tasks appear at the level of  
populate screen

(F) To check the functionality of Populate  
User Flag