

Cucumber Report

17-May-2023, 12:18:10 pm

Start : May 17, 12:16:32.390 pm

End : May 17, 12:18:09.045 pm

Duration : 1 m 36.655 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 16


FAILED - 1

SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	1 m 36.655 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	25	16	1	8	1 m 36.647 s

(F)- To verify the functionality of transaction on staff account

FAILED	DURATION - 1 m 36.655 s	Scenarios		Steps	
/ 12:16:32.390 pm // 12:18:09.045 pm /		Total - 1		Total - 25	
		Pass - 0		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating




FAILED	DURATION - 1 m 36.647 s		Steps	
/ 12:16:32.398 pm // 12:18:09.045 pm /				
To verify the functionality of transaction on staff account				
@TSA_016				

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	16.991 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
4	And user click user submenu	PASSED	0.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
5	And user click populate user submenu	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	5.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
			
14	And user click and enter the value in branch code field	PASSED	0.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in new user template field	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
16	And user click save button under populate user	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
			
17	Then user validate the confirm message popup	FAILED	1 m 0.033 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[text()='Confirm Save Process']' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_TransactionOnStaffAccount_Steps.</p> <p>user_validate_the_confirm_message_popup(CSM_TransactionOnStaffAccount_Steps.java:158)</p> <p>at ?user validate the confirm message popup(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:21)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Confirm Save Process']"} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1537aa975c3cfbd5da3e2e6bdea5e694, findElement {using=xpath, value=//div[text()='Confirm Save Process']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:50291}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50291/devtoo.</p>		

#	Step / Hook Details	Status	Duration
	<pre> .., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1537aa975c3cfbd5da3e2e6bdea5e694 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_validate_the_confirm_message_popup(CSM_TransactionOnStaffAccount_Steps.java:158) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.298 s
18	And user click confirm message ok button	SKIPPED	0.000 s
19	And user click success message ok button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	And user click approve screen under populate user	SKIPPED	0.000 s
21	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
22	And user click approve button	SKIPPED	0.000 s
23	And user click populate screen	SKIPPED	0.001 s
24	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
25	And user click populate button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as “Active” in the branches set in
the “Destination Branch” after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as “Active” in the branches set in
the “Destination Branch” after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user name 'CHRISAG', company 'BAJ', branch 'Head Office', and date '01 December 2022'. The left sidebar menu is expanded to 'User' > 'Maintenance' > 'Populate User'. The main content area displays the 'E000P0MT' form with fields for Code (157155), Status, Brief Description, Long Description, User Code (2), User ID, and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table contains one row with a yellow highlight. The bottom status bar indicates 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO web application interface with the 'Populate User' form and 'Destination Branches' table. The interface elements, including the top navigation bar, left sidebar menu, and bottom status bar, are the same as in the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, User, and Maintenance. The main area displays the 'Populate User' form. The form has the following fields:

- Code: 15715
- Status: (empty)
- Brief Description: (empty)
- Long Description: (empty)
- User Code: (empty)
- User ID: (empty)
- Suspend user in logged in bran: ☐

Below the form is a table titled 'Destination Branches' with columns: Branch Code, Branch Name, and New User Template. The table contains one row with values: 1, (empty), and (empty).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is similar to the previous one, but it includes a 'Missing Elements' dialog box. The dialog box lists the following missing elements:

- Brief Description
- Long Description
- User Code
- Branch Code
- New User Template

The background form and table are the same as in the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot displays the AZENTIO user management interface. The left sidebar shows a menu with categories like Parameters, User, and Maintenance. The main area is titled 'Parameters / System Parameters / User / Populate User / Maintenance'. The 'Populate User' form is active, showing fields for Code, Status, Brief Description, Long Description, User Code, User ID, and Brief Description. A 'Destination Branches' table is visible, showing a single entry with Branch Code '1' and Branch Name 'Head Office'. A 'Missing Elements' dialog box is open, listing the following elements: Brief Description, Long Description, الإسم المختصر (Brief Description), الإسم الكامل (Long Description), User Code, Branch Code, and New User Template. The dialog box has an 'Ok' button. The footer of the interface shows 'Copyright ©2023 Azentio All Rights Reserved' and 'Powered By'.