

Cucumber Report

1 Nov 2023, 1:34:20 PM

Start : Nov 01, 1:32:07.868 PM

End : Nov 01, 1:34:18.387 PM

Duration : 2 m 10.519 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	2 m 10.519 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	In FMS REVERSE THE DDR3	10	7	1	2	2 m 10.513 s

(F)- Test the Functionality of Draw Down Request


FAILED	DURATION - 2 m 10.519 s	Scenarios		Steps	
/ 1:32:07.868 PM // 1:34:18.387 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- In FMS REVERSE THE DDR3


<div>FAILED</div> <div>DURATION - 2 m 10.513 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:32:07.874 PM // 1:34:18.387 PM /				
Test the Functionality of Draw Down Request				
@AT_DDR_007				

#	Step / Hook Details	Status	Duration
1	Given User_007 navigate to FMS application and login with valid credentials	PASSED	27.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
2	And User_007 Click on Report menu	PASSED	1.850 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_007 Click on Availment Ticket sub menu under Report menu	PASSED	13.919 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
			
4	And User_007 Click on CIF No Tab	PASSED	1.990 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
5	And User_007 Enter CIF No	PASSED	0.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
6	And User_007 Click On Retrive Button	PASSED	0.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			
7	And User_007 Click On Availment Ticket sub Report Drawdown	PASSED	17.853 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And User_007 Check the draw down linked in TFA are displaying in the report</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: /html/body/table/tbody/tr[2]/table/tbody/tr[2]/td' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:129) at ?.User_007 Check the draw down linked in TFA are displaying in the report(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:12) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/table/tbody/tr[2]/table/tbody/tr[2]/td"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver ChromeDriver Command: [6b0da3f6fb3307d9d96576b681b35728, findElement {using=xpath, value=/html/body/table/tbody/tr[2]/table/tbody/tr[2]/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\WebDriverCache\chrome\118.0.5993.70\userDataDir}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61326}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61326/devtools, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b0da3f6fb3307d9d96576b681b35728 atjdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) </pre>	FAILED	1 m 0.030 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:129) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.185 s
9	And User_007 Click On Availment Ticket sub Report Facility	SKIPPED	0.000 s
10	And User_007 Check the draw down details are displaying when the user specify the particular facility	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

The screenshot displays the AZENTIO application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer details (Customer ID, Customer Name). The main menu on the left lists various reports and functions, with 'Reports / Availability Ticket' selected. The central panel shows the 'Parameters' section for 'U010', including fields for 'CIF No', 'DRAW DOWN', 'Excluding', 'Language', 'Format', and 'Connection description'. A warning dialog box is overlaid on the screen, asking: 'Do you need to reload the tab contents of Reports / Availability Ticket?'. The dialog has 'Ok' and 'Cancel' buttons. The bottom status bar indicates 'Copyright ©2023 Azentio (BAJ) Rights Reserved' and 'Powered By: 14.7.0.0 Build 262'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request

This screenshot is identical to the one above, showing the AZENTIO application interface with the 'Reports / Availability Ticket' section. The warning dialog box is present, asking: 'Do you need to reload the tab contents of Reports / Availability Ticket?'. The interface elements, including the top navigation bar, left menu, and bottom status bar, are consistent with the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

