

Cucumber Report

13 Oct 2023, 7:48:03 AM

Start : Oct 13, 7:46:28.884 AM

End : Oct 13, 7:48:00.470 AM

Duration : 1 m 31.586 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 27







#	Feature Name	T	P	F	S	Duration
1	Testing the Functionality of Financial facility Application	1	0	1	0	1 m 31.586 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the Functionality of Financial facility Application	IIS Application	35	7	1	27	1 m 31.583 s





(F)- Testing the Functionality of Financial facility Application


FAILED	DURATION - 1 m 31.586 s	Scenarios		Steps	
/ 7:46:28.884 AM // 7:48:00.470 AM /		Total - 1	1	Total - 35	35
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 27	

(S)- IIS Application


<div>FAILED</div> <div>DURATION - 1 m 31.583 s</div>			<div>Steps</div> <div>Total - 35</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 27</div>	
/ 7:46:28.887 AM // 7:48:00.470 AM /				
Testing the Functionality of Financial facility Application				
@AT_AFF_079				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS application and login with valid credentials	PASSED	10.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
			
2	And User_482 get the test data for test case AT_IC_019	PASSED	0.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.197 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_482 clear the caches in IIS Application	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
4	And User_482 click the Investment Deals Combined without Trade Deal menu	PASSED	0.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
5	And User_482 click the Maintenance under Investment Deals Combined without Trade Deal	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
			
6	And user click on link tab under maintenance	PASSED	8.587 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
7	And User_482 click the Contributor details tab in maintenance under Investment Deals Combined without Trade Deal	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And User_482 double click the Contributor details row in maintenance under Investment Deals Combined without Trade Deal</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //td[@id='td_ContributorDetailsGridTbl_Id_T022MT_1_rn']' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) at stepdefinitions. IIS_IncidentalChargesSteps_482.user_double_click_the_contributor_details_row_in_maintenance_under_investment_deals_combined_without_trade_deal(IIS_IncidentalChargesSteps_482.java:223) at ?.User_482 double click the Contributor details row in maintenance under Investment Deals Combined without Trade Deal(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/ApplicationForFinancialFacility.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@id='td_ContributorDetailsGridTbl_Id_T022MT_1_rn']"} (Session info: chrome=117.0.5938.150) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83dc52cd45f801a2077129f15b924c96, findElement {using=xpath, value=//td[@id='td_ContributorDetailsGridTbl_Id_T022MT_1_rn']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:/Users/ININDC~1/AppData/L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51436}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51436/devtoo..., se.cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 83dc52cd45f801a2077129f15b924c96 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p>	FAILED	1 m 0.041 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. IIS_IncidentalChargesSteps_482.user_double_click_the_contributor_details_row_in_maintenance_under_investment_deals_combined_without_trade_deal(IIS_IncidentalChargesSteps_482.java:223) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	<p>screenshot</p> 		
9	And User_482 click the Nostro details lookup in contributor tab under maintenance in Investment Deals Combined without Trade Deal	SKIPPED	0.001 s
10	And User_482 double click the Nostro account in contributor tab under maintenance in Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
11	And User_482 select the maturity account in Contributor tab under maintenance in Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
12	And User_482 click the Ok button in contributor tab under maintenance in Investment Deals Combined without Trade Deal	SKIPPED	0.001 s
13	And User_482 click the save button in maintenance under Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
14	And User_482 click Confirmation yes	SKIPPED	0.000 s
15	And User_482 click Information ok deal saved	SKIPPED	0.000 s
16	And User_482 click the Repayment plan button in maintenance under Investment Deals Combined without Trade Deal	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
17	And User_482 uncheck Grace period compounding Checkbox in Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
18	And User_482 click the create schedule button in repayment tab under maintenance in Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
19	And User_482 close the repayment tab under maintenance in Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
20	And User_482 validate button in maintenance under Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
21	And User_482 click Confirmation yes	SKIPPED	0.000 s
22	And User_482 click Confirmation yes	SKIPPED	0.000 s
23	And User_482 click Confirmation yes	SKIPPED	0.000 s
24	And User_482 click Information ok deal saved	SKIPPED	0.000 s
25	And User_482 Store Deal Created	SKIPPED	0.000 s
26	And User_482 get the test data for test case AT_IC_019	SKIPPED	0.000 s
27	Then User_482 click the Approve menu under Investment Deals Combined without Trade Deal	SKIPPED	0.002 s
28	And User_482 search the deal number in searchgrid under Approve menu in Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
29	And User_482 double click the searchgrid row in Approve menu under Investment Deals Combined without Trade Deal	SKIPPED	0.003 s
30	When User_482 click the Approve button Approve menu in under Investment Deals Combined without Trade Deal	SKIPPED	0.000 s
31	And User_482 click Confirmation yes	SKIPPED	0.000 s
32	And User_482 click Confirmation yes	SKIPPED	0.001 s
33	And User_482 click Confirmation yes	SKIPPED	0.000 s
34	And User_482 click Information ok deal saved	SKIPPED	0.000 s
35	And User_482 Click Cancel in Pop up message	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application

(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application

(F) Testing the Functionality of Financial
facility Application

The screenshot shows the AZENTIO application interface. The top header bar contains user information (User: MODEL B, Company: 14.7 Oracle BAJ, Branch: Head Office) and date (01 March 2020). The sidebar menu on the left lists various transaction types under 'Investment Deals' and 'Disbursement Deals'. The main content area is currently displaying a loading spinner, indicating that the data for the selected transaction type is being fetched.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application

(F) Testing the Functionality of Financial
facility Application

The screenshot shows the AZENTIO application interface with the 'Create' form for a new transaction. The form is divided into several sections: 'Base Deal On', 'Deal Details', 'Contributor Details', 'Additional Details', 'Rate Details', 'Their Instruction At', and 'Yield Details'. The 'Base Deal On' section includes fields for Party, Category, Sub Category, Product Type, Product Class, Deal Date, and Value Date. The 'Deal Details' section includes fields for Deal CY, Amount, CY Unit, CY Rate, Tenure, Maturity Date, Source of Fund, Calendar Type, Provision Category, and Provision Category User. The 'Contributor Details' section includes fields for Down payment %, Down payment to vendor %, and Company Contribution (For Deal Profit). The 'Additional Details' section includes fields for Rate Periodicity, Reval. Periodicity, First Reval. On, and Reval Type. The 'Rate Details' section includes fields for Rate (I), Rate Date, Next Reval. On, and Reval Type. The 'Their Instruction At' section includes fields for Value Date and Maturity Date. The 'Yield Details' section includes fields for Yield +, Global Rate, Margin Rate, Credit Spread, Total Yield, Amount, Floor Rate Method, RFR Approach, Min. Floor Rate, Minimum Yield, and Marked Profit.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application

(F) Testing the Functionality of Financial
facility Application

The screenshot displays the AZENTIO web application interface for 'Investment Deals - Combined without Trade Deal / Maintenance'. The top navigation bar includes user details (User: MODEL B, Company: 14.7 Oracle BAJ, Branch: Head Office) and the date (01 March 2020). The sidebar on the left lists various menu items under 'Maintenance', including 'Query', 'Verify', 'Approve', 'Reversal', 'List', 'Update After Approve', 'Invoice', and several 'Investment Deals' related options. The main form area contains fields for 'Deal No', 'Base Deal On', 'Trade Ref', 'Branch/Deal No', 'Party', 'Category', 'Sub Category', 'Product Type', 'Product Class', 'Deal Date', and 'Value Date'. A table at the bottom, titled 'Deal Details', has columns for 'Request', 'Party Type', 'Party' (with sub-columns 'Party No' and 'Name'), 'Amount', '% of Deal Amt', 'Swift Message', and 'Swift'. The table is currently empty, with a message 'No records to view' at the bottom right. The footer of the application shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) IIS Application

(F) Testing the Functionality of Financial
facility Application

This is an identical screenshot to the one above, showing the AZENTIO web application interface for 'Investment Deals - Combined without Trade Deal / Maintenance'. The top navigation bar includes user details (User: MODEL B, Company: 14.7 Oracle BAJ, Branch: Head Office) and the date (01 March 2020). The sidebar on the left lists various menu items under 'Maintenance', including 'Query', 'Verify', 'Approve', 'Reversal', 'List', 'Update After Approve', 'Invoice', and several 'Investment Deals' related options. The main form area contains fields for 'Deal No', 'Base Deal On', 'Trade Ref', 'Branch/Deal No', 'Party', 'Category', 'Sub Category', 'Product Type', 'Product Class', 'Deal Date', and 'Value Date'. A table at the bottom, titled 'Deal Details', has columns for 'Request', 'Party Type', 'Party' (with sub-columns 'Party No' and 'Name'), 'Amount', '% of Deal Amt', 'Swift Message', and 'Swift'. The table is currently empty, with a message 'No records to view' at the bottom right. The footer of the application shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.