

Cucumber Report

09-Jun-2023, 4:56:18 pm

Start : Jun 09, 4:53:18.811 pm

End : Jun 09, 4:56:15.221 pm

Duration : 2 m 56.410 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 17
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	2 m 56.410 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	TSR - AIBBI180296	20	17	1	2	2 m 56.404 s





(F)- Title of your feature





FAILED	DURATION - 2 m 56.410 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 20 Pass - 17 Fail - 1 Skip - 2	
/ 4:53:18.811 pm // 4:56:15.221 pm /					


(S)- TSR - AIBBI180296




<div>FAILED</div> <div>DURATION - 2 m 56.404 s</div>		<div></div>	<div>Steps</div> <div>Total - 20</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 4:53:18.817 pm // 4:56:15.221 pm /				
Title of your feature				
@749102				

#	Step / Hook Details	Status	Duration
1	Given navigate to MTS application and login with valid credentials	PASSED	43.752 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
2	And Click Parameters in MTS	PASSED	1.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Click Batch under parameters	PASSED	0.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
			
4	And Click Maintenance underBatch	PASSED	0.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
			
5	And Enter additionalReference	PASSED	31.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
			
6	And Enter briefName in main information	PASSED	0.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
			
7	And Enter Long name in main information	PASSED	0.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And Select batchPeriodicity in main information	PASSED	0.629 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		
			
9	And Check head office in batch details	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
			
10	And Click FC limit in Facility Management	PASSED	1.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
11	And Click save button after adding details in mainteance	PASSED	1.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
12	And Click Approve under Batch	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
	 +		
13	And Select the record from Approve	PASSED	4.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
	 +		
14	And Approve the record on approve screen	PASSED	5.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot		
	 +		
15	And Select Process under menu	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
16	And Select batch Process under process	PASSED	0.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
	 +		
17	And Select the approved record under process	PASSED	2.908 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
	 +		
18	And Select record under Branches status	FAILED	1 m 2.569 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='_popup_path_sol_confirm_ok']' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.Request_for_financing_steps.select_record_under_branches_status(Request_for_financing_steps.java:1473)</p> <p>at ?.Select record under Branches status(file:///C:/Users/inindc00607/git/AZENTIO-FMS_8/Azentio_FMS_Gowtham/src/test/java/features/Request_for_Financing.feature:271)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='_popup_path_sol_confirm_ok']"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fca5714f012f6c35c4ad673ddb6fbd6a, findElement {using=xpath, value=//input[@id='_popup_path_sol_confirm_ok']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:63349}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63349/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, ...}</p>		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fca5714f012f6c35c4ad673ddb6fbd6a</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor61.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.Request_for_financing_steps.select_record_under_branches_status(Request_for_financing_steps.java:1473) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	And Run the record	SKIPPED	0.000 s
20	Then Check the Execution Status	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296

(F) Title of your feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) TSR - AIBBI180296

(F) Title of your feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296

(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296

(F) Title of your feature

Menu Options: Parameters, Batch, Maintenance, Approve, Update After Approve, Reject, Suspend, Readivate, Processes Maintenance, Calendar, Process, Reports.

Parameters / Batch / Maintenance

P0003HT

Additional Reference * abcdefg

Status: Active

Main Information

Brief Name * abcdefg

Long name * Lumberings abcdefg

Batch Run Type: By Process/E

Max Happening Thread: 1

Max Micro Thread: 2

Periodicity: Random

Batch Details

Pool Structure

Companies

- 1 - 147 Oracle BAJ
- 100 - 100
- 827 - ABC INFOTECH
- 1000 - Fund Line
- 1001 - Fund 1001-Line
- 1006 - Test company code

Processes to be Run

- Financing And Treasury
- Investments
- Trade Finance
- Account Management
- Facility Management
- Initial Maintenance processes
- Others
- Accounting
- Common
- Archive

Pool Structure

Pool Mapping Details

Copyright ©2023 Azenzio & All Rights Reserved. JAL Multi-threading Scheduler V4.1.0.0 Build 1111. Powered By JAL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296

(F) Title of your feature

Menu Options: Parameters, Batch, Maintenance, Approve, Update After Approve, Reject, Suspend, Readivate, Processes Maintenance, Calendar, Process, Reports.

Parameters / Batch / Maintenance

P0003HT

Additional Reference * abcdefg

Status: Active

Main Information

Brief Name * abcdefg

Long name * Lumberings abcdefg

Batch Run Type: By Process/E

Max Happening Thread: 1

Max Micro Thread: 2

Periodicity: Daily

Batch Details

Pool Structure

Companies

- 1 - 147 Oracle BAJ
- 100 - 100
- Random
- Weekly
- Monthly
- End of Quart Year
- End of Semi Year
- End of Year

Processes to be Run

Pool Structure

Pool Mapping Details

Copyright ©2023 Azenzio & All Rights Reserved. JAL Multi-threading Scheduler V4.1.0.0 Build 1111. Powered By JAL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296

(F) Title of your feature

The screenshot shows the Azenzio web application interface. The top navigation bar includes the Azenzio logo, user information (GOWTHAM, 09 June 2023), and various utility links. The left sidebar contains a 'Menu Options' section with a tree view showing 'Parameters', 'Batch', 'Approve', 'Maintenance', 'Update After Approve', 'Reject', 'Suspend', 'Readivate', 'Processes Maintenance', and 'Calendar'. The main content area is titled 'Parameters / Batch / Maintenance' and shows configuration for a batch named 'abcdefg'. The 'Main Information' section includes fields for 'Brief Name', 'Long name', 'Batch Run Type', 'Max Mapping Thread', and 'Periodicity'. The 'Batch Details' section shows a tree structure of companies and processes. The 'Processes to be Run' section is empty. The footer shows 'Copyright ©2023 Azenzio @All Rights Reserved' and 'JAL Multi-threading Scheduler V4.1.0.0 Build 111'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature

The screenshot shows the Azenzio web application interface. The top navigation bar includes the Azenzio logo, user information (GOWTHAM, 09 June 2023), and various utility links. The left sidebar contains a 'Menu Options' section with a tree view showing 'Parameters', 'Batch', 'Approve', 'Maintenance', 'Update After Approve', 'Reject', 'Suspend', 'Readivate', 'Processes Maintenance', and 'Calendar'. The main content area is titled 'Parameters / Batch / Maintenance' and shows configuration for a batch named 'abcdefg'. The 'Main Information' section includes fields for 'Brief Name', 'Long name', 'Batch Run Type', 'Max Mapping Thread', and 'Periodicity'. The 'Batch Details' section shows a tree structure of companies and processes. The 'Processes to be Run' section is empty. The footer shows 'Copyright ©2023 Azenzio @All Rights Reserved' and 'JAL Multi-threading Scheduler V4.1.0.0 Build 111'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) TSR - AIBBI180296

(F) Title of your feature



(S) TSR - AIBBI180296


(F) Title of your feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TSR - AIBBI180296

(F) Title of your feature



(S) TSR - AIBBI180296

(F) Title of your feature

