

Cucumber Report

8 Nov 2023, 9:18:28 AM

Start : Nov 08, 9:15:48.187 AM

End : Nov 08, 9:18:27.050 AM

Duration : 2 m 38.863 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	Testing the Functionality of Financial facility Application	1	0	1	0	2 m 38.863 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing the Functionality of Financial facility Application</u>	<u>Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities</u>	26	9	1	16	2 m 38.859 s


(F)- Testing the Functionality of Financial facility Application




FAILED	DURATION - 2 m 38.863 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 26 Pass - 9 Fail - 1 Skip - 16	
/ 9:15:48.187 AM // 9:18:27.050 AM /					

(S)- Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

FAILED	DURATION - 2 m 38.859 s		Steps Total - 26 Pass - 9 Fail - 1 Skip - 16	
/ 9:15:48.191 AM // 9:18:27.050 AM /				
Testing the Functionality of Financial facility Application				
@AT_SL_014				


#	Step / Hook Details	Status	Duration
1	Given navigate to FMS application and login with valid credentials	PASSED	42.836 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot 		
2	And User_482 click Technical details	PASSED	1.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	And User_482 click clear caches	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
	screenshot		
			
4	And User_482 Click on Ok button in Success Pop up Menu	PASSED	12.884 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
5	And User_482 Click on WIFAK Application Main Menu	PASSED	0.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
6	And User_482 Click on WIFAK Application Sub Menu	PASSED	1.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
			
7	And User_482 Click Application for financial facilities	PASSED	16.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User_482 Click Maintenance screen in WIFAK Application sub menu	PASSED	15.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
9	And User_482 update test data set for AT_AFF_051	PASSED	0.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
10	And User_482 Select Application For field in Maintenace Screen under WIRAK Application	FAILED	1 m 0.033 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //select[@id='applicationFacilityApplicationfor_WIFT001MT']' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) at stepdefinitions. ApplicationForFacility_482.user_482_select_application_for_field_in_maintenace_screen_under_wirak_application(ApplicationForFacility_482.java:627) at ?.User_482 Select Application For field in Maintenace Screen under WIRAK Application(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/CustomerGrading_001.feature:30) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//select[@id='applicationFacilityApplicationfor_WIFT001MT']"} (Session info: chrome=119.0.6045.106) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f813a49b0425bfa4ffb999f5a37665f2, findElement {using=xpath, value=//select[@id='applicationFacilityApplicationfor_WIFT001MT']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.106, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:/Users/ININDC~1/AppData/L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57405},		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57405/devtoo..., se:cdpVersion: 119.0.6045.106, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f813a49b0425bfa4ffb999f5a37665f2</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. ApplicationForFacility_482.user_482_select_application_for_field_in_maintenace_screen_under_wirak_application(ApplicationForFacility_482.java:627) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And User_482 enter the CIF No in main info tab under WIRAK Application	SKIPPED	0.000 s
12	And User_482 enter the facility type in main info tab under WIRAK Application	SKIPPED	0.000 s
13	And User_482 enter the country of financing in main info tab under WIRAK Application	SKIPPED	0.000 s
14	And User_482 enter facility rating in main info tab under WIRAK Application	SKIPPED	0.000 s
15	And User_482 clicks on the additional details tab under WIRAK Application	SKIPPED	0.000 s
16	And User_482 Enter total value under additional details tab in WIFAK Application	SKIPPED	0.001 s
17	And User_482 Enter offer Expiration in Additional details under WIFAK Application	SKIPPED	0.000 s
18	And User_482 click Limit Details tab in WIFAK Application	SKIPPED	0.000 s
19	And User_482 click add icon in limit details under WIFAK Application	SKIPPED	0.000 s
20	And User_482 select the product class in limit details under WIFAK Application	SKIPPED	0.000 s
21	And User_482 check clean checkbox options in limit details under WIFAK Application	SKIPPED	0.001 s
22	And User_482 click add icon in limit details popup under WIFAK Application	SKIPPED	0.000 s
23	And User_482 click save button in Main Info tab under WIFAK Application	SKIPPED	0.000 s
24	And User_482 Click on Ok button in Confirm Pop up Menu	SKIPPED	0.000 s
25	And User_482 Click on Ok button in Success Pop up Menu	SKIPPED	0.001 s
26	And User_014 Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application

The screenshot shows the AZENTIO application interface. The top navigation bar is blue and contains the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office, 16 January 2021), and customer information (Customer ID: , Customer Name:). The main content area is white and displays a list of applications on the left sidebar. The 'WIFAK APPLICATION' is selected and highlighted in blue. The bottom status bar is blue and contains copyright information (Copyright ©2023 Azentio ©All Rights Reserved - JML: Facility Management System 14.7.0.0 Build 262) and the text 'Powered By: JML'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities


(F) Testing the Functionality of Financial
facility Application

The screenshot shows the AZENTIO application interface. The top navigation bar is blue and contains the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office, 16 January 2021), and customer information (Customer ID: , Customer Name:). The main content area is white and displays a list of applications on the left sidebar. The 'WIFAK APPLICATION' is selected and highlighted in blue. The bottom status bar is blue and contains copyright information (Copyright ©2023 Azentio ©All Rights Reserved - JML: Facility Management System 14.7.0.0 Build 262) and the text 'Powered By: JML'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities


(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application

