

Cucumber Report

1 Nov 2023, 3:38:13 PM

Start : Nov 01, 3:36:09.357 PM

End : Nov 01, 3:38:09.183 PM

Duration : 1 m 59.826 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 59.826 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	In FMS REVERSE THE DDR3	12	11	1	0	1 m 59.821 s

(F)- Test the Functionality of Draw Down Request






FAILED	DURATION - 1 m 59.826 s	Scenarios		Steps	
/ 3:36:09.357 PM // 3:38:09.183 PM /		Total - 1		Total - 12	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- In FMS REVERSE THE DDR3

<div>FAILED</div> <div>DURATION - 1 m 59.821 s</div>		 <table border="1"><caption>Step Counts</caption><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>23</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>2</td></tr><tr><td>4</td><td>16</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>4</td></tr><tr><td>8</td><td>3</td></tr><tr><td>9</td><td>2</td></tr><tr><td>10</td><td>6</td></tr><tr><td>11</td><td>0</td></tr><tr><td>12</td><td>60</td></tr></tbody></table>	Step	Count	1	23	2	2	3	2	4	16	5	0	6	0	7	4	8	3	9	2	10	6	11	0	12	60	<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>		 <div>12</div>
Step	Count																														
1	23																														
2	2																														
3	2																														
4	16																														
5	0																														
6	0																														
7	4																														
8	3																														
9	2																														
10	6																														
11	0																														
12	60																														
<div>/ 3:36:09.362 PM // 3:38:09.183 PM /</div>																															
<div>Test the Functionality of Draw Down Request</div>																															
<div>@AT_DDR_007</div>																															


#	Step / Hook Details	Status	Duration
1	Given User_007 navigate to FMS application and login with valid credentials	PASSED	22.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
			
2	And User_007 Click on Report menu	PASSED	1.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_007 Click on Availment Ticket sub menu under Report menu	PASSED	1.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
			
4	And User_007 Click on CIF No Tab	PASSED	15.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
			
5	And User_007 Enter CIF No	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
			
6	And User_007 click on Without header and footer	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
			
7	And User_007 Click On Retrive Button	PASSED	3.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User_007 Click On Availment Ticket sub Report Drawdown	PASSED	2.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
9	And User_007 Click On Branch code and Enter code	PASSED	1.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
10	And User_007 Click On Retrive btn	PASSED	5.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
11	And User_007 Click On Availment Ticket sub Report Facility	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
12	<p>And User_007 Check the draw down details are displaying when the user specify the particular facility</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: /html/body/table/tbody/tr/td[2]/table/tbody/tr[2]/td' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_dow_details_are_displaying_when_the_user_specify_the_particular_facility(ReportAvailme nt_007.java:191) at ?.User_007 Check the draw down details are displaying when the user specify the particular facility(file:///C:/Users/ININDC00629/git/ AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:17) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/ body/table/tbody/tr/td[2]/table/tbody/tr[2]/td"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [68fae77b68eaea893232f309567130aa, findElement {using=xpath, value=/html/body/table/tbody/tr/td[2]/table/tbody/ tr[2]/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65365/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fae77b68eaea893232f309567130aa atjdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) </pre>	FAILED	1 m 0.052 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. ReportAvailment_007.User_007_Check_the_draw_dow_details_are_displaying_when_the_user_specify_the_particular_facility(ReportAvailme nt_007.java:191) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.260 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

The screenshot displays the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer information (Customer ID, Customer Name). The left sidebar shows a tree view of reports under 'Reports / Avalment Ticket'. The main content area is titled 'Reports / Avalment Ticket' and shows a report configuration page. It includes a 'Parameters' section with fields for 'CIF No' (77), 'DRAW DOWN' (0), and 'Excludngl'. There are also dropdowns for 'Language' (English) and 'Format' (Html), and a 'Connection description' field. A checkbox 'Without header and footer' is checked. At the bottom, there are buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export'. The footer contains copyright information and the text 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

This screenshot is identical to the one above, showing the AZENTIO web application interface. The top navigation bar, left sidebar, and main content area are the same. The 'Without header and footer' checkbox is checked. The footer contains copyright information and the text 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer information (Customer ID, Customer Name). The main content area is titled 'Reports / Avalment Ticket Sub Report Drawdown'. It features a sidebar with a tree view of reports, including 'Accounting Entry Advice', 'Application for Financial Facility Sub 1', 'Application for Financial Facility Sub 2', 'Application for Financial Facility Sub 3', 'Application for Financial Facility Sub 4', 'Avalment Ticket', 'Avalment Ticket Sub Report Drawdown', 'Avalment Ticket Sub Report Facility', 'Avalment Ticket Sub Report GL', 'Avalment Ticket Sub Report GL Temp', 'Avalment Ticket Sub Report Security', 'Avalment Ticket Sub Report Test', 'COTIS Report', 'COLLATERAL INFO', 'COLLATERAL INFO - TESTING', 'CREDIT SUMMARY AND CREDIT COMMITTEES', 'CREDIT SUMMARY AND CREDIT COMMITTEES', 'CTOS Report', 'CTOS Reports', 'Charts Reports', 'Charts Reports Sub 1', 'Charts Reports Sub 2', 'Charts Reports Sub 3', 'Collateral', 'Collateral - Deal valuation Report', 'Collateral - Deal valuation Report Management Sub', 'Collateral Held', 'Collateral List', 'Collateral Management', 'Collateral Print Advice', and 'Collateral Report'. The main content area has a search bar with 'PMSU01052' entered, and a 'Parameters' section with 'Branch Code' set to '100'. There are also dropdowns for 'Language' (English), 'Format' (Html), and 'Connection description'. Below these are buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', 'Export', and 'Print'. The bottom status bar shows 'Copyright ©2023 Azentio ©All Rights Reserved', 'JML Facility Management System 14.7.0.0 Build 262', and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down Request

This screenshot is identical to the one above, showing the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer information (Customer ID, Customer Name). The main content area is titled 'Reports / Avalment Ticket Sub Report Drawdown'. It features a sidebar with a tree view of reports, including 'Accounting Entry Advice', 'Application for Financial Facility Sub 1', 'Application for Financial Facility Sub 2', 'Application for Financial Facility Sub 3', 'Application for Financial Facility Sub 4', 'Avalment Ticket', 'Avalment Ticket Sub Report Drawdown', 'Avalment Ticket Sub Report Facility', 'Avalment Ticket Sub Report GL', 'Avalment Ticket Sub Report GL Temp', 'Avalment Ticket Sub Report Security', 'Avalment Ticket Sub Report Test', 'COTIS Report', 'COLLATERAL INFO', 'COLLATERAL INFO - TESTING', 'CREDIT SUMMARY AND CREDIT COMMITTEES', 'CREDIT SUMMARY AND CREDIT COMMITTEES', 'CTOS Report', 'CTOS Reports', 'Charts Reports', 'Charts Reports Sub 1', 'Charts Reports Sub 2', 'Charts Reports Sub 3', 'Collateral', 'Collateral - Deal valuation Report', 'Collateral - Deal valuation Report Management Sub', 'Collateral Held', 'Collateral List', 'Collateral Management', 'Collateral Print Advice', and 'Collateral Report'. The main content area has a search bar with 'PMSU01052' entered, and a 'Parameters' section with 'Branch Code' set to '100'. There are also dropdowns for 'Language' (English), 'Format' (Html), and 'Connection description'. Below these are buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', 'Export', and 'Print'. The bottom status bar shows 'Copyright ©2023 Azentio ©All Rights Reserved', 'JML Facility Management System 14.7.0.0 Build 262', and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

