

Cucumber Report

28 Sep 2023, 12:19:21 PM

Start : Sep 28, 12:18:53.152 PM

End : Sep 28, 12:19:20.471 PM

Duration : 27.319 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	1	0	1	0	27.319 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	<u>Penalty -basic Testing</u>	17	11	1	5	27.315 s



(F)- To test the IIS Parameter functionalities


FAILED	DURATION - 27.319 s	Scenarios		Steps	
/ 12:18:53.152 PM // 12:19:20.471 PM /		Total - 1		Total - 17	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	



(S)- Penalty -basic Testing

<div>FAILED</div> <div>DURATION - 27.315 s</div>		<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:18:53.156 PM // 12:19:20.471 PM /</div>				
<div>To test the IIS Parameter functionalities</div>				
<div>@721477</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	9.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
			
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
			
6	And User_611 Enter and create a code value under maintenance screen	PASSED	2.980 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
			
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			
10	And User_611 clicks the save button under maintenance screen	PASSED	3.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
11	And User_611 Validate the saving record	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	<p>And User_611 Enter the penalty code under maintenance screen</p> <pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.IISParameterSteps_611.user_enter_the_penalty_code_under_maintenance_screen(IISParameterSteps_611.java:114) at ?.User_611 Enter the penalty code under maintenance screen(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.049 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.264 s
13	And User_611 Edit the brief name eng for updation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updation under maintenance screen	SKIPPED	0.000 s
15	And User_611 Enter the charges code under maintenance screen	SKIPPED	0.000 s
16	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
17	And User_611 validate the updating record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot displays the AZENTIO web application interface. The top navigation bar shows the user 'KOUJALYA' and the date '28 September 2023'. The sidebar menu on the left lists various system settings, with 'Penalty / Maintenance' selected. The main form area is titled 'Parameters / Penalty / Maintenance' and contains the following fields:

- Code ***: 0781
- Status**: Active
- Brief Name Eng ***: Testdata
- Long Description ***: Testdata
- Penalty Type**: Profit on Outstanding Principal
- Penalty Type After Maturity**: Annual Percentage on Outstanding Principal Amount
- Minimum Amount**: .000
- Charges Code ***: .000
- Collect Penalty At**: Next Installment
- Penalty Calculation Based on**: Actual Days

The bottom of the page shows the copyright notice: 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'AML 101 Parameter 14.7.0.0 Build 296'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot is identical to the one above, showing the AZENTIO web application interface with the 'Penalty / Maintenance' configuration page. The fields and layout are the same, including the sidebar menu, main form fields, and the bottom copyright notice.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUSSALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The application is running version 14.7.0.0 Build 296. The main menu on the left lists various modules, with 'Penalty / Maintenance' selected. The main form displays the details for a new record (M068HT) with Code 0781. The form is titled 'Parameters / Penalty / Maintenance' and has a status of 'Active'. The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At'. The 'Penalty Type' is set to 'Profit on Outstanding Principal' and 'Penalty Type After Maturity' is set to 'Annual Percentage on Outstanding Principal Amount'. The 'Minimum Amount' is set to 0.000. The 'Charges Code' is set to 0003. The 'Collect Penalty At' is set to 'Next Installment'. The 'Penalty Calculation Based on' is set to 'Actual Days'. The form also includes a 'Save' button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUSSALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The application is running version 14.7.0.0 Build 296. The main menu on the left lists various modules, with 'Penalty / Maintenance' selected. The main form displays a table of records for 'Penalty / Maintenance'. The table has columns for 'Penalty Code', 'Brief name', 'Long Name', 'الإسم المختصر', and 'الإسم الكامل بالعربية'. The records are as follows:

Penalty Code	Brief name	Long Name	الإسم المختصر	الإسم الكامل بالعربية
0123	test1234	test1		
0425	ERYTERV	REVERY		
8458	TEST OD	TEST OD		
1245	ryry	ert		
3333	YREY	RTUVRU		

Below the table, there is a form for adding a new record. The form is titled 'Parameters / Penalty / Maintenance' and has a status of 'Active'. The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At'. The 'Penalty Type' is set to 'Profit on Outstanding Principal' and 'Penalty Type After Maturity' is set to 'Annual Percentage on Outstanding Principal Amount'. The 'Minimum Amount' is set to 0.000. The 'Charges Code' is set to 0003. The 'Collect Penalty At' is set to 'Next Installment'. The 'Penalty Calculation Based on' is set to 'Actual Days'. The form also includes a 'Save' button. An 'INFORMATION' dialog box is displayed, stating 'Saved Successfully'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user name 'KOUSALYA', company '14.7 Oracle BAJ', and date '28 September 2023'. The left sidebar contains a menu with various system modules, with 'Penalty / Maintenance' selected. The main content area displays a table of existing records with columns for 'Penalty Code', 'Brief name', 'Long Name', and 'Status'. Below the table, there is a form for adding or editing a record. The form includes fields for 'Code', 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At'. A modal box with the title 'INFORMATION' and the message 'Saved Successfully' is overlaid on the form. The bottom of the page shows the copyright notice 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'AML 02 Parameter 14.7.0.0 Build 296'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot shows the same AZENTIO web application interface as the previous one, but with the 'Penalty / Maintenance' form empty. The table of existing records is still visible at the top. The form fields for 'Code', 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At' are all present but contain no data. The bottom of the page shows the same copyright notice and version information.