

Cucumber Report

1 Nov 2023, 3:00:00 PM

Start : Nov 01, 2:58:23.020 PM

End : Nov 01, 2:59:59.411 PM

Duration : 1 m 36.391 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 36.391 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	In FMS REVERSE THE DDR3	13	10	1	2	1 m 36.388 s


(F)- Test the Functionality of Draw Down Request





FAILED	DURATION - 1 m 36.391 s	Scenarios		Steps	
/ 2:58:23.020 PM // 2:59:59.411 PM /		Total - 1		Total - 13	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- In FMS REVERSE THE DDR3

<div>FAILED</div> <div>DURATION - 1 m 36.388 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:58:23.023 PM // 2:59:59.411 PM /				
Test the Functionality of Draw Down Request				
@AT_DDR_007				


#	Step / Hook Details	Status	Duration
1	Given User_007 navigate to FMS application and login with valid credentials	PASSED	8.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
2	And User_007 Click on Report menu	PASSED	1.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_007 Click on Availment Ticket sub menu under Report menu	PASSED	1.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
			
4	And User_007 Click on CIF No Tab	PASSED	2.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
5	And User_007 Enter CIF No	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
6	And User_007 click on Without header and footer	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
			
7	And User_007 Click On Retrive Button	PASSED	3.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User_007 Click On Availment Ticket sub Report Drawdown	PASSED	6.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
9	And User_007 Click On Branch code and Enter code	PASSED	1.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
			
10	And User_007 Click On Retrive btn	PASSED	5.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
11	And User_007 Check the draw down linked in TFA are displaying in the report	FAILED	1 m 0.031 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: /html/body/table/tbody/tr[2]/table/tbody/tr[2]/td' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.</p> <p>ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:165)</p>		

#	Step / Hook Details	Status	Duration
	<p>at ?.User_007 Check the draw down linked in TFA are displaying in the report(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:15)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/table/tbody/tr/td[2]/table/tbody/tr[2]/td"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad6a646a38163d0763e45eb7fb93ac5a, findElement {using=xpath, value=/html/body/table/tbody/tr/td[2]/table/tbody/tr[2]/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:/Users/ININDC~1/AppData/L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63909}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63909/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad6a646a38163d0763e45eb7fb93ac5a</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.</p> <p>ReportAvailment_007.User_007_Check_the_draw_down_linked_in_TFA_are_displaying_in_the_report(ReportAvailment_007.java:165)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.184 s
12	And User_007 Click On Availment Ticket sub Report Facility	SKIPPED	0.000 s
13	And User_007 Check the draw down details are displaying when the user specify the particular facility	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

The screenshot displays the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer information (Customer ID, Customer Name). The left sidebar shows a tree view of reports, with 'Avalment Ticket' selected. The main content area is titled 'Reports / Avalment Ticket' and shows a report configuration page. The 'Parameters' section includes fields for 'CIF No' (77), 'DRAW DOWN' (0), and 'Excludngl'. There are also dropdowns for 'Language' (English) and 'Format' (Html), and a 'Connection description' field. A checkbox for 'Without header and footer' is checked. At the bottom, there are buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export'. The footer contains copyright information and the text 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

This screenshot is identical to the one above, showing the AZENTIO web application interface. The 'Without header and footer' checkbox is checked, and the 'CIF No' is 77. The interface includes the same navigation bar, sidebar, and main content area with report parameters and action buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down
Request

The screenshot displays the AZENTIO application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer details (Customer ID, Customer Name). The main content area shows a sidebar with a tree view of reports, including 'Accounting Entry Advice', 'Application for Financial Facility Sub 1', 'Application for Financial Facility Sub 2', 'Application for Financial Facility Sub 3', 'Application for Financial Facility Sub 4', 'Avalment Ticket', 'Avalment Ticket Sub Report Drawdown', 'Avalment Ticket Sub Report Facility', and 'Avalment Ticket Sub Report GL'. The main panel displays the 'Reports / Avalment Ticket' report for 'U010'. It includes a 'Parameters' section with 'Sort', 'Filter', and 'Group' buttons, and a 'Retrieve' button. An error message is displayed in a red box: 'Error in generating nested reports: Error in creating JRMXML file: JRMAL-WebApps\FMS-3PMAL147_QA_O12\repository\reporting\U010_FMS_AJITH\cust_security_test.jrxml for report reference:U010 and report application:FMS'. The error details include: '01/11/2023 18:05:02', 'Application Version :Facility Management: 14.7.0.0 Build 292', 'User Name :AJITH, Application :FMS,Page Reference :U010,Company Code :1,Branch Code :1', and 'Failed to retrieve the report null'. The bottom status bar shows 'Copyright ©2023 Azentio BAJ Rights Reserved JRMAL Facility Management System 14.7.0.0 Build 292' and 'Powered By: JRMAL BAJ'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down
Request

The screenshot displays the AZENTIO application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer details (Customer ID, Customer Name). The main content area shows a sidebar with a tree view of reports, including 'Accounting Entry Advice', 'Application for Financial Facility Sub 1', 'Application for Financial Facility Sub 2', 'Application for Financial Facility Sub 3', 'Application for Financial Facility Sub 4', 'Avalment Ticket', 'Avalment Ticket Sub Report Drawdown', 'Avalment Ticket Sub Report Facility', 'Avalment Ticket Sub Report GL', 'Avalment Ticket Sub Report Temp', 'Avalment Ticket Sub Report Security', 'Avalment Ticket Sub Report Test', 'COLLATERAL INFO', 'COLLATERAL INFO - TESTING', 'CREDIT SUMMARY AND CREDIT COMMITTEES', 'CREDIT SUMMARY AND CREDIT COMMITTEES', 'CTOS Report', 'CTOS Reports', 'Charts Reports', 'Charts Reports Sub 1', 'Charts Reports Sub 2', 'Charts Reports Sub 3', 'Collateral', 'Collateral - Deal valuation Report (T007PRRC)-Collateral Management Sub', 'Collateral Held', 'Collateral List', 'Collateral Management', 'Collateral Print Advice', and 'Collateral Report'. The main panel displays the 'Reports / Avalment Ticket' report for 'U010'. It includes a 'Parameters' section with 'Sort', 'Filter', and 'Group' buttons, and a 'Retrieve' button. A loading spinner is visible in the center of the main panel. The bottom status bar shows 'Copyright ©2023 Azentio BAJ Rights Reserved JRMAL Facility Management System 14.7.0.0 Build 292' and 'Powered By: JRMAL BAJ'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request

The screenshot displays the Azentio Facility Management System interface. The top navigation bar includes the Azentio logo, user information (User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office), the date (16 January 2021), and customer details (Customer ID, Customer Name). The main menu on the left lists various reports, with 'Avalment Ticket Sub Report Drawdown' highlighted. The main content area shows the 'Parameters' section for the selected report, with buttons for Sort, Filter, Group, Retrieve, Reset, Arguments Filters, Export, and Print. The bottom status bar indicates the copyright (©2023 Azentio), system version (14.7.0.0 Build 262), and the power source (Powered By).