

Cucumber Report

29 Jun 2023, 11:44:44 AM

Start : Jun 29, 11:41:27.958 AM

End : Jun 29, 11:44:34.901 AM

Duration : 3 m 6.943 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	<u>Draw Down Request</u>	1	0	1	0	3 m 6.943 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Draw Down Request</u>	<u>Check following 5 new fields are added under the Facility Type Details tab of Request screen: Down Payment %, *</u>	15	7	1	7	3 m 6.936 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Draw Down Request



FAILED	DURATION - 3 m 6.943 s	Scenarios		Steps	
/ 11:41:27.958 AM // 11:44:34.901 AM /		Total - 1		Total - 15	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	


(S)- Check following 5 new fields are added under the Facility Type Details tab of Request screen: Down Payment %, Down Payment to Vendor %, Down Payment to Vendor, Total Down Payment % and Total Down Payment

FAILED	DURATION - 3 m 6.936 s		Steps	
/ 11:41:27.965 AM // 11:44:34.901 AM /			Total - 15	
Draw Down Request			Pass - 7	
@1038988			Fail - 1	
			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given navigate to FMS application and login with valid credentials2	PASSED	49.668 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
			
2	And User_609 get the test data set id for AT_DDR_075	PASSED	2.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And User_609 Click on the REQUEST FOR FINANCIN menu	PASSED	0.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			
4	And User_609 Click on the Request For Financing submenu	PASSED	1.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
			
5	And User_609 Click on the Maintenance screen	PASSED	1.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
			
6	And User_609 Select the Reason For Submission field	PASSED	50.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.683 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And User_609 Select the Customer field	PASSED	3.694 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.464 s
	screenshot		
			
8	And User_609 Select the Facility Type	FAILED	2.869 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (615, 707). Other element would receive the click: <div class="ui-widget-shadow progBarBackGound"></div> (Session info: chrome=114.0.5735.199) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5773f684a7155facab1e7901a6fb6a8, clickElement [id=17C43DF8936182213498D35ABC304429_element_292]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:54650}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54650/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d5773f684a7155facab1e7901a6fb6a8)] -> xpath: //span[@id='spanLookup_requestFinancingFacilityType_CSMRF00MT']/span] Session ID: d5773f684a7155facab1e7901a6fb6a8</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Facilities_Management_Steps_609.User_609_Select_the_Facility_Type(Facilities_Management_Steps_609.java:428) at ?.User_609 Select the Facility Type(file:///C:/Users/inindc00615/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_VIJAY3/src/test/ java/features/DrawDownRequest_609.feature:37) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.739 s
9	And User_609 Enter the Total Limit	SKIPPED	0.001 s
10	And User_609 Check the Down Payment Percentage field is enabled in Request Screen	SKIPPED	0.000 s
11	And User_609 Check the Down Payment field is enabled in Request Screen	SKIPPED	0.000 s
12	And User_609 Check the Down Payment to vendor Percentage field is enabled in Request Screen	SKIPPED	0.000 s
13	And User_609 Check the Down Payment to vendor field is enabled in Request Screen	SKIPPED	0.000 s
14	And User_609 Check the Total Down Payment Percentage field is Displayed in Request Screen	SKIPPED	0.000 s
15	And User_609 Check the Total Down Payment field is Displayed in Request Screen	SKIPPED	0.001 s
	<p>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5773f684a7155facab1e7901a6fb6a8, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54650}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54650/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d5773f684a7155facab1e7901a6fb6a8 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:445) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:279) </pre>	FAILED	25.145 s


#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.HooksClass.TearDown(HooksClass.java:62)</p> <p>Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown</p> <p>at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:445) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:279) at stepdefinitions.HooksClass.TearDown(HooksClass.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown</p> <pre> at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:181) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:119) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) </pre>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *


(F) Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *


(F) Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *


(F) Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *

(F) Draw Down Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *

(F) Draw Down Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *

(F) Draw Down Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *

(F) Draw Down Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check following 5 new fields are
added under the Facility Type Details tab
of Request screen: Down Payment %,
Down Payment to Vendor %, Down *

(F) Draw Down Request