

# Cucumber Report

28 Sep 2023, 12:36:15 PM

**Start : Sep 28, 12:35:45.566 PM**

**End : Sep 28, 12:36:13.374 PM**

**Duration : 27.808 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 11**


**FAILED - 1**

**SKIPPED - 5**







#	Feature Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	1	0	1	0	27.808 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the IIS Parameter functionalities	Penalty -basic Testing	17	11	1	5	27.804 s



**(F)- To test the IIS Parameter functionalities**

<b>FAILED</b>	<b>DURATION - 27.808 s</b>	Scenarios		Steps	
/ 12:35:45.566 PM // 12:36:13.374 PM /		Total - 1		Total - 17	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


**(S)- Penalty -basic Testing**


<div>FAILED</div> <div>DURATION - 27.804 s</div>		<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:35:45.570 PM // 12:36:13.374 PM /</div>				
<div>To test the IIS Parameter functionalities</div>				
<div>@721477</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	5.990 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.645 s
	screenshot		
			
6	And User_611 Enter and create a code value under maintenance screen	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
10	And User_611 clicks the save button under maintenance screen	PASSED	3.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
11	And User_611 Validate the saving record	PASSED	3.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	<p><b>And User_611 Enter the penalty code under maintenance screen</b></p> <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception</a> Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c067137420f3be7f684db633bb6bd903, actions {actions=[org.openqa.selenium.interactions.Sequence@460eb276]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61015}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61015/devtools..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c067137420f3be7f684db633bb6bd903</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61) at stepdefinitions.IISParameterSteps_611.user_enter_the_penalty_code_under_maintenance_screen(IISParameterSteps_611.java:119) at ?.User_611 Enter the penalty code under maintenance screen(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.193 s
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <p>screenshot</p>	PASSED	0.226 s


#	Step / Hook Details	Status	Duration
			
13	And User_611 Edit the brief name eng for updatation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updatation under maintenance screen	SKIPPED	0.000 s
15	And User_611 Enter the charges code under maintenance screen	SKIPPED	0.000 s
16	And User_611 clicks the save button under maintenance screen	SKIPPED	0.001 s
17	And User_611 validate the updating record	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter  
functionalities



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter  
functionalities



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter  
functionalities



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter  
functionalities



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter  
functionalities



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities

The screenshot displays the AZENTIO web application interface. The top navigation bar shows the user 'KOUSSALYA' and the date '28 September 2023'. The sidebar menu on the left lists various system settings, with 'Penalty / Maintenance' selected. The main content area shows the configuration for a specific penalty type (Code: 0495). The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At'. The 'Penalty Type' is set to 'Profit on Outstanding Principal', and the 'Penalty Type After Maturity' is set to 'Annual Percentage on Outstanding Principal Amount'. The 'Minimum Amount' is set to '0.000'. The 'Charges Code' is set to '01'. The 'Collect Penalty At' is set to 'Next Installment'. The 'Penalty Calculation Based on' is set to 'Actual Days'. The status of the configuration is 'Active'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities

This screenshot is identical to the one above, showing the AZENTIO web application interface for the 'Penalty / Maintenance' configuration page. The configuration details are the same: Code 0495, Active status, Profit on Outstanding Principal penalty type, Annual Percentage on Outstanding Principal Amount after maturity, Minimum Amount of 0.000, Charges Code 01, Next Installment for collection, and Actual Days for calculation.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities

Parameters / Penalty / Maintenance

M068HT

Code \* 0495 Status Active

Main Information Penalty Details

Brief Name Eng \* Testdata

Long Description \* Testdata

Penalty Type Profit on Outstanding Principal

Penalty Type After Maturity Annual Percentage on Outstanding Principal Amount

☐ Apply Penalty Percentage After Maturity Based on Actual Periodicity(From And To Period)

Minimum Amount .000

Charges Code \* 0003 Insurance type

Collect Penalty At Next Installment

Penalty Calculation Based on Actual Days

Save

Copyright ©2023 Azentio @All Rights Reserved AMM, K2 Parameter 14.7.0.0 Build 296 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities

Parameters / Penalty / Maintenance

M068HT

Penalty Code	Brief name	Long Name	الاسم المختصر	الاسم الكامل بالعربية
0123	test1234Testdata	Testdata		
0425	ERYTERY	REVERY		
8458	TEST OD	TEST OD		
1245	ryry	ert		
3333	YREY	RTUVRU		

Code \* Status Active

Main Information Penalty Details

Brief Name Eng \*

Long Description \*

Penalty Type Profit on Outstanding Principal

Penalty Type After Maturity Annual Percentage on Outstanding Principal Amount

☐ Apply Penalty Percentage After Maturity Based on Actual Periodicity(From new to review)

Minimum Amount .000

Charges Code \*

Collect Penalty At Next Installment

Penalty Calculation Based on Actual Days

Save

INFORMATION

Saved Successfully

OK

Copyright ©2023 Azentio @All Rights Reserved AMM, K2 Parameter 14.7.0.0 Build 296 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter  
functionalities