

Cucumber Report

6 Oct 2023, 9:41:16 AM

Start : Oct 06, 9:40:46.675 AM

End : Oct 06, 9:41:15.387 AM

Duration : 28.712 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 12
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To Test the iisparam application</u>	1	1	0	0	28.712 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the iisparam application	Check basic functionality of charge module	12	12	0	0	28.706 s




(F)- To Test the iisparam application






PASSED	DURATION - 28.712 s	Scenarios		Steps	
/ 9:40:46.675 AM // 9:41:15.387 AM /		Total - 1		Total - 12	
		Pass - 1		Pass - 12	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- Check basic functionality of charge module

<div>PASSED</div> <div>DURATION - 28.706 s</div>	<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 12</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:40:46.681 AM // 9:41:15.387 AM /</div>			
<div>To Test the iisparam application</div>			
<div>@AT_IISPRM_054</div>			

#	Step / Hook Details	Status	Duration
1	Given user_54 navigate to the IISParam application and login with the valid credentials	PASSED	7.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
			
2	Then user_54 update test data set id for AT_IISPRM_058	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
3	And user_54 click on parameters tab	PASSED	0.073 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
4	And user_54 click on charge	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
5	And user_54 check menus and lists are available	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
6	And user_54 click on maintenance and create a record	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
			
7	And user_54 enter code brief description long description and save it	PASSED	4.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user_54 check first last prev next button	PASSED	1.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
			
9	And user_54 check sorting functionality	PASSED	0.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
			
10	And user_54 check grid is listing all relevant data	PASSED	3.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
11	And user_54 retrieve the code and delete it	PASSED	3.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
12	And user_54 close the screen	PASSED	0.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module

(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module

(F) To Test the iisparam application

The screenshot shows the AZENTIO application interface. The top header includes the user name 'MODEL B', company '14.7 Oracle BAJ', and branch 'Head Office'. The date is '06 October 2023'. The sidebar menu on the left lists various options under 'Parameters', 'Charges', and 'Maintenance'. The main content area is titled 'Parameters / Charges / Maintenance' and displays a table with columns 'Code', 'Brief name', and 'Long Name'. The table contains several rows of data, including '1 Evaluations - Evaluationnnss', '3 Insurance type Insurance type', '4 Test p Fee B Test p Fee L', '5 Part 1 Part Connoddy Norabaha', '7 Admin Fees Administration Fees', and '8 Correspondent Charge Correspondent Charges'. Below the table, there are input fields for 'Code *', 'Brief Description *', and 'Long Description *'. The interface also shows a 'Loading...' button and a 'Page 1 of 8' indicator.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module


(F) To Test the iisparam application

The screenshot shows the AZENTIO application interface. The top header includes the user name 'MODEL B', company '14.7 Oracle BAJ', and branch 'Head Office'. The date is '06 October 2023'. The sidebar menu on the left lists various options under 'Parameters', 'Charges', and 'Maintenance'. The main content area is titled 'Parameters / Charges / Maintenance' and displays a table with columns 'Code', 'Brief name', and 'Long Name'. The table contains several rows of data, including '1 Evaluations - Evaluationnnss', '3 Insurance type Insurance type', '4 Test p Fee B Test p Fee L', '5 Part 1 Part Connoddy Norabaha', '7 Admin Fees Administration Fees', and '8 Correspondent Charge Correspondent Charges'. Below the table, there are input fields for 'Code *', 'Brief Description *', and 'Long Description *'. The interface also shows a 'Loading...' button and a 'Page 1 of 1' indicator.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module

(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check basic functionality of charge
module

(F) To Test the iisparam application

