

Cucumber Report

2 Nov 2023, 3:47:11 PM

Start : Nov 02, 3:45:28.856 PM

End : Nov 02, 3:47:10.461 PM

Duration : 1 m 41.605 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 41.605 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test the Functionality of Draw Down Request</u>	<u>Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to *</u>	11	10	1	0	1 m 41.601 s


* The feature name and/or scenario name has been cropped to fit in the available space.






(F)- Test the Functionality of Draw Down Request





FAILED	DURATION - 1 m 41.605 s	Scenarios		Steps	
/ 3:45:28.856 PM // 3:47:10.461 PM /		Total - 1		Total - 11	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

<div>FAILED</div> <div>DURATION - 1 m 41.601 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:45:28.860 PM // 3:47:10.461 PM /				
Test the Functionality of Draw Down Request				
@AT_DDR_081				

#	Step / Hook Details	Status	Duration
1	Given User_081 navigate to FMS param application and login with valid credentials	PASSED	21.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
			
2	And User_081 Click Parameter Menu	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And User_081 Click Transaction Template Menu	PASSED	0.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
			
4	And User_081 Click Maintanance Under Transaction Template	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
			
5	And User_081 Click Add Icon Under Maintanance	PASSED	2.623 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
6	And User_081 Click on LN Under AddIcon	PASSED	8.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
7	And User_081 Click on Plus Icon Under Formula in Amount	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	 +		
8	And User_081 Click Add Icon Under Formula in Amount	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
	 +		
9	And User_081 Click on List Of Fields	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
	 +		
10	And User_081 drawDown Field	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
	 +		
11	And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount	FAILED	1 m 0.021 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f681d7ccf6e3e83976364ddec7c3f38c,		


#	Step / Hook Details	Status	Duration
	<p>findElement {using=id, value=} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57322}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57322/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f681d7ccf6e3e83976364ddec7c3f38c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions. TransactionTemplate_081.User_081_Check_new_elements_Down_Payment_and_Down_Payment_Refund_is_added_to_the_amount(TransactionTemplate_081.java:134) at ?.User_081 Check new elements Down Payment and Down Payment Refund is added to the amount(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:105) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		

#	Step / Hook Details	Status	Duration
	<div></div>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount


(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request

The screenshot shows the ZENTIO application interface. On the left is a sidebar menu with categories like 'Capital', 'Control Record', 'Corporate Packages', etc. The main area displays a 'Transaction Template Maintenance' screen for 'PC00251'. It includes input fields for 'Code', 'Brief Name', and 'Long Name'. A table below has columns: A/C, SL, TR Code, Trs Description, and Trade. An 'Apply Formula' dialog box is open in the center. The dialog has an 'Amount' field, a 'Formula Details' table with columns 'Sign', 'List of Fields', and 'Multiplication Factor', and 'OK' and 'Cancel' buttons. The background screen also has a right-hand section with 'Use Historical Rate', 'Use Buy or Sell Rate', 'Amount Sign' (set to 'Credit'), and 'Amount'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request

This screenshot is similar to the first one, showing the ZENTIO application with the 'Apply Formula' dialog box. In this instance, the 'Amount' field in the dialog contains the text 'H3 Amount'. The 'Formula Details' table now has one row: the 'Sign' column contains '+', the 'List of Fields' column contains 'H3 Amount', and the 'Multiplication Factor' column is empty. The background transaction template screen remains the same.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request

The screenshot shows the ZENTIO application interface. On the left is a sidebar menu with categories like 'Capital', 'Control Record', 'Corporate Packages', etc. The main area displays a 'Transaction Template Maintenance' form. Overlaid on this is an 'Apply Formula' dialog box. The dialog contains a 'Formula Details' table with the following data:

Sign	List of Fields	Multiplication Factor
+	HJ Amount	

The background form includes fields for 'Code', 'Brief Name', 'Long Name', and a table with columns 'A/C', 'SL', 'TR Code', 'Tree Description', and 'Trade'. The footer of the application shows 'Copyright © 2023 Agero SA All Rights Reserved' and 'Powered By: Agero'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check in Transaction Template
screen, new elements 'Down Payment'
and 'Down Payment Refund' is added to
the amount

(F) Test the Functionality of Draw Down
Request

This screenshot is similar to the previous one, showing the 'Apply Formula' dialog box. However, a dropdown menu is now open below the 'List of Fields' column, displaying a list of available fields for selection:

- HJ Amount
- Cash Collateral
- Customer Refund
- Current Month Revenue
- Revenue Debit
- Revenue Credit
- Down Payment
- Down Payment Refund

The rest of the interface, including the sidebar and the background form, remains the same as in the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
 HooksClass.addScreenshot(io.cucumber.
 java.Scenario)

(S) Check in Transaction Template
 screen, new elements 'Down Payment'
 and 'Down Payment Refund' is added to
 the amount

(F) Test the Functionality of Draw Down
 Request

The screenshot displays the ZENTIO application interface. The top navigation bar includes the ZENTIO logo, user information (User: AJITH, Company: 14.7 Oracle SA), date (02 November 2023), and various utility links (New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, Help). A sidebar on the left lists a comprehensive menu of system components, with 'Transaction Template Maintenance' highlighted under the 'Maintenance' section. The main workspace shows the 'Transaction Template Maintenance' screen for record PC00291. It contains fields for Code, Brief Name, and Long Name. A table below lists transaction templates with columns for A/C SL, TR Code, Trx Description, and Trade. An 'Apply Formula' dialog box is open in the center, showing 'Amount : HJ Amount'. Below this, the 'Formula Details' section shows a table with columns for Sign, List of Fields, and Multiplication Factor. The table contains one row with a '+' sign, 'HJ Amount' in the field, and a blank multiplication factor. The dialog has 'OK' and 'Cancel' buttons at the bottom. The background table has a 'Save' button at the bottom left. The footer shows copyright information (Copyright © 2023 Agero SA All Rights Reserved) and the version (APL_RPL_PLATFORM_14.7.0 - 9 Jan 2023).