


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	0	1	0	28.482 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	Modificatin of the budget before HO approval	30	14	1	15	28.474 s
	Request and Allocation functionally						

DETAILED SECTION -- 4 --

## (F)- Check The Azentio UAT Budget Request and Allocation functionally

FAILED	DURATION - 28.482 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 1:03:46.581 pr	m // 1:04:15.063 pm /	Pass - 0	1	Pass - 14	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - <b>15</b>	

## (S)- Modificatin of the budget before HO approval



#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	14.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	The State of the S		
2	Then click the Two Direction Icon	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		

#	Step / Hook Details	Status	Duration
© Marian Control of Co			
3 And click to	he Budget	PASSED	1.119 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
screenshot			
Description of the second of t	TO DE SUPER ANNABLE MANNE DE SUPER DE S		
4 Then click o	n the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.334 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
Screenshot			
5 And click on	the Add icon in Request and Allocation	PASSED	0.252 s
	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
screenshot		1	
■ © not reconstruction  9 ■ □  0 Interpretation  0 Interpretation  1 *** **Command*** **Command***  0 *** **Command*** **Command***  0 *** **Command**  0 *** **C	model (par involver) (2000) () () () () () () () () () () () () ()		
6 Then Currer	t Budget Code	PASSED	0.341 s
AFTER_STE	P - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
screenshot		]	

7 And select the Budget Year PASSED 0.191 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then click on the Branch  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Select Branch checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.206 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.206 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.148 s  Then click on the Branch ok button  PASSED 0.174 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.174 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.174 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Select Branch checkbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then click on the Branch ok button  PASSED 0.269 s  0.153 s  PASSED 0.378 s		O   Marting   O   O		
Screenshot  8 Then click on the Branch  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Select Branch checkbox.  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.378 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.148 s	7		PASSED	
8 Then click on the Branch  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Select Branch checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then click on the Branch ok button  PASSED  0.153 s  PASSED  0.206 s  PASSED  0.148 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
8 Then click on the Branch  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And Select Branch checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then click on the Branch ok button  PASSED  0.153 s  PASSED  0.378 s  0.148 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Select Branch checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then click on the Branch ok button  PASSED  0.378 s  0.378 s  0.378 s				
9 And Select Branch checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then click on the Branch ok button  PASSED  0.206 s  PASSED  0.148 s  0.148 s	8	Then click on the Branch	PASSED	0.153 s
9 And Select Branch checkbox PASSED 0.206 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then click on the Branch ok button  PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
9 And Select Branch checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then click on the Branch ok button  PASSED  0.206 s  0.148 s  PASSED  0.148 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then click on the Branch ok button  PASSED  0.148 s  PASSED  0.148 s				
screenshot  Then click on the Branch ok button  PASSED 0.174 s	9	And Select Branch checkbox	PASSED	0.206 s
10 Then click on the Branch ok button  PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
10 Then click on the Branch ok button  PASSED 0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.310 s	10	Then click on the Branch ok button	PASSED	0.174 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	The state of the s		
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	0.570 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	The state of the s		
13	And click on the save button	PASSED	2.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	10   10   10   10   10   10   10   10		
14	Then click on the Maker icon button	PASSED	0.870 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot	1	
		-	

#	Step / Hook Details	Status	Duration
	■		
15	And Change the Amount Before Approval	FAILED	0.432 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. change_the_amount_before_approval(Budget_BudgetRequestandAllocation_UAT.java:916) at ?.Change the Amount Before Approval(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:185) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot	PASSED	0.174 \$
	SCIENTISION  *** O - MINISTER CONTINUE		
16	And click on the save button	SKIPPED	0.000 s
17	And click on the Record submit	SKIPPED	0.000 s
18	Given Azentio Url login as Reviewer	SKIPPED	0.000 s
19	Then Click on Reviewer Notification icon	SKIPPED	0.000 s
20	And Click on to Reviewer Action button	SKIPPED	0.000 s
21	Then Click on to Approve button in Reviewer	SKIPPED	0.000 s
22	And Submit the record in reviewer	SKIPPED	0.000 s
23	Given Azentio Url login as checker page	SKIPPED	0.000 s
24	Then click on the security management	SKIPPED	0.000 s
25	And Click on the sub module open pool near Edit icon	SKIPPED	0.000 s
26	Then Click the claim option icon	SKIPPED	0.000 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
27	And Click on the checker notification icon	SKIPPED	0.000 s
28	Then click the checker action icon	SKIPPED	0.000 s
29	And Approve the Record in checker	SKIPPED	0.000 s
30	Then Submit the Record in checker	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

