
**Duration: 31.934 s** Start: Feb 04, 1:25:54.371 AM End: Feb 04, 1:26:26.305 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 15 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 70 20 20 20 80 80 80 90 90 10 60 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	1	0	1	0	31.934 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	Unique Inventory item code should be created	15	9	1	5	31.931 s

DETAILED SECTION -- 4 --

## **(F)- Checking the Inventory Maintenance functionality**

FAILED	DURATION - 31.934 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 1:25:54.371 AN	M // 1:26:26.305 AM /	Pass - 0	1	Pass - 9	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

## (S)- Unique Inventory item code should be created



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.697 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		


Then Click on Inventory Item Add button   Passed   Pass	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Inventory Item Master Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.171 s  0.171 s  0.171 s  0.171 s  0.171 s		To the state of th		
screenshot  4 Then Click on Inventory Item Master Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 Then Fill Inventory Item Mandatory fields  6 Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  2.661 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.124 s	3	Then Click on Inventory Maintenance	PASSED	0.082 s
Then Click on Inventory Item Master Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  Then Click on Inventory Item Master Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.209 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.201 s  O.202 s  O.203 s  O.203 s  O.204 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
Then Click on Inventory Item Add button  Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Inventory Item Add button  PASSED  O.209 s  PASSED  O.190 s  Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.204 s  O.190 s  O.190 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.124 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  D.124 s		■ 1		
screenshot  Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.661 s  PASSED  0.124 s	4	Then Click on Inventory Item Master Eye Icon	PASSED	0.301 s
Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.661 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.661 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
5 Then Click on Inventory Item Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.661 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.124 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.661 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.190 s		] ] ] [ [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]		
Screenshot  6 Then Fill Inventory Item Mandatory fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.124 s	5	Then Click on Inventory Item Add button	PASSED	0.209 s
6 Then Fill Inventory Item Mandatory fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
6 Then Fill Inventory Item Mandatory fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s		State   Sta		
	6	Then Fill Inventory Item Mandatory fields	PASSED	2.661 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	Total age of the control of the cont		
7	Then Click on Inventory Item Save button	PASSED	2.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		
8	Then Click on Inventory Item Notification	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
	10   10   10   10   10   10   10   10		
9	And Select Inventory Item and Submit the record	PASSED	9.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.078 s
	screenshot		
	# Control Applies Control Appl		
10	Then log in to the reviewer account	FAILED	3.212 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.KUBS_Login.logintoAzentioappReviewer(KUBS_Login.java:92) at stepdefinitions.InventoryMaintenance_InventoryItem.log_in_to_the_reviewer_account(InventoryMaintenance_InventoryItem.java:274) at ?.log in to the reviewer account(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/InventoryMaintenance.feature:16)  * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
	The state of the s		
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to Checker Account	SKIPPED	0.000 s
13	And checker claim the record	SKIPPED	0.000 s
14	Then click on checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --






EXPANDED SECTION -- 10 --







(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

 $\underline{\text{(S) Unique Inventory item code should be}}_{\text{created}}$ 

(F) Checking the Inventory Maintenance functionality

