


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 32.370 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create Bill against PO & GRN for above vendor	21	0	0	21	1 m 32.346 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 1 m 32.370 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 2:20:38.577 A	M // 2:22:10.947 AM /	Pass - 0	1	Pass - 0	21
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 21	

## **(S)-** Create Bill against PO & GRN for above vendor

FAILED	DURATION - 1 m 32.346 s	0.15	5 ]			-		-	1	-			-					Steps		
/ 2:20:38.601	1 AM // 2:22:10.947 AM /	0.1	-						-								-   -	Total - 21		
AR/AP Module	<u>.                                    </u>	.05	-	:-								:						Pass - 0	21	
		0							<u> </u>	<u>. L .</u>	<u> </u>							Skip - 21		
WKOBS_AR//	AP_UAT_001_001_TC_009			1	2	3	4	5	6	7	8 9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1 m 31.632 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)	FAILED	1 m 31.632 s
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)</init></init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <a href="https://www.njava.sel">https://www.njava.sel</a> )		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	And user should navigate to accounts payable menu	SKIPPED	0.065 s
3	When click on eye button of invoice booking	SKIPPED	0.000 s
4	And click on add button for invoice booking	SKIPPED	0.000 s
5	And Fill the required fields for invoice booking	SKIPPED	0.000 s
6	Then Save and submit the invoice billing	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by the reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the invoice billing	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
18	And user should navigate to accounts payable menu	SKIPPED	0.001 s
19	When click on eye button of invoice booking	SKIPPED	0.001 s
20	Then Get the invoice status	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.032 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		