


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	1	0	1	0	50 m 24.088 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	budget for Budgetcode type monthly	13	11	1	1	50 m 24.083 s

DETAILED SECTION -- 4 --

## (F)- Check The Azentio UAT functionally

FAILED	DURATION - 50 m 24.088 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:23:11.322	pm // 3:13:35.410 pm /	Pass - 0	1	Pass - 11	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## **(S)-** budget for Budgetcode type monthly



#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
	The Control of Control		
2	Then click the Two Direction Icon	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

3 And click to the Budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Arter_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - step	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add Icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on the Add Icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Creenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.176 s  0.216 s  PASSED  0.265 s		The state of the s		
screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.258 s  4. Tren STEP - stepdefinitions. HooksClass. AddScreenshot(io.cucumber.java.Scenario)  PASSED  0.265 s  4. Then select the Budget Code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.307 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s	3	And click to the Budget	PASSED	0.101 s
Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.307 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.331 s  0.258 s  0.258 s  0.265 s  0.265 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.258 s  0.216 s  PASSED  0.265 s  0.307 s  PASSED  0.307 s  PASSED  0.307 s		The Continue of the Continue o		
screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.307 s  PASSED  0.178 s	4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.331 s
5 And click on the Add icon in Request and Allocation PASSED 0.216 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.307 s  0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### PASSED  0.216 s  PASSED  0.265 s  ### PASSED  6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.307 s  0.178 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.265 s  0.307 s  PASSED  0.307 s  0.178 s		# O AND TRANSPORT OF THE PROPERTY OF THE PROPE		
Screenshot  6 Then select the Budget Code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.307 s  0.178 s	5	And click on the Add icon in Request and Allocation	PASSED	0.216 s
6 Then select the Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
6 Then select the Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.307 s  Only 19 to 19 t		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s		© Mary Tabagaman No. 1.    Mary Tabagaman No.		
	6	Then select the Budget Code	PASSED	0.307 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
		screenshot	]	


7 And select the Budget Year PASSED 0.329 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### PASSED 0.313 s  PASSED 0.313 s  ### PASSED 0.104 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  University of the stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  0.313 s
Screenshot
E Q continuements  Fig. 2 continuements  Fig
Company   Comp
8 Then click on the Branch PASSED 0.104 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.282 s
screenshot
# On the contract of the contr
9 And select to one Branch PASSED 0.085 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s
screenshot
10 Then click on the Branch ok button PASSED 0.092 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.213 s
screenshot

#	Step / Hook Details	Status	Duration
	Comparison   Com		
11	Then select one currency we need	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
	## C   100		
12	And Enter the Amount for Monthly Budget type	FAILED	50 m 0.603 s
	org.openga.selenium.NoSuchVindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome. ChromeDriver Command: [4ae5320214a30b11e8eb2fd1a18b757a, findElement {using=xpath, value=//datatable-body-cell[2]/div/app-kub-currency/@id='11]/input}] Capabilities {acceptlinsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDatable: C:UsersININDDC-11AppDatalt), goog:chromeOptions: {debuggerAddress: localhost:53360}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53360/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {fmpicitt: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4ae53202f4a30b11e8eb2fd1a18b757a at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:490) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.service.DriverCommandExecutor.invariase) at org.openga.selenium.remote.Service.DriverCommandExecutor.invariase31 at org.openga.selenium.remote.Service.DriverCommandExecutor.java:347) at		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. enter_the_amount_for_monthly_budget_type(Budget_BudgetRequestandAllocation_UAT.java:315) at ?.Enter the Amount for Monthly Budget type(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [4ae63202f4a30b11e8eb2fd1a18b757a, screenshot [3] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:UsersiNINDC-1AppbtataL), goog:chromeOptions: (debuggerAddress: localhost:53360), javascriptEnabled: true, entworkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53360/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:argeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 4ae53202f4a30b11e8eb2fd1a18b757a at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.open		
13	And click on the save button	SKIPPED	0.000 s

# Step / H	ook Details	Status	Duration
AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.ja	va.Scenario)	FAILED	4.098 s
org.openqa.selenium.WebDriverException: chrome not reachable (S revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10. java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.Chrom Capabilities {acceptInsecureCerts: false, browserName: chrome, brow (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, g	ession info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', 1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', 20-river Command: [4ae53202f4a30b11e8eb2fd1a18b757a, close {}] serVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 abog: chromeOptions: {debuggerAddress: localhost:53360}, 20-2.71, setWindowRect: true, strictFileInteractability: false, timeouts: 20-2.71, setWindowRect: setWindowRe	FAILED	4.098 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

