

Cucumber Report

Nov 28, 2022, 9:40:04 AM

Start : Nov 28, 9:39:29.713 AM

End : Nov 28, 9:40:01.905 AM

Duration : 32.192 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	32.192 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in approved queue with Active Status	14	5	1	8	32.189 s




(F)- AR/AP Module


FAILED	DURATION - 32.192 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 9:39:29.713 AM // 9:40:01.905 AM /					

(S)- PO should be created successfully and displayed in approved queue with Active Status

FAILED	DURATION - 32.189 s		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 9:39:29.716 AM // 9:40:01.905 AM /				
AR/AP Module				
@KUBS_AR/AP_UAT_001_001_TC_02_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	15.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.503 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	0.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
4	Then Click on purchase order Add button	PASSED	1.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
			
5	And user update the data set ID for Purchase Order	PASSED	0.003 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
6	Then Fill purchase order Mandatory fields	FAILED	4.916 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary ios button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1337, 369). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-ios-h sc-ion-buttons-ios-s ios hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e1d22d2a55664e0d11fb441847bd02a1, clickElement {id=ba2dcc48-af8a-486d-a456-abba2c2f9dfe}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\lNINDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64112}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64112/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS</p>		


#	Step / Hook Details	Status	Duration
	<pre>(e1d22d2a55664e0d11fb441847bd02a1)] -> xpath: //body[1]/app-root[1]/ion-app[1]/ion-modal[1]/div[3]/page-po-item-details[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]] Session ID: e1d22d2a55664e0d11fb441847bd02a1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:106) at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:71) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.139 s
7	Then Click on Account Payable Save button	SKIPPED	0.001 s
8	Then close the confrimation msg	SKIPPED	0.000 s
9	Then Click on Item Details Record	SKIPPED	0.000 s
10	Then Edit the item details fields	SKIPPED	0.000 s
11	Then Click on Account Payable Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then Click on Account Payable Notification	SKIPPED	0.000 s
13	Then Select the record from Notification	SKIPPED	0.000 s
14	And Submit the Selected record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module



AZENTIO

ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

07-Jan-2024EnglishAZentio Software(AZENTMAIN)ANANT

PO creation

PO Details

* Entity Branch

Azentio Main Branch

X

* BP Name

Reference Type

* PO Type

(F) AR/AP Module

AZENTIO

ONEBanking

07-Jan-2024EnglishAZentio Software(AZENTMAIN)

PO creation

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

Entity Branch

Azentio Main Branch

Contract

tokyo

BP Name

DELUXE 001

Purchase Contract

Purchases Contract

Reference Type

Contract

PO Item

Close X

Sr	Contract Number	Expense Code	HSN Code	Description	Available Quantity	PO Qty	Total Amount	Currency
1	<input type="checkbox"/> Agency-15-25-14112i	<input type="text" value="8471-L..."/>	8471- Laptop	Laptop	10	<input type="text" value="1"/>	1000 INR	
1 total								

(F) AR/AP Module