
100


Duration: 9.020 s Start: Feb 21, 10:17:17.312 AM End: Feb 21, 10:17:26.332 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 60 5 60 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	5	0	5	0	9.020 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post Debit Note is cancelled	17	0	0	17	3.796 s
2	AR/AP Module	Verify Balance sheet post Credit Note is cancelled	16	0	0	16	1.346 s
3	AR/AP Module	Verify Balance sheet post payment settlement approval.	10	0	0	10	1.256 s
4	AR/AP Module	Verify Balance sheet post approval through online mode	8	0	0	8	1.228 s
5	AR/AP Module	Verify Balance sheet post cheque is cleared	9	0	0	9	1.048 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 9.020 s	Scenarios		Steps	
		Total - 5		Total - 60	
/ 10:17:17.312	AM // 10:17:26.332 AM /	Pass - 0	5	Pass - 0	60
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 60	

(S)- Verify Balance sheet post Debit Note is cancelled




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.742 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:39)	FAILED	3.742 S
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)</init></init>		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28)</init>		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for balance sheet post debit note is cancelled	SKIPPED	0.000 s
3	Then Choose the second Tab Segment	SKIPPED	0.001 s
4	And Click On Main module Accounts Receivable	SKIPPED	0.001 s
5	Then Click on Accounts Receivable Debit Note Eye Icon	SKIPPED	0.000 s
6	And Click On Search Icon	SKIPPED	0.000 s
7	Then Enter Cancelled Value In Debit Not Status	SKIPPED	0.000 s
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
9	And Get the Branch Name in wait	SKIPPED	0.000 s
10	Then Get the Transaction Date	SKIPPED	0.001 s
11	Then Third Segment report Icon	SKIPPED	0.000 s
12	And Click on Financial Reporting module	SKIPPED	0.000 s
13	Then Click on Balance sheet Sub module	SKIPPED	0.001 s
14	Then Fill branch details for post debit note balance sheet report	SKIPPED	0.001 s
15	Then Give Getted Transaction Date	SKIPPED	0.000 s
16	Then Click on Balance sheet View button	SKIPPED	0.000 s
17	And verify Balance sheet post Bill is approved	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


(S)- Verify Balance sheet post Credit Note is cancelled



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.313 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.sinit>(RemoteWebDriver.java:39) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chromium.chromiumDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chromium.chromiumDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:39)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for Verify balance sheet post credit note is cancelled	SKIPPED	0.000 s
3	Then Choose the second Tab Segment	SKIPPED	0.000 s
4	When click the Account Receivable main module	SKIPPED	0.001 s
5	And click the eye icon in credit note	SKIPPED	0.001 s
6	And click the search icon in credit note page	SKIPPED	0.000 s
7	And search credit note status as cancelled	SKIPPED	0.000 s
8	And click the first eye icon in the Cancelled Credit List	SKIPPED	0.001 s
9	And get buisness partner name , get credit note number and get credit note date	SKIPPED	0.000 s
10	And click the notes option in top	SKIPPED	0.000 s
11	And click the financial reporting button	SKIPPED	0.002 s
12	And click the balance sheet report	SKIPPED	0.000 s
13	Then Fill branch details for balance sheet report	SKIPPED	0.001 s
14	And select the date	SKIPPED	0.000 s
15	And click the view icon	SKIPPED	0.000 s
16	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries.	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


(S)- Verify Balance sheet post payment settlement approval.



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.249 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(CriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.chromiumDriver.sinit>(RomoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.sinit>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:34) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28)		
1	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)	CKIDDED	0.001.0
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	Then select data set ID for verify balance sheet post payment setlement approval	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	SKIPPED	0.001 s
4	Then Click on Report button	SKIPPED	0.000 s
5	Then Click on Financial Reporting tab	SKIPPED	0.001 s
6	Then Click on Balance Sheet Report edit button	SKIPPED	0.000 s
7	Then Fill branch details for report	SKIPPED	0.000 s
8	Then Select date in calendar	SKIPPED	0.000 s
9	Then Click on the View button	SKIPPED	0.001 s
10	Then close the report	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


(S)- Verify Balance sheet post approval through online mode



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.221 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:166)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:89)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for Verify Balance sheet post approval through online mode	SKIPPED	0.000 s
3	Then click on report icon	SKIPPED	0.000 s
4	And user should navigate to financial reporting menu	SKIPPED	0.000 s
5	Then click on temp grid button of Balance sheet report	SKIPPED	0.000 s
6	And fill the required field of Balance sheet report	SKIPPED	0.000 s
7	Then click on view button to view the balance sheet report	SKIPPED	0.001 s
8	Then Verify balance sheet should updated correctly post approval through online mode	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- Verify Balance sheet post cheque is cleared



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.042 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}],		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:166)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)</init></init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java.99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java.86)</init></init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java.se)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	Then select data set ID for Verify Balance sheet post cheque is cleared	SKIPPED	0.000 s
3	Then click on report icon	SKIPPED	0.001 s
4	And user should navigate to financial reporting menu	SKIPPED	0.000 s
5	Then click on temp grid button of Balance sheet report	SKIPPED	0.001 s
6	Then Fill branch details for Balance sheet report post cheque is cleared	SKIPPED	0.000 s
7	Then Select balance sheet as on date	SKIPPED	0.000 s
8	Then click on view button to view the balance sheet report	SKIPPED	0.001 s
9	Then Verify balance sheet should updated correctly post cheque is cleared	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		