

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|----------|
| 1 | Check The Azentio UAT functionally | 1 | 1 | 0 | 0 | 20.153 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|-------------------------------------|----|----|---|---|----------|
| 1 | Check The Azentio UAT functionaliy | budget for Budgetcode type Quaterly | 13 | 13 | 0 | 0 | 20.144 s |

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT functionally

| PASSED | DURATION - 20.153 s | Scenarios | | Steps | |
|-----------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 13 | |
| / 5:05:20.014 µ | om // 5:05:40.167 pm / | Pass - 1 | 1 | Pass - 13 | 13 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- budget for Budgetcode type Quaterly




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the Azentio Url | PASSED | 12.188 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.138 s |
| | screenshot | | |
| | The Control of Control | | |
| 2 | Then click the Two Direction Icon | PASSED | 0.276 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| | screenshot | | |


| 3 And click to the Budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.177 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.216 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.222 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. PASSED O.216 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot **Temporary Company C | | | | |
| Screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.222 s | 3 | And click to the Budget | PASSED | 0.115 s |
| 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.216 s PASSED 0.222 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.177 s |
| 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s 0.314 s 0.216 s PASSED 0.216 s PASSED 0.222 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.314 s 0.314 s | | | | |
| Screenshot 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot ################################### | 4 | Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon | PASSED | 0.194 s |
| 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ################################### | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.314 s |
| 5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The Add icon in Request and Allocation PASSED 0.216 s 0.222 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.222 s | | | | |
| screenshot | 5 | And click on the Add icon in Request and Allocation | PASSED | 0.216 s |
| # © AND PRODUCTION OF THE PROD | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.222 s |
| © tate | | screenshot | | |
| | | □ Mars □ Mars | | |
| 6 Then select to Budget Code PASSED 0.275 s | 6 | Then select to Budget Code | PASSED | 0.275 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | - | PASSED | 0.212 s |
| screenshot | | | 1 | |

| 7 And select the Budget Year PASSED 0.192 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch PASSED 0.129 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197 s 9 And select the one Branch PASSED 0.162 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s 9 And select the one Branch PASSED 0.160 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s 10 Then click on the Branch ok button PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s | # | Step / Hook Details | Status | Duration |
|--|----|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.172 s PASSED 0.332 s | | O Section O Companies O Companies | | |
| screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAd select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.162 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.162 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | 7 | And select the Budget Year | PASSED | 0.192 s |
| 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passeb 0.162 s PASSED 0.160 s Then click on the Branch ok button PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197 s 0.197 s 0.162 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | | © Martiners () | | |
| Screenshot 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | 8 | Then click on the Branch | PASSED | 0.129 s |
| 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| 9 And select the one Branch PASSED 0.162 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.162 s 10 Then click on the Branch ok button PASSED 0.172 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s PASSED 0.172 s PASSED 0.332 s | | S | | |
| screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s 0.332 s | 9 | And select the one Branch | PASSED | 0.162 s |
| 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.172 s 0.332 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.172 s 0.332 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s | | | | |
| | 10 | Then click on the Branch ok button | PASSED | 0.172 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.332 s |
| | | screenshot | 7 | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ## OF THE PROPERTY OF THE PROP | | |
| 11 | Then select one currency we need | PASSED | 0.148 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.141 s |
| | The state of the s | | |
| 12 | And Enter the Amount for Quarterly Budget type | PASSED | 0.824 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | screenshot | | |
| | ### OF THE PROPERTY OF THE PRO | | |
| 13 | And click on the save button | PASSED | 0.092 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.125 s |
| | screenshot | | |
| | ## OF TABLE STATE | | |

EXPANDED SECTION -- 8 --







EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

