

Cucumber Report

4 Mar 2023, 4:05:24 PM

Start : Mar 04, 4:04:08.673 PM

End : Mar 04, 4:05:22.525 PM

Duration : 1 m 13.852 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 13.852 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Bill(invoice) Booking</u>	9	7	1	1	1 m 13.845 s




(F)- Check the Functionality of Inventory


FAILED	DURATION - 1 m 13.852 s	Scenarios		Steps	
/ 4:04:08.673 PM // 4:05:22.525 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


(S)- Bill(invoice) Booking

<div>FAILED</div> <div>DURATION - 1 m 13.845 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 4:04:08.680 PM // 4:05:22.525 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_007_TC_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	45.720 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	screenshot		
			
2	Then select data set ID for bill booking	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user should navigate to accounts payable menu	PASSED	2.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
4	Then click on po creation module	PASSED	0.608 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.675 s
	screenshot		
			
5	And get the approved po number from approved po record for invoice booking	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
			
6	When click on the eye button of invoice booking	PASSED	0.594 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
7	And click on add button for invoice booking	PASSED	2.037 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And Fill the required fields for invoice booking record</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-aif-c278="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1094, 28). Other element would receive the click: <div role="alert" class="ng-tns-c136-3 toast-message ng-star-inserted" aria-label="Workflow initiated submit record from inbox." style="">...</div> (Session info: chrome=110.0.5481.178) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.218', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07e69c1f90f7dcc7d4ef92d9b09591b4, clickElement {id=0f233e12-69d9-41a3-866f-9e9741041d0f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:64920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64920/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (07e69c1f90f7dcc7d4ef92d9b09591b4)] -> xpath: //ion-header/ion-toolbar[1]/ion-buttons[2]/ion-button[2]] Session ID: 07e69c1f90f7dcc7d4ef92d9b09591b4</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagement_BillBooking.fill_the_required_fields_for_invoice_booking_record(InventoryManagement_BillBooking.java:483) at ?.Fill the required fields for invoice booking record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ </pre>	FAILED	14.317 s

#	Step / Hook Details	Status	Duration
	ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:230) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.282 s
9	Then Save and submit the invoice billing	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking


Finance

- General ledger transaction
- Budget
- Accounts payable
- Vendor contracts
- Vendor purchase orders
- Goods received note (GRN)
- Invoice booking
- 22 Appro... 11 Mess...


(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking


Finance

- General ledger transaction
- Budget
- Accounts payable
- Vendor contracts
- Vendor purchase orders
- Goods received note (GRN)
- Invoice booking
- 22 Appro... 11 Mess...


(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date 07-Jan-2023, language English, and user ANANT. The left sidebar lists various financial transactions, with 'Vendor purchase orders' highlighted. The main area displays a table titled 'PO Creation View' with columns: Actions, Branch Code - Name, PO Number, PO Date, PO Type, Contract No, and Business. The table contains 10 rows of data, all of which are 'Purchases Contract' type. A red circle highlights the 'PO Number' column header. At the bottom, a pagination bar shows '164 total' and a page indicator with '1' selected.

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-31-030320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-61	06-Jan-2023	Purchases Contract	Agency-65-1-0303202	Tamil710
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-8	06-Jan-2023	Purchases Contract		Bonton A
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	06-Jan-2023	Purchases Contract	Agency-15-30-240120	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-62-1-0203202	Tamil222
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-61-1-0203202	Tamil95
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-61	04-Jan-2023	Purchases Contract	Agency-60-1-0203202	Tamil762
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-51	04-Jan-2023	Purchases Contract	Agency-59-1-0203202	Tamil961
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-51	04-Jan-2023	Purchases Contract	Agency-58-1-0203202	Tamil

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

The screenshot shows the AZENTIO ONEBanking interface, similar to the previous one. The top navigation bar and left sidebar are identical. The main area displays a table titled 'PO Creation View'. However, the table is empty, showing '0 total' in the first row. A red circle highlights the 'PO Number' column header. At the bottom, a pagination bar shows '0 total' and a page indicator with '1' selected.

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
0 total						

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



















AZENTIO
ONEBanking

07-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
22 Appro... 11 Mess...

Invoice Booking View

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
 	AZENTMAIN - Azentio	INV-116-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-115-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-114-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-113-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-112-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-111-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-110-32023	Invoice Against PO	Tamil635		1002435
 	AZENTMAIN - Azentio	INV-109-32023	Invoice Against PO	Tamil846		1002435
 	AZENTMAIN - Azentio	INV-108-22023	Invoice Against PO	Tamil593		1002435

116 total

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory










AZENTIO
ONEBanking

07-Jan-2023 English Azentio Software

Finance

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
22 Appro... 11 Mess...

Invoice Booking

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio		Expense	Bonton Agency		1002435
	AZENTMAIN - Azentio		Expense	Bonton Agency		1002435
	AZENTMAIN - Azentio		Expense	Bonton Agency		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Tamil710		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Tamil762		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Tamil961		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Tamil42		1002435
	AZENTMAIN - Azentio		Expense	Shasheekant		1002435

198 total

1 2 3 4 5

Workflow initiated submit record from inbox.