

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	3 m 26.807 s
2	Checking the Inventory Management functionality	1	0	1	0	2 m 0.037 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Create a contract	21	4	1	16	3 m 26.798 s
2	Checking the Inventory Management functionality	Confirm the inventory stock received from the vendor	15	0	1	14	2 m 0.036 s

DETAILED SECTION -- 4 --

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 3 m 26.807 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 5:13:19.073 A	AM // 5:16:45.880 AM /	Pass - 0	1	Pass - 4	21 🗂
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Create a contract



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	56.852 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.586 s
	screenshot		
	# \$ 400000000000000000000000000000000000		
2	And user should navigate to accounts payable menu	PASSED	6.929 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.221 s
	screenshot		

#	Step / Hook Details	Status	Duration
	* * * * * * * * * * * * * * * * * * *		
3	When click on eye button of vendor contract	PASSED	1.539 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Property of the content of t	PASSED	2.069 s
	Value Valu		
4	And click on add button to create contract	PASSED	0.873 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.439 s
	### Option (Control of the Control o		
5	And Fill the required fields to create contract	FAILED	11.897 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (628, 453). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5855977d65ebe1e6480b57b1bb44dde, clickElement {id=48d1f5bf-4123-486e-ab13-34cb4f2e4bbe}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51443}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51443/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f5855977d65ebe1e6480b57b1bb44dde)] -> xpath: //ion-col[12]/app-kub-date-time/ion-item/div/span[1]] Session ID: f5855977d65ebe1e6480b57b1bb44dde)] -> xpath: //ion-col[12]/app-kub-date-time/ion-item/div/span[1]] Session ID:		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.java:140) at ?Fill the required_fields to create_contract(ACCOUNTSPAYABLE_VendorContracts.java:140) at ?Fill the required_fields to create contract(file:///csrs/inindc00091/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/ACCOUNTSPAYABLE_VendorContracts.feature:10)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.156 s
	Screenshot		
6	Then Save and submit the creation contract record	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the contract record	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
18	And user should navigate to accounts payable menu	SKIPPED	0.000 s
19	When click on eye button of vendor contract	SKIPPED	0.000 s
20	Then click on first eye button to get the unique contract code	SKIPPED	0.001 s
21	And maker should logout	SKIPPED	0.000 s

(F)- Checking the Inventory Management functionality

FAILED	DURATION - 2 m 0.037 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 5:16:46.766	6 AM // 5:18:46.803 AM /	Pass - 0	1	Pass - 0	15
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 14	

(S)- Confirm the inventory stock received from the vendor




#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	FAILED	1 m 20.142 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-radio aria-checked="false" aria-labelledby="ion-rb-1-lbl" class="sc-ion-select-popover md in-item interactive hydrated" role="radio"></ion-radio> is not clickable at point (12, 98). Other element would receive the click: <ion-item class="select-interface-option md sc-ion-select-popover item-radio-checked item in-list ion-activatable ion-focusable hydrated item-label"></ion-item> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c3b56c48df0583b2d74ce7fdbc553b3, clickElement {id=c3bdf056-3cb4-45e8-9e66-928b2f00a575}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions:		

#	Step / Hook Details	Status	Duration
	{debuggerAddress: localhost:51550}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secup: ws://localhost:51550/devtoo, secuplversion: 99.0.4844.82, setWindowRect: true, strictElleInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthm.extension.credBlob: true, webauthm:extension.largeBlob: true, webauthm:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (9c3b56c48df0583b2d74ce7fdbc555b3)] -> xpath: //ion-item[2]/ion-radio] Session ID: 9c3b56c48df0583b2d74ce7fdbc555b3] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelgatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.HttpCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebDriver.java:547) at jdk.internal.reflect.GeneratedMethodAccessorf invoke(Unknown Source) at java.base/java.lang.reflect.DelegatingMethodAccessorf invoke(Unknown Source) at java.base/java.lang.reflect.DelegatingMethodAccessorf invoke(DelegatingMethodAcce		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.152 s
	screenshot	1	
	With 200 (gar) Controllers Strong () () () () () () () () () () () () ()		
2	Then Click on Direction icon	SKIPPED	0.001 s
3	Then Click on Inventory Management	SKIPPED	0.001 s
4	Then Click on inventory stock receipt Eye Icon	SKIPPED	0.001 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
5	Then Click on inventory stock Add button	SKIPPED	0.000 s
6	Then Fill inventory stock Mandatory fields	SKIPPED	0.000 s
7	Then Click on inventory stock Save button	SKIPPED	0.000 s
8	Then Click on inventory stock Notification	SKIPPED	0.000 s
9	And Select and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.000 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.001 s
12	Then log in to the Checker Account	SKIPPED	0.000 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.001 s
15	And select the record and Approve by checker	SKIPPED	0.000 s

EXPANDED SECTION -- 10 --



EXPANDED SECTION



EXPANDED SECTION -- 12 --

