

Cucumber Report

Apr 1, 2022, 2:55:33 AM

Start : Apr 01, 2:55:00.290 AM

End : Apr 01, 2:55:32.795 AM

Duration : 32.505 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 11







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Checking the Fixed Asset functionality</u> | 1 | 0 | 1 | 0 | 32.505 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|----|----|---|----|----------|
| 1 | <u>Checking the Fixed Asset functionality</u> | <u>Check If the de-allocated asset can be allocated to any other resource</u> | 27 | 15 | 1 | 11 | 32.501 s |

(F)- Checking the Fixed Asset functionality





| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 32.505 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 27 Pass - 15 Fail - 1 Skip - 11 |  |
| / 2:55:00.290 AM // 2:55:32.795 AM / | | | | | |


(S)- Check If the de-allocated asset can be allocated to any other resource



| | | | | |
|---|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 32.501 s</div> | | <div></div> | <div>Steps</div> <div>Total - 27</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 11</div> | <div></div> |
| <div>/ 2:55:00.294 AM // 2:55:32.795 AM /</div> | | | | |
| <div>Checking the Fixed Asset functionality</div> | | | | |
| <div>@KUBS_FAT_UAT_006_005 @MultiAuth</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 9.281 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.157 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on the Direction | PASSED | 2.326 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.126 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then Click on Fixed Asset | PASSED | 0.132 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.118 s |
| | screenshot  | | |
| 4 | Then Click on Asset Creation Eye button | PASSED | 0.141 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.210 s |
| | screenshot  | | |
| 5 | Then Click on the add button to add new record | PASSED | 0.237 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.225 s |
| | screenshot  | | |
| 6 | Then Fill Form asset Creation | PASSED | 1.085 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.108 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | Then Save the filled form | PASSED | 0.105 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | screenshot | | |
| |  | | |
| 8 | Then Click on the Notification | PASSED | 0.237 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| | screenshot | | |
| |  | | |
| 9 | Then Select the record which we saved | PASSED | 0.822 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |
| |  | | |
| 10 | Then Click on Fixed Asset items | PASSED | 2.123 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 11 | Then Click on the add button of asset items | PASSED | 0.212 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | screenshot | | |
| |  | | |
| 12 | Then fill the asset item details asset Creation | PASSED | 3.673 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.108 s |
| | screenshot | | |
| |  | | |
| 13 | Then Click on save button of item details | PASSED | 3.084 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.090 s |
| | screenshot | | |
| |  | | |
| 14 | Then Click on the Notification | PASSED | 0.108 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.127 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 15 | Then Select the record which we saved | PASSED | 0.750 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.183 s |
| | screenshot | | |
| |  | | |
| 16 | Then Submit record | FAILED | 1.185 s |
| | <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-tqk-c284="" color="primary" ng-reflect-color="primary" class="ng-star-inserted ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1239, 28). Other element would receive the click: <ion-button _ngcontent-tqk-c276="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar ion-activatable ion-focusable hydrated">...</ion-button> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4bbf2baaaf16b60e2ade5767003d372, clickElement {id=87660b45-ca48-4407-a008-755d0666abd9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62103}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62103/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4bbf2baaaf16b60e2ade5767003d372)] -> xpath: //ion-header/ion-toolbar[1]/ion-buttons[2]/app-kub-decision-button[1]/div[1]/span[1]/ion-button[1]] Session ID: 4bbf2baaaf16b60e2ade5767003d372</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagment.submit_record(InventoryManagment.java:705) at ?.Submit record(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMaster_New2/AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetDeallocation.feature:22) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.087 s |
| 17 | Then Open Reviewer account | SKIPPED | 0.000 s |
| 18 | And Click on notification | SKIPPED | 0.000 s |
| 19 | Then Approve the record which we submitted from maker stage | SKIPPED | 0.001 s |
| 20 | Then Go to Checker account | SKIPPED | 0.000 s |
| 21 | And Clam the record | SKIPPED | 0.000 s |
| 22 | Then Click on notification and approve the record | SKIPPED | 0.000 s |
| 23 | Given Maker Navigate to UAT URL login | SKIPPED | 0.000 s |
| 24 | Then Click on the Direction | SKIPPED | 0.001 s |
| 25 | Then Click on Fixed Asset | SKIPPED | 0.000 s |
| 26 | Then Click on Asset Creation Eye button | SKIPPED | 0.000 s |
| 27 | Then Select Asset Reference Number | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation

| | | |
|-------------------|-------------------------|------------------------|
| * Branch Code | Depreciation Applicable | Depreciation Period |
| | | |
| * Asset code | GRN Reference No | Asset Reference Number |
| | | |
| Bill Reference No | External Ref No | Rounding Method |
| | | |
| * Asset Life Unit | Depreciation Period | |
| | | |

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation

| | | |
|-------------------------------|-------------------------|------------------------|
| * Branch Code | Depreciation Applicable | Depreciation Period |
| AZENTMAIN-Azentio Main Branch | Current Business Day | Yearly |
| * Asset code | GRN Reference No | Asset Reference Number |
| 01-001-adjustable table | | |
| Bill Reference No | External Ref No | Rounding Method |
| INV-203-32022 | | Currency |
| * Asset Life Unit | Depreciation Period | |
| Year | SLM | |

Home Preference

(F) Checking the Fixed Asset functionality

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Asset creation

Asset transfer

Asset undertaking

Asset sale

Asset allocation

22 Appro...

11 Messa...

Home

Preference

Kastle Universal Banking (Beta)

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset Creation

* Branch Code
AZENTMAIN-Azentio Main Branch x Depreciation Applicable
Current Business Day Depreciation Period
Yearly

* Asset code
01-001-adjustable table x GRN Reference No
Asset Reference Number

Bill Reference No
INV-203-32022 x External Ref No
Rounding Method
Currency

* Asset Life Unit
Year x Depreciation Period
SLM

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta)
11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets

Asset creation

Asset transfer

Asset undertaking

Asset sale

Asset allocation

Asset Creation Inbox

| Actions | Entity | Branch Code - Name | Asset Code | Asset Description | Asset Reference No | External Reference No | GRN Reference |
|--------------------|------------------|------------------------|-------------------------|-------------------|--------------------|-----------------------|---------------|
| No data to display | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | | |
| | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | | |
| Total | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | | |
| | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | | |
| | | | | | | 230 | GRN-Agency |
| | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | 230 | GRN-Agency |
| | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | 230 | GRN-Agency |
| | Azentio Software | AZENTMAIN - Azentio I. | 01-001-adjustable table | adjustable table | | 230 | GRN-Agency |

FixedAssetCreation created successfully.

126 total

<<
<
1
2
3
4
5
>
>>

Home
Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name |
|---------|--------------|------------------|------------|-----------|---------------|
| ✓ | 1846 | ASSET_CREATION | MAKER | MAKER | 1002435 |
| ✓ | 1159 | FIXED_ASSET_SALE | MAKER | MAKER | 1002435 |
| ✓ | 1839 | ASSET_CREATION | MAKER | MAKER | 1002435 |
| ✓ | 16 | BANK_RECON_DTL | MAKER | MAKER | 1002435 |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

| Actions | Asset Item Number | Asset Item Description | Asset Value |
|---------|-------------------|------------------------|-------------|
| 0 total | | | |



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation Fixed Asset Items Asset Contract Linkage

Fixed Asset Creation Item DTL

| | | |
|---------------------------|----------------------------------|-----------------------------|
| Asset Item Number * | Asset Item Description * | |
| Branch Code 3 | Branch Description | Asset Date 11-Nov-2022 |
| Asset Capitalization Date | HSN Code | * Currency |
| Asset Value * | Salvage Percentage | Salvage Value |
| Book Value | Asset Life | Remaining Asset Life |
| Input Tax Credit Value | Asset Depreciation Value 0 | Tax Depreciation Value 0 |
| Tax Value On Sale 0 | Asset Status Asset Registered | Target Branch |
| Transfer Date | Sale Date | Write Off Date |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation Fixed Asset Items Asset Contract Linkage

Fixed Asset Creation Item DTL

| | | |
|--|---|-----------------------------|
| Asset Item Number * | Asset Item Description * | |
| 224 | Wood box for Parcel | |
| Branch Code 3 | Branch Description Azentio Main Branch | Asset Date 11-Nov-2022 |
| Asset Capitalization Date 11-Nov-2022 | HSN Code | * Currency INR |
| Asset Value * | Salvage Percentage | Salvage Value 9000 |
| Book Value 95000 | Asset Life 1 | Remaining Asset Life 1 |
| Input Tax Credit Value | Asset Depreciation Value 0 | Tax Depreciation Value 0 |
| Tax Value On Sale 0 | Asset Status Asset Registered | Target Branch |
| Transfer Date | Sale Date | Write Off Date |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta)

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset Creation Fixed Asset Items Asset Contract Linkage

Fixed Asset Creation Item Details

| Actions | Asset Item Number | Asset Item Description | Asset Value |
|---------|-------------------|------------------------|-------------|
| | 224 | Wood box for Parcel | 95000 |
| 1 total | | | |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta)

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset Creation Fixed Asset Items Asset Contract Linkage

Fixed Asset Creation Item Details

| Actions | Asset Item Number | Asset Item Description | Asset Value |
|--------------------|-------------------|------------------------|-------------|
| No data to display | 224 | Wood box for Parcel | 95000 |
| 0 total | | | |
| 1 total | | | |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name |
|---------|--------------|------------------|------------|-----------|---------------|
| ✓ | 1846 | ASSET_CREATION | MAKER | MAKER | 1002435 |
| ✓ | 1159 | FIXED_ASSET_SALE | MAKER | MAKER | 1002435 |
| ✓ | 1839 | ASSET_CREATION | MAKER | MAKER | 1002435 |
| ✓ | 20 | BANK_RECON_DTL | MAKER | MAKER | 1002435 |
| ✓ | 16 | BANK_RECON_DTL | MAKER | MAKER | 1002435 |

1,647 total

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation Fixed Asset Items Asset Contract Linkage

Fixed Asset Creation ViewSummary Submit Cancel

| | | |
|-------------------------------|-------------------------|------------------------|
| * Branch Code | Depreciation Applicable | Depreciation Period |
| AZENTMAIN-Azentio Main Branch | Current Business Day | Yearly |
| * Asset code | GRN Reference No | Asset Reference Number |
| 01-001-adjustable table | | |
| Bill Reference No | External Ref No | Rounding Method |
| INV-203-32022 | | Currency |
| * Asset Life Unit | Depreciation Period | |
| Year | SLM | |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...