


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT functionally	1	1	0	0	24.891 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	Check for the budget request for monthly on current	19	19	0	0	24.884 s
		financial year accounting period is Jan to Dec and current *					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 4 --

## (F)- Check The Azentio UAT functionally

PASSED	DURATION - 24.891 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 1:29:04.897 pm	// 1:29:29.788 pm /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Check for the budget request for monthly on current financial year accounting period is Jan to Dec and current month is on April

PASSED	DURATION - 24.884 s	10	-  -								-;					-;-			Steps			
/ 1:29:04.904	pm // 1:29:29.788 pm /	8	╫┃	ı						-					-				Total - 19			
		6			- † - - ! -	Ţ.				- † - - <u>!</u> -		1-		i	- † - - ! -		1-		Pass - 19		19	
Check The Az	entio UAT functionaliy	2	╢	ı	-					-									Fail - 0			
@KUBS_UAT	_KUBS_BP_UAT_003_003	0		-	<del>+</del>	+	<del>-</del>	<del></del>	÷	<del>-</del>	<del>+</del> -	<del>+</del>	<del>+</del>	<del>-</del>	<del>-</del> -	<del>+</del>	<del>+</del>	<u> </u>	Skip - 0	•		<u> </u>
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	10.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.513 s
	screenshot		
	Property and the second Proper		
2	Then click the Two Direction Icon	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Page 1 Sept 1 Sept 2 Sept 2 Sept 2 Sept 3 Se		
3	And click to the Budget	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
	© Controlled (1997)		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
	Part		
5	And click on the Add icon in Request and Allocation	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
	## OF THE PROPERTY OF THE PROP		
6	Then Monthly Budget Code	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot	]	

#	Step / Hook Details	Status	Duration
	# \$ 100 formation   \$ 100 form   \$ 100 form		
7	And select the Budget Year	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
	### OF THE PROPERTY OF THE PRO		
8	Then Capture April Month	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
	# 0 Controlled   10 Controlled		
9	And Capture May Month	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
	# 0		
10	Then Capture June Month	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		


11 And Capture July Month  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  22 Then Capture Augest Month  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  33 And Capture September Month  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  34 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  45 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  46 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  47 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  48 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  49 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  40 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  40 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  40 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  41 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  42 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  43 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  44 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  45 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  46 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  47 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  48 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  49 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  40 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  41 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  12 Then Capture Augest Month AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And Capture September Month AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Capture October Month AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.211 s PASSED 0.112 s  0.112 s  0.112 s		0   100		
screenshot    12   Then Capture Augest Month	11	And Capture July Month	PASSED	0.224 s
2   Then Capture Augest Month		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
12 Then Capture Augest Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And Capture September Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.221 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.213 s  PASSED  0.213 s  PASSED  0.213 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.113 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  13 And Capture Sepetember Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.111 s  0.111 s  PASSED  0.221 s  PASSED  0.109 s  14 Then Capture October Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.113 s  0.111 s		O   Section		
Screenshot  13 And Capture Sepetember Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then Capture October Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.221 s  0.109 s  0.113 s	12	Then Capture Augest Month	PASSED	0.210 s
13 And Capture Sepetember Month PASSED 0.221 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Capture October Month PASSED 0.213 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.213 s  0.113 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
And Capture Sepetember Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Capture October Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.221 s  PASSED  0.109 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Capture October Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.109 s  PASSED  0.113 s		0		
Screenshot  14 Then Capture October Month  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.213 s  0.113 s	13	And Capture Sepetember Month	PASSED	0.221 s
14 Then Capture October Month  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.213 s  0.113 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
14 Then Capture October Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.213 s  0.113 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s		Garage   G		
	14	Then Capture October Month	PASSED	0.213 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
		screenshot		


15 And Capture November Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.119 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  16 Then Capture December Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 And Capture January Month  PASSED  0.119 s  0.119 s				
screenshot  16 Then Capture December Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 And Capture January Month  PASSED  0.280 s  0.117 s	15	And Capture November Month	PASSED	0.221 s
16 Then Capture December Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 And Capture January Month  PASSED  0.280 s  0.117 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
16 Then Capture December Month  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 And Capture January Month  PASSED  0.280 s  0.117 s  0.117 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 And Capture January Month  PASSED  0.117 s  PASSED  0.207 s		O		
Screenshot  17 And Capture January Month  PASSED 0.207 s	16	Then Capture December Month	PASSED	0.280 s
17 And Capture January Month  PASSED 0.207 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
17 And Capture January Month  PASSED 0.207 s		screenshot		
		□         □		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s	17	And Capture January Month	PASSED	0.207 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
screenshot		screenshot		
## OF TAX PARTY CASE CONTINUES AND ADDRESS OF		1		
18 Then Capture Feburary Month PASSED 0.212 s	18	Then Capture Feburary Month	PASSED	0.212 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s			PASSED	0.113 s
		screenshot	1	

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	Description		
19	And Capture March Month	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
	# Description   Factor Repr. Section   March 1997   Description   Descri		

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION --- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

