Cucumber Report

Start : Jan 24, 3:48:28.016 AM	End : Jan 24, 3:49:58.005 AM	Duration : 1 m 29.989 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 6

#	Feature Name	T	P	F	S	Duration
1	BUDGET TRANSFER SUBMODULE UAT TESTCASES	1	0	1	0	1 m 29.989 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	BUDGET TRANSFER SUBMODULE UAT TESTCASES	UAT_006_001 System should transfer the requested budgeted code amount to the another budget code	7	0	1	6	1 m 29.927 s

(F)- BUDGET TRANSFER SUBMODULE UAT TESTCASES

FAILED	DURATION - 1 m 29.989 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	7
/ 3:48:28.016 AM // 3:49:58.005 AM /					

(S)- UAT_006_001 System should transfer the requested budgeted code amount to the another budget code

FAILED	DURATION - 1 m 29.927 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	7
/ 3:48:28.078 AM // 3:49:58.005 AM /				
BUDGET TRANSFER SUBMODULE UAT TESTCASES				
@Budget_BudgetTransfer_UAT_006_001				

#	Step / Hook Details	Status	Duration
1	Given Maker login to KUBS UAT Url	FAILED	26.340 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [41defbe93137755fbfadd76bb5d3ef77, clickElement {id=87387827-1cb5-471d-ac45-80f421bfd664}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50437}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50437/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (41defbe93137755fbfadd76bb5d3ef77)] -> xpath: //ion-item[2]/ion-radio] Session ID: 41defbe93137755fbfadd76bb5d3ef77 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46) at stepdefinitions.BUDGET_BudgetTransfer_KUBS_BP_UAT_006_002.maker_login_to_kubsuat_url(BUDGET_BudgetTransfer_KUBS_BP_UAT_006_002.java:323) at ?.Maker login to KUBS UAT Url(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/BUDGET_BudgetTransfer_KUBS_BP_UAT_006_002.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	2.384 s
2	And Maker click on the direction tab in home page	SKIPPED	0.001 s
3	Then Maker click on budget	SKIPPED	0.000 s
4	Then Maker click on budget transfer eye button	SKIPPED	0.001 s
5	And Maker click on add button to create new record	SKIPPED	0.001 s
6	Then Maker fill the details	SKIPPED	0.000 s
7	And save the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) UAT_006_001 System should transfer the requested budgeted code amount to the another budget code

(F) BUDGET TRANSFER SUBMODULE UAT TESTCASES

Kastle Universal Banking

21-Oct-2021   English ⌄   Azentio Software ⌄   (AZENT-MAIN)   ANANT

Configuration

| Configuration | ● |
| Finance | ○ |

Welcome, anant

Security management

User management

Job scheduler

Reference data

Tax configuration

Workflow configuration

22 Appro... ⊗   11 Messa... ⊗

Home   Preference