

Cucumber Report

Feb 13, 2022, 5:55:17 AM

Start : Feb 13, 5:49:42.293 AM

End : Feb 13, 5:55:16.837 AM

Duration : 5 m 34.544 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset <u>functionality</u>	1	0	1	0	5 m 34.544 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Fixed Asset functionality</u>	<u>GL should be mapped to the asset and displayed in the list view of Asset GL sub module</u>	15	5	1	9	5 m 34.541 s





(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 5 m 34.544 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 5:49:42.293 AM // 5:55:16.837 AM /					

(S)- GL should be mapped to the asset and displayed in the list view of Asset GL sub module

FAILED	DURATION - 5 m 34.541 s		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 5:49:42.296 AM // 5:55:16.837 AM /				
Checking the Fixed Asset functionality				
@MultiAuth @KUBS_FAT_UAT_002_004				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.859 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
2	Then Click on Fixed Asset Direction icon	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Fixed assets configuration	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
4	Then Click on Asset GL configuration Eye button	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
			
5	Then Click on Fixed Asset Add button	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
6	Then Fill Asset GL configuration Mandatory fields	FAILED	5 m 16.324 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5de9bb0bf37a1b3ff8034cd099236f0, findElement {using=xpath, value=//ion-col[9]/app-kub-iov[1]/span[1]/ng-select[1]/div[1]/div[1]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir:</p>		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\Default\sessionid: a5de9bb0bf37a1b3ff8034cd099236f0</p> <p>goog:chromeOptions: {debuggerAddress: localhost:64716}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64716/devtools/page/1/a5de9bb0bf37a1b3ff8034cd099236f0, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a5de9bb0bf37a1b3ff8034cd099236f0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElement(WaitHelper.java:79)</p> <p>at stepdefinitions.FixedAsset_AssetGLConfiguration.fill_asset_gl_configuration_mandatory_fields(FixedAsset_AssetGLConfiguration.java:82)</p> <p>at ?.Fill Asset GL configuration Mandatory fields(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetGLConfiguration.feature:11)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5de9bb0bf37a1b3ff8034cd099236f0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\Default\sessionid: a5de9bb0bf37a1b3ff8034cd099236f0}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p>	FAILED	4.009 s


#	Step / Hook Details	Status	Duration
	Proxy(), se:cdp: ws://localhost:64716/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a5de9bb0bf37a1b3ff8034cd099236f0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
7	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
8	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
9	And Select Inventory Item and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.001 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to the Checker Account	SKIPPED	0.000 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5de9bb0bf37a1b3ff8034cd099236f0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-1064621\profile1\}, goog:chromeOptions: {debuggerAddress: localhost:64716}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64716/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a5de9bb0bf37a1b3ff8034cd099236f0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.249 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 04-Oct-2022, language English, and user information for ANANT. The left sidebar contains a menu with options like Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configuration, Budget configuration, and Fixed assets configuration. The 'Fixed assets configuration' option is expanded, showing sub-items: Asset category, Asset code configuration, Branch level depreciation, and Asset GL configuration. The main content area displays 'Welcome, anant'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality

The screenshot shows the Kastle Universal Banking (Beta) interface with the 'Asset GL Configuration View' displayed. The left sidebar is the same as the previous screenshot. The main content area shows a table with columns: Actions, Asset Code, Asset GL, Accumulated Depreciation GL, and Status. The table lists several assets, including ELECTRONICS-LAP001-lappy, 01-001-F, 01-001-plywood, 01-001-desk, 01-ASTSBCTGRY001-wood, ELECTRONICS-LAP001-Apple_Mac, 01-001-Study Table, and ELECTRONICS-LAP001-Micromax. A pagination bar at the bottom indicates 39 total records.

Actions	Asset Code	Asset GL	Accumulated Depreciation GL	Status
	ELECTRONICS-LAP001-lappy	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
	01-001-F	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
	01-001-plywood	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
	01-001-desk	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
	01-ASTSBCTGRY001-wood	IFRS-AS-AS1000023	IFRS-AS-AS1000005	Active
	ELECTRONICS-LAP001-Apple_Mac	IFRS-1000041-AS	IFRS-OPEXP-OE6000007	Active
	01-001-Study Table	IFRS-AS-AS1000023	IFRS-AS-AS1000023	In-Active
	ELECTRONICS-LAP001-Micromax	IFRS-1000041-AS	IFRS-OPEXP-OE6000007	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality

Finance

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Asset category

Asset code configuration

Branch level depreciation

Asset GL configuration

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN)

ANANT

Asset GL Configuration

* Asset code	* Fixed Asset GL	* Accumulated Depreciation GL
* Depreciation GL	* Profit On Sale GL	* Loss On Sale GL
* Write-Off GL	* Impairment Loss GL	* Accumulated Impairment Loss GL
* Revaluation Surplus GL		

Home

Preference