


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	BUDGET TRANSFER SUBMODULE UAT TESTCASES	1	0	1	0	55.164 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	BUDGET TRANSFER SUBMODULE	Check the trasnfering budget code and transferred budget	19	1	1	17	55.155 s
	UAT TESTCASES	code type should be same					


DETAILED SECTION

ш

(F)- BUDGET TRANSFER SUBMODULE UAT TESTCASES

FAILED	DURATION - 55.164 s	Scenarios		Steps	
		Total - 1		Total - 19	
/8:57:53.001 /	PM // 8:58:48.165 PM /	Pass - 0	1	Pass - 1	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- Check the trasnfering budget code and transferred budget code type should be same



#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as a maker user	PASSED	24.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.069 s
	screenshot		
	The second secon		
2	Then select the budget menu in segment button	FAILED	1.134 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-segment-button class="md in-segment in-segment-color segment-button-has-icon segment-button-has-icon-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated" layout="icon-top" ng-reflect-layout="icon-top" ng-reflect-value="txn_bnk" value="txn_bnk"></ion-segment-button> is not clickable at point (134, 127). Other element would receive the click: <ion-radio aria-checked="true" aria-labelledby="ion-rb-0-lbl" class="sc-ion-select-popover md in-item interactive radio-checked hydrated" role="radio"></ion-radio> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [28debdc50c5306d2d50c4c6661055da2, clickElement {id=8750f893-21e5-42fe-aff0-caaf0d1d57ef}] Capabilities {acceptInsecureCerts: false,		

#	Step / Hook Details	Status	Duration
	browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:UsersiNINDC—1AppDatal), goog:chromeOptions: {debuggerAddress: localhost.61510}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformMame: WINDOWS, proy: Proxy(), se:cdp: ws://localhost.61510/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability; false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unanciledPromptePhaeNori: dismiss and notify, webauthnesion:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome of WINDOWS] (28debdc50c5306d2d50c4c6661055da2)] -> xpath: //ion-segment/on-segment-button[2]] Session ID: 28debdc50c5306d2d50c4c6661055da2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Qnative Method) at java.base/jdk.internal.reflect.OnstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor) at java.499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor) at java.499 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.even.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.RemoteWebElement.evenue(RemoteWebElement.java:251) at org.openga.selenium.remote.RemoteWebElement.evenue(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.jnivoke(NativeMethodAccessorImpl.java:77		0.151.0
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	The Delivery of the Control of the C		
3	And click on the eye icon of budget transfer sub module	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
4	Then click on add button to create budget record	SKIPPED	0.000 s
5	And fill the required field to transfer budget	SKIPPED	0.001 s
6	Then save and submit by the maker user to transfer	SKIPPED	0.000 s
7	And Navigate to the Url and login as reviewer user	SKIPPED	0.001 s
8	Then Click on the Notification button	SKIPPED	0.000 s
9	Then Find the budget code which is submitted by maker	SKIPPED	0.000 s
10	And reviewer user should logout	SKIPPED	0.000 s
11	Given Navigate to kubs Url and login as a Checker user	SKIPPED	0.000 s
12	And Click on the security management menu	SKIPPED	0.000 s
13	Then Click on open pool sub menu	SKIPPED	0.000 s
14	And Click on claim button of the submitted record	SKIPPED	0.000 s
15	Then claimed status should appear	SKIPPED	0.000 s
16	Then Click on the Notification button	SKIPPED	0.000 s
17	Then finally checker should approve the record	SKIPPED	0.000 s
18	And system should show prompt message for verification	SKIPPED	0.000 s
19	Then checker user should logout	SKIPPED	0.000 s

EXPANDED SECTION -- 7

