

# Cucumber Report

Feb 13, 2022, 6:48:24 AM

*Start : Feb 13, 6:48:06.954 AM*

*End : Feb 13, 6:48:23.325 AM*

*Duration : 16.371 s*

*Features*

*Scenarios*

*Steps*

*PASSED - 1*  
*FAILED - 0*  
*SKIPPED - 0*

*PASSED - 1*  
*FAILED - 0*  
*SKIPPED - 0*

*PASSED - 9*  
*FAILED - 0*  
*SKIPPED - 0*







#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset <u>functionality</u>	1	1	0	0	16.371 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Fixed Asset functionality</u>	<u>Serial number should be allotted to the asset and displayed in the list view of Asset serial number sub module</u>	9	9	0	0	16.368 s





**(F)- Checking the Fixed Asset functionality**





<b>PASSED</b>	<b>DURATION - 16.371 s</b>	Scenarios		Steps	
/ 6:48:06.954 AM // 6:48:23.325 AM /		Total - 1		Total - 9	
		Pass - 1		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- Serial number should be allotted to the asset and displayed in the list view of Asset serial number sub module**

<div>PASSED</div> <div>DURATION - 16.368 s</div>		 <table border="1"><thead><tr><th>Scenario</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>0</td></tr><tr><td>2</td><td>0</td><td>0</td><td>0</td></tr><tr><td>3</td><td>0</td><td>0</td><td>0</td></tr><tr><td>4</td><td>0</td><td>0</td><td>0</td></tr><tr><td>5</td><td>0</td><td>0</td><td>0</td></tr><tr><td>6</td><td>0</td><td>0</td><td>0</td></tr><tr><td>7</td><td>0</td><td>0</td><td>0</td></tr><tr><td>8</td><td>0</td><td>0</td><td>0</td></tr><tr><td>9</td><td>0</td><td>0</td><td>0</td></tr></tbody></table>	Scenario	Pass	Fail	Skip	1	1	0	0	2	0	0	0	3	0	0	0	4	0	0	0	5	0	0	0	6	0	0	0	7	0	0	0	8	0	0	0	9	0	0	0	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	 <div>9</div>
Scenario	Pass		Fail	Skip																																								
1	1		0	0																																								
2	0		0	0																																								
3	0	0	0																																									
4	0	0	0																																									
5	0	0	0																																									
6	0	0	0																																									
7	0	0	0																																									
8	0	0	0																																									
9	0	0	0																																									
/ 6:48:06.957 AM // 6:48:23.325 AM /																																												
Checking the Fixed Asset functionality																																												
@MultiAuth @KUBS_FAT_UAT_002_005																																												

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
	 +		
2	Then Click on Fixed Asset Direction icon	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then Click on Fixed assets configuration	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot 		
4	Then Click on Asset Serial Num Creation Eye button	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot 		
5	Then Click on Asset Serial Num Creation Search icon	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot 		
6	Then Enter Asset code	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on the record	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
8	Then Fill Asset Serial Num Creation Mandatory fields	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.082 s
	screenshot		
			
9	Then Click on Fixed Asset Save button	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module


(F) Checking the Fixed Asset functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (04-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar contains a menu with options: Business partner setup, General ledger configurat..., Accounting setup, Expense/AR & AP configu..., Budget configuration, and Fixed assets configuration. The 'Fixed assets configuration' option is selected, and a sub-menu is displayed with options: Asset category, Asset code configuration, Branch level depreciation, and Asset GL configuration. The main content area shows a 'Welcome, anant' message. The bottom navigation bar includes 'Home' and 'Preference' buttons.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (04-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar contains a menu with options: Business partner setup, General ledger configurat..., Accounting setup, Expense/AR & AP configu..., Budget configuration, and Fixed assets configuration. The 'Fixed assets configuration' option is selected, and a sub-menu is displayed with options: Asset category, Asset code configuration, Branch level depreciation, Asset GL configuration, and Asset serial number setup. The 'Asset serial number setup' option is selected, and the 'Asset Serial Number Creation View' is displayed. The view shows a table with columns: Actions, Asset Code, Asset Description, Start SRL No, Last SRL No, and Status. The table contains 8 rows of data, including asset codes like 01-001-woodply1, ELECTRONICS-LAP001-lappy, 01-001-plywood, 01-001-desk, ELECTRONICS-LAP001-ARUL, 01-ASTSBCTGRY001-wood, ELECTRONICS-LAP001-Apple, and FIXTURESANDFITTINGS1-TAE. The bottom navigation bar includes 'Home' and 'Preference' buttons.

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
	01-001-woodply1	woodply1			Active
	ELECTRONICS-LAP001-lappy	DELL laptop	1	2	Active
	01-001-plywood	plywood	5557		Active
	01-001-desk	desk	1	10	Active
	ELECTRONICS-LAP001-ARUL	ARUL			Active
	01-ASTSBCTGRY001-wood	wood Cabinets			Active
	ELECTRONICS-LAP001-Apple	Apple Laptop	128976	128976	Active
	FIXTURESANDFITTINGS1-TAE	Tables and chairs	1234		Active

43 total



















(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Serial Number Creation View

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
 	01-001-woodply1	woodply1			Active
 	ELECTRONICS-LAP001-lappy	DELL laptop	1	2	Active
 	01-001-plywood	plywood	5557		Active
 	01-001-desk	desk	1	10	Active
 	ELECTRONICS-LAP001-ARUL	ARUL			Active
 	01-ASTSBCTGRY001-wood	wood Cabinets			Active
 	ELECTRONICS-LAP001-Apple	Apple Laptop	128976	128976	Active
 	FIXTURESANDFITTINGS1-TAE	Tables and chairs	1234		Active
43 total					

22 Appro... 11 Messa...

Home Preference



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Serial Number Creation View

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
 	01-001-woodply1	woodply1			Active
1 total					

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Serial Number Creation View

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
	01-001-woodply1	Search Asset Descriptio	Search Start SRL No	Search Last SRL No	Search Status
	01-001-woodply1	woodply1			Active

1 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Serial Number Creation

\* Asset code: 01-001-woodply1 Asset Description: woodply1

Start Serial Number: 1111 Last Serial Number:

Status: ACTIVE

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Serial number should be allotted to the  
asset and displayed in the list view of  
Asset serial number sub module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Serial Number Creation

* Asset code	Asset Description
01-001-woodply1	woodply1
Start Serial Number	Last Serial Number
1111	
Status	
ACTIVE	

Asset category Asset code configuration Branch level depreciation Asset GL configuration Asset serial number setup

22 Appro... 11 Messa...

Home Preference