100


100

Start: Mar 25, 2:15:22.474 PM End: Mar 25, 2:16:19.724 PM **Duration: 57.250 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 19 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 35 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 54 %

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	57.250 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for	Return inventories unwanted by branch to issuers	35	19	1	15	57.244 s
	stock return to vendors						

DETAILED SECTION -- 4 --

## (F)- To verify user can see the GL report for stock return to vendors

FAILED	DURATION - 57.250 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 2:15:22.474	PM // 2:16:19.724 PM /	Pass - 0	1	Pass - 19	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

## (S)- Return inventories unwanted by branch to issuers



#	Step / Hook Details	Status	Duration
1	Given Azentio Maker user url	PASSED	16.812 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		
	We will place   We will pla		
2	Then Click on Second icon page	PASSED	0.572 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
3	And Click Inventory Management module	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
	NAME OF TAXABLE CONTROL OF TAXAB		
4	And Click on stock return from branch SubModule Eye icon	PASSED	1.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.602 s
5	Then Click on stock return from branch Add icon	PASSED	0.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.559 s
6	And Click on Request Referance No code	PASSED	0.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		

The Click on Issue Referance No code	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 And Click on item code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 FTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.369 S  0.275 s  0.275 s  0.275 s  0.303 s  PASSED  0.303 s  0.473 s  0.478 s  0.329 s		© horsement   1		
Screenshot   Passed   D.275 s	7		PASSED	
8 And Click on item code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  9 And Enter Return Quantity Stock value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  10 Then Click on Return Type and Choose Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreen		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
8 And Click on item code PASSED 0.275 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Enter Return Quantity Stock value  PASSED 0.303 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  To then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.478 s  0.329 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.156 s  0.303 s  0.173 s  0.478 s  PASSED  0.478 s  PASSED  0.478 s		Compared   Section   Sec		
Screenshot  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.478 s  PASSED  0.478 s  PASSED  0.329 s	8	And Click on item code	PASSED	0.275 s
9 And Enter Return Quantity Stock value PASSED 0.303 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.478 s  PASSED 0.478 s  PASSED 0.478 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
9 And Enter Return Quantity Stock value PASSED 0.303 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.478 s  PASSED 0.478 s  PASSED 0.329 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.173 s  PASSED  0.478 s  PASSED  0.329 s		© Manuscript    *****		
Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.478 s  0.329 s	9	And Enter Return Quantity Stock value	PASSED	0.303 s
10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.478 s  0.329 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.478 s  0.329 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.329 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.329 s	10	Then Click on Return Type and Choose Type	PASSED	0.478 s
screenshot			PASSED	0.329 s
		screenshot	]	

#	Step / Hook Details	Status	Duration
	## OF THE PARTY AND PARTY		
11	And Click on Return Reason and Choose Type	PASSED	0.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
	**************************************		
12	Then Save the Inventory Stock Record	PASSED	3.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.130 s
13	And goto the maker Notification icon	PASSED	1.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texample of the step of the st	PASSED	0.311 s
14	Then Click Submit icon to Inventory Record	PASSED	0.806 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		


#	Step / Hook Details	Status	Duration
15	And Give Remark and submit Inventory field	PASSED	3.904 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
	Company   Comp		
16	Given Login As Reviewer user	PASSED	10.814 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
17	And Goto the Reviewer Notification	PASSED	0.935 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot	1	
	# 0 - 100   100		
18	Then Find submitted Record from maker End and open the Record	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		

#	Step / Hook Details	Status	Duration
	** O SANCE SECURITY OF THE PROPERTY OF THE PRO		
19	And Approve the Record from Reviewer End	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
	** O MATHEMATICAL TO AND		
20	Then Enter The Remark and submit from Reviewer End	FAILED	0.238 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.INVENTORY_StockReturnBranch.enter_the_remark_and_submit_from_reviewer_end(INVENTORY_StockReturnBranch. java:265) at ?.Enter The Remark and submit from Reviewer End(file:///C:/Users/inindc00082/git/ AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:80) * Not displayable characters are replaced by '?'.		0.405
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot  ***********************************		
21	Given Login As Checker user	SKIPPED	0.000 s
22	Then Click module Security management	SKIPPED	0.000 s
23	And Click Sub module open Pool	SKIPPED	0.000 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
24	And Claim the Record Which submit from Reviewer	SKIPPED	0.000 s
25	Then Goto the Checker Notification	SKIPPED	0.000 s
26	And Find submitted Record from Reviewer End and Open the Record	SKIPPED	0.000 s
27	Then Get Item Description value	SKIPPED	0.001 s
28	And Approve the Record from Checker End	SKIPPED	0.000 s
29	Then Enter the Remark and submit from checker End	SKIPPED	0.000 s
30	Given Azentio Maker user url	SKIPPED	0.001 s
31	Then Click on Inventory Maintance module	SKIPPED	0.000 s
32	And click on Master Item eye icon	SKIPPED	0.000 s
33	Then click on the search icon	SKIPPED	0.000 s
34	And Give Item description value and Click Edit icon	SKIPPED	0.000 s
35	When validate the quantity of the Item	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --







EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 20 --

