
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	1 m 17.317 s

SCENARIOS SUMMARY




 #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check stock return from branch	27	17	1	9	1 m 17.310 s

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of Inventory**

FAILED	DURATION - 1 m 17.317 s	Scenarios		Steps	
		Total - 1		Total - 27	
/ 9:57:04.843 F	PM // 9:58:22.160 PM /	Pass - 0	1	Pass - 17	27
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- Check stock return from branch



#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	18.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
	The contraction of the contracti		
2	Then Click on Second icon page	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		

The Controlled Control	
3 And Click Inventory Management module PASSED 0.3	339 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2	207 s
screenshot	
■ ● ***********************************	
4 And Click on stock return from branch SubModule Eye icon  PASSED 0.4	445 s
screenshot	928 s
Communication   Communicatio   Communication   Communication   Communication   Communication	
5 Then Click on stock return from branch Add icon PASSED 0.4	490 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.7	736 s
screenshot	
The second secon	
6 And Click on Request Referance No code PASSED 1.2	259 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1	135 s
screenshot	

7 Then Click on Issue Referance No code  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  8 And Click on item code  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  5 Screenshot  4 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  6 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  7 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  8 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  9 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  9 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  9 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  10 Then Click on Return Type and Choose Type  10 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  10 Then Click on Return Type and Choose Type  10 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  11 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  12 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  13 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  14 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  15 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  16 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  17 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  18 AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  19 AFTER_STEP - stepdefiniti	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Click on item code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.199 s  O.297 s  PASSED  O.293 s  PASSED  O.623 s  PASSED  O.192 s  O.192 s  O.193 s  O.194 s  O.195 s  O.196 s		© homography   Section		
Screenshot  8 And Click on item code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.297 s  PASSED  O.213 s  O.223 s  PASSED  O.623 s  PASSED  O.623 s  O.192 s  O.192 s  O.192 s  O.192 s  O.193 s  O.192 s  O.193 s  O.194 s  O.195 s  O.196 s	7	Then Click on Issue Referance No code	PASSED	
8 And Click on item code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot  9 And Enter Return Quantity Stock value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot  5 Creenshot  6 DASSED D. 0.623 s  PASSED D. 192 s  10 Then Click on Return Type and Choose Type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
8 And Click on item code PASSED 0.297 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Enter Return Quantity Stock value  PASSED 0.213 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.623 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  To then Click on Return Type and Choose Type  PASSED 0.489 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.489 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.489 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.213 s  0.213 s  0.223 s  PASSED  0.623 s  0.192 s  0.192 s		Sample   S		
screenshot  9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.489 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.192 s  0.489 s	8	And Click on item code	PASSED	0.297 s
9 And Enter Return Quantity Stock value PASSED 0.623 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.489 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.126 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
9 And Enter Return Quantity Stock value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.489 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.489 s  O.126 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.192 s  PASSED  0.489 s  PASSED  0.489 s  0.126 s		© Manuser   1		
Screenshot  10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.489 s  0.126 s	9	And Enter Return Quantity Stock value	PASSED	0.623 s
10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.489 s  0.126 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
10 Then Click on Return Type and Choose Type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.489 s  0.126 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s				
	10	Then Click on Return Type and Choose Type	PASSED	0.489 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
		screenshot		

#	Step / Hook Details	Status	Duration
	■		
11	And Click on Return Reason and Choose Type	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
12	Then Save the Inventory Stock Record	PASSED	3.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.125 s
	*** *** *** *** *** *** *** *** *** **		
13	And goto the maker Notification icon	PASSED	1.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.332 s
14	Then Click Submit icon to Inventory Record	PASSED	0.482 s
14	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 S 0.299 S
		- PASSED	0.299.5
	screenshot		


#	Step / Hook Details	Status	Duration
	1		
15	And Give Remark and submit Inventory field	PASSED	2.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	No continue		
16	Then Open the Reviewer account	PASSED	18.957 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot   **********************************		
17	Then Click on the Notification	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.393 s
18	Then Approve the record which we submitted from maker	FAILED	14.828 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5cc73b2b1f7b62e239271cbe88ddf44, isElementDisplayed {id=a356a3f5-87fe-4272-bd60-ba2af7fbe5ef}] Capabilities {acceptInsecureCerts:		


#	Step / Hook Details	Status	Duration
#	false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\Users\Union-11AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12AppData\union-12App\union-12App\union-12App\union-12App\union-12App\union-12Ap\union-12	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FixedAsset.approve_the_record_which_we_submitted_from_maker(FixedAsset.java:353) at ?.Approve the record which we submitted from maker(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:222) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot	]	
	The state of the s		
	Size \$ Size \$		
19	Then Go to Checker login	SKIPPED	0.000 s

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
20	Then Clam record	SKIPPED	0.000 s
21	Then Click on the notification and approve the record	SKIPPED	0.000 s
22	Given Navigate to URL and user should login as a maker	SKIPPED	0.000 s
23	Then Click on Inventory Maintance module	SKIPPED	0.000 s
24	And click on Master Item eye icon	SKIPPED	0.000 s
25	Then click on search icon	SKIPPED	0.000 s
26	And Give Item description value and Click Edit icon	SKIPPED	0.000 s
27	When validate the quantity of the Item	SKIPPED	0.000 s

EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

