

Cucumber Report

24-Mar-2022, 4:29:18 pm

Start : Mar 24, 4:28:58.165 pm

End : Mar 24, 4:29:17.585 pm

Duration : 19.420 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 7

FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	1	0	1	0	19.420 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Check the created already and trying to create same accounting book	8	7	1	0	19.414 s





(F)- Check the Functionality of the GL2 Module



FAILED	DURATION - 19.420 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 4:28:58.165 pm // 4:29:17.585 pm /					


(S)- Check the created already and trying to create same accounting book

<div>FAILED</div> <div>DURATION - 19.414 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:28:58.171 pm // 4:29:17.585 pm /</div>				
<div>Check the Functionality of the GL2 Module</div>				
<div>@KUBS_GL_UAT_002_002</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
2	And Click on Accounting Setup module	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click sub module Accounting book definition	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			
4	And Click on Add icon	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
5	Then Choose the Template Type of Custom Template	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
6	And Enter Another Book Name	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then Enter the Remark	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot 		
8	Then Validate the Message we get org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c44298367af8cf21a75d8b62d2a65771, executeScript {script=return document.querySelector('ion-toast').shadowRoot.querySelector('div[class=toast-message]'), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62728}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62728/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c44298367af8cf21a75d8b62d2a65771 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.GL1_Accounting_Book_Definition.validate_the_message_we_get(GL1_Accounting_Book_Definition.java:174)	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	at ?.Validate the Message we get(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL1_Accounting_Setup.feature:77) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot	PASSED	0.134 s
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book


(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

The screenshot shows the 'Accounting template grid view' in the Kastle Universal Banking (Beta) application. The interface includes a top navigation bar with the date '04-Nov-2022', language 'English', and user 'ANANT'. A left sidebar lists various setup options under 'Finance', with 'Accounting setup' selected. The main area displays a table of accounting templates.

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
	Azentio Software	Testing_08	ACCB00K-019	IFRS Book	CUSTOM_TEMPLATE	02-Jan-2023	1002435
	Azentio Software	Testing_07	ACCB00K-018	IFRS Book	Base Template	02-Jan-2023	1002435
	Azentio Software	Testing_06	ACCB00K-017	IFRS Book	Base Template	02-Jan-2023	1002435
	Azentio Software	Modify_00	ACCB00K-016	IFRS Book	Base Template	21-Mar-2022	1002435
	Azentio Software	Testing_05	ACCB00K-015	IFRS Book	Base Template	02-Jan-2023	1002435
	Azentio Software	Testing_02	ACCB00K-014	IFRS Book	Base Template	02-Jan-2023	1002435
	Azentio Software	test-d2	ACCB00K-013	IFRS Book	Base Template	21-Mar-2022	1002435
	Azentio Software	Custom	ACCB00K-012	GAAP	CUSTOM_TEMPLATE	21-Mar-2022	1002435

At the bottom of the table, it indicates '23 total' and provides pagination controls showing page 1 of 23.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

The screenshot shows the 'Accounting Template' form in the Kastle Universal Banking (Beta) application. The interface is similar to the previous one, with the same top navigation bar and left sidebar. The main area displays a form for creating or editing an accounting template.

The form includes the following fields:

- * Template Type (dropdown menu)
- * Effective Date (calendar icon, showing 24-Mar-2022)
- * Book Type (dropdown menu)

The form is currently empty, and the bottom navigation bar shows 'Home' and 'Preference' options.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type
CUSTOM_TEMPLATE x

* Book Name

* Effective Date
24-Mar-2022

* Book Type

* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type
CUSTOM_TEMPLATE x

* Book Name
Testing_08

* Effective Date
24-Mar-2022

* Book Type

* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

The screenshot shows the 'Accounting Template' configuration page in the Kastle Universal Banking (Beta) application. The page has a top navigation bar with the date '04-Nov-2022', language 'English', and user 'ANANT'. A left sidebar contains a 'Finance' dropdown and a list of configuration options: 'Business partner setup', 'General ledger configurat...', and 'Accounting setup' (which is selected). Below these are expandable sections for 'Accounting book definition', 'Account Category', 'Chart of accounts definition', 'Accounting scheme definition', 'Accounting scheme event mapping', and 'Financial statements configuration'. The main content area is titled 'Accounting Template' and contains a form with the following fields: 'Template Type' (CUSTOM_TEMPLATE), 'Book Name' (Testing_08), 'Effective Date' (24-Mar-2022), 'Book Type' (empty), and 'Remarks' (Okay). The bottom of the page features a blue navigation bar with 'Home' and 'Preference' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

This screenshot is identical to the one above, showing the 'Accounting Template' configuration page in the Kastle Universal Banking (Beta) application. It displays the same navigation elements, configuration options, and form fields (Template Type: CUSTOM_TEMPLATE, Book Name: Testing_08, Effective Date: 24-Mar-2022, Book Type, Remarks: Okay) as the first image.