
Duration: 1 m 6.030 s Start: Jan 14, 12:18:29.459 PM End: Jan 14, 12:19:35.489 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 10 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 17 40 50 60 40 50 60 40 50 6**0** 30 Pass 🕺 30 Pass % 70 30 Pass % 70 70 20 20 20 80 80 80 90 90 10 58 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	0	1	0	1 m 6.030 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and	Check System should able to Reject the supplimentary	17	10	1	6	1 m 6.023 s
	planning UAT files	requested budget					

(F)- user create login in to Budget and planning UAT files

FAILED	DURATION - 1 m 6.030 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 12:18:29.459	PM // 12:19:35.489 PM /	Pass - 0	1	Pass - 10	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Check System should able to Reject the supplimentary requested budget



#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	41.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.877 s
	screenshot		
	Total fact the fact of the fac		
2	And maker should navigate to the budget module UAT	PASSED	2.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		
	AND PARTY AND		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.009 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.009 s	3	And maker click on budget field UAT	PASSED	0.255 s
When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.009 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.009 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.920 s 0.920 s 0.920 s 0.925 s 0.925 s 0.925 s 0.925 s 0.925 s		No see alone of the second of		
screenshot And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.009 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s	4	When maker click on budget supplementary eye icon UAT	PASSED	1.196 s
And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.956 s 0.355 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.920 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.355 s 0.375 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.355 s 0.375 s		+		
Screenshot And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.009 s 0.375 s	5	And click on add button on budget supplementary view page UAT	PASSED	0.956 s
And user update the Excel sheet testdata for Budget and planning Allocation5 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.009 s 0.375 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s		ALMON		
	6	And user update the Excel sheet testdata for Budget and planning Allocation5	PASSED	0.009 s
screenshot ***The state of the state of th		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
		screenshot		
		Solution of the state of the st		
7 Then fill the input fields UAT 2.017 s	7	Then fill the input fields UAT	PASSED	2.017 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.354 s			PASSED	0.354 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	ACTIVE The face is seen as a face of the		
8	Then fill apportion amount and save the record UAT	PASSED	2.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot]	
	Company Comp		
9	And click notification button	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		
	AMOUNT Total face State Amount		
10	Then click on the search button	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot	1	
	Application Part		
11	And serach the budget supplimentory sub module name	FAILED	0.174 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.Budgetandplanningsupplementary. serach_the_budget_supplimentory_sub_module_name(Budgetandplanningsupplementary.java:1114) at ?.serach the budget supplimentory sub module name(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Budgetandplanning.feature:185) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
	The state of the		
12	Then choose first record in the notification record	SKIPPED	0.000 s
13	And click on Submit button	SKIPPED	0.001 s
14	Then enter remark in confirmation alertss	SKIPPED	0.000 s
15	Then click on submit button in alert	SKIPPED	0.001 s
16	And user update the Excel sheet testdata for Budget and planning Allocation5	SKIPPED	0.000 s
17	And capture the reviewer ID in pop up which is open when we submit our record in maker stage5	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --









EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

