


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	AR/AP Module	2	0	2	0	6.255 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify cancelled advances is not available for payment settlement	16	0	1	15	3.984 s
2	AR/AP Module	Verify cancelled advances is not available for payment settlement	15	0	1	14	2.059 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 6.255 s	Scenarios		Steps	
		Total - 2		Total - 31	
/ 3:27:10.430 pm	n // 3:27:16.685 pm /	Pass - 0	2	Pass - 0	31
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 29	

(S)- Verify cancelled advances is not available for payment settlement



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	FAILED	0.006 s
	java.lang.Error: Unresolved compilation problems: Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable user defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Budtype defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Ca		

Step / Hook Details	Status	Duration
UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable username defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable Use	Status	Duration


#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) AFTER STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot +		
2	Then Choose the second Tab Segment	SKIPPED	0.001 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
5	And Click On Search Icon	SKIPPED	0.000 s
6	And Updating Testdata Id for cancelled advances	SKIPPED	0.000 s
7	Then Enter Cancelled Value In Advance Status	SKIPPED	0.001 s
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
9	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
10	And Click On Main module Accounts payable	SKIPPED	0.000 s
11	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.001 s
12	And Click Add icon button	SKIPPED	0.000 s
13	Then Enter payment option	SKIPPED	0.000 s
14	And Give stored Business partner Name	SKIPPED	0.001 s
15	Then Choose value date as System current date	SKIPPED	0.000 s
16	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.001 s

DETAILED SECTION -- 8 --

(S)- Verify cancelled advances is not available for payment settlement



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	FAILED	0.004 s
	java.lang.Error: Unresolved compilation problems: Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Budtype defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable UserName defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above C		

#	Step / Hook Details	Status	Duration
	defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable user defined in an enclosing scope Cannot refer to the non-final local variable user defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot refer to the non-final local variable UserName defined in an enclosing scope Cannot r		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
	+		
2	Then Choose the second Tab Segment	SKIPPED	0.000 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
5	And Click On Search Icon	SKIPPED	0.000 s
6	Then Enter Cancelled Value In Advance Status	SKIPPED	0.000 s
7	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.001 s
8	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
9	And Click On Main module Accounts payable	SKIPPED	0.000 s
10	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
11	And Click Add icon button	SKIPPED	0.000 s
12	Then Enter payment option	SKIPPED	0.000 s
13	And Give stored Business partner Name	SKIPPED	0.000 s
14	Then Choose value date as System current date	SKIPPED	0.000 s
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.000 s

EXPANDED SECTION -- 12 --

