

Cucumber Report

Nov 29, 2022, 10:29:59 AM

Start : Nov 29, 10:27:12.146 AM

End : Nov 29, 10:29:49.892 AM

Duration : 2 m 37.746 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 20







#	Feature Name	T	P	F	S	Duration
1	<u>To verify user can able to do transaction in gl2 module</u>	1	0	1	0	2 m 37.746 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 module	Create a ledger at entity level	21	0	1	20	2 m 37.741 s

(F)- To verify user can able to do transaction in gl2 module

FAILED	DURATION - 2 m 37.746 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 0 Fail - 1 Skip - 20	
/ 10:27:12.146 AM // 10:29:49.892 AM /					

(S)- Create a ledger at entity level

FAILED	DURATION - 2 m 37.741 s		<div>Steps</div> <div>Total - 21</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 20</div>	
/ 10:27:12.151 AM // 10:29:49.892 AM /				
To verify user can able to do transaction in gl2 module				
@KUBS_GL2_UAT_001_001_01				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Azentio Kubs</p> <pre> java.lang.AssertionError: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1af4645bcbdeb7ef5c1dc14d8, actions {actions=[org.openqa.selenium.interactions.Sequence@309d298]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~3\AppData\Local\Temp\chrome-wk\chromedriver\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:57248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57248/devtools/page/1af4645bcbdeb7ef5c1dc14d8, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1af4645bcbdeb7ef5c1dc14d8 at org.testng.Assert.fail(Assert.java:99) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:60) at stepdefinitions.GL1_Accounting_Book_Definition.navigate_to_azentio_kubs(GL1_Accounting_Book_Definition.java:135) at ?.Navigate to Azentio Kubs(file:///C:/Users/inindc00482/eclipse-workspace/Ajith_KUBS_CEN_GeneralLedger/src/test/java/features/GeneralLedger2_UAT.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	1 m 4.513 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=105.0.5195.125) </pre>	FAILED	1 m 0.195 s

#	Step / Hook Details	Status	Duration
	<p>Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1af4645bcbdeb0dfdeb7ef5c1dc14d8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.125, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~3\AppData\Local\Google\Chrome\User Data\Default\DevTools\105.0.5195.125, chromeOptions: {debuggerAddress: localhost:57248}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57248/devtools, se:cdpVersion: 105.0.5195.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1af4645bcbdeb0dfdeb7ef5c1dc14d8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>		
2	Then Click on General ledger configuration	SKIPPED	0.000 s
3	Then Click on Legal Entity GL Configuration Eye Icon	SKIPPED	0.000 s
4	Then Click on Legal Entity GL Configuration Add button	SKIPPED	0.001 s
5	And User Update the test data set id to Create a Ledger at entity Level	SKIPPED	0.000 s
6	And User select the cash GL	SKIPPED	0.001 s
7	And User Select the Cheque GL	SKIPPED	0.000 s
8	And User Select the Inter branch GL	SKIPPED	0.000 s
9	And User Select the Position GL	SKIPPED	0.001 s
10	And User Select the PL Exchange Gain GL	SKIPPED	0.000 s
11	And User Select the PL Exchange Loss GL	SKIPPED	0.000 s
12	And User Select the Revaluation Profit GL	SKIPPED	0.000 s
13	And User Select the Revaluation Loss GL	SKIPPED	0.000 s
14	And User Select the Revaluation Notional Profit GL	SKIPPED	0.000 s
15	And User Select the Revaluation Notional Loss GL	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
16	Then save the Legal Entity GL Configuration record	SKIPPED	0.000 s
17	And User Close the Workflow initiated Pop up in GL	SKIPPED	0.000 s
18	Then Goto The Notification Icon	SKIPPED	0.000 s
19	And User Update the data set id to approve Ledger at entity level in Reviewer or Checker	SKIPPED	0.000 s
20	And Store the Referance Id and Open the Record for GL2 records	SKIPPED	0.000 s
21	Then Click submit button and Enter Remark submit it for GL2 Records	SKIPPED	0.000 s