

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	22.606 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify maker can able to create budget code in auto auth	16	16	0	0	22.599 s
	feature						

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 22.606 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 6:15:32.820 PN	1 // 6:15:55.426 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify maker can able to create budget code in auto auth




#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
	screenshot		
	# 1000 pgg. * Analysis pgg. * Analysis 2000 Q Q Q D D D D D D D D D D D D D D D		
2	Then click on budget configuration Menu	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

A file of the step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)   AFTER_STEP - step definitions. Hooks Class. add Screenshot (i.o. cucumber. java. Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click on add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.458		The control of the		
screenshot  4 And click on add icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.192 s	3	And click on budget definition sub menu and click on eye icon	PASSED	0.155 s
And click on add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.232 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
4 And click on add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And enter budget type  And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And enter budget type  And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.265 s  0.141 s  PASSED  0.119 s  0.232 s  PASSED  0.232 s  PASSED  0.192 s		© MACOO : 1		
Screenshot  Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.232 s  PASSED  0.192 s	4	And click on add icon	PASSED	0.164 s
Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.141 s  PASSED  O.119 s  PASSED  O.232 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.232 s  PASSED  O.192 s			PASSED	0.265 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.119 s  PASSED  0.232 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.19 s		Caption   Improve   Impr		
Screenshot  6 And enter budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.232 s  0.192 s	5	Then enter budget code	PASSED	0.141 s
6 And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.232 s 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
6 And enter budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.232 s  0.192 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s		0		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s	6	And enter budget type	PASSED	0.232 s
screenshot			PASSED	0.192 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	■ © AND PRODUCTION PRODUCTION OF THE PRODUCTION		
7	And enter warning percentage	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot	1	
	# Of the Control of		
8	And enter budget name	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texample of the step of the st	PASSED	0.184 s
9	Then give remark	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
10	Then click on save button	PASSED	3.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on notification icon	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
	S   C   C   C   C   C   C   C   C   C		
12	And select the first record	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.318 s
13	Then click on approve button	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Temporal Control Contr	PASSED	0.215 s
14	And enter remark in alert tab	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		


DETAILED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --







EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

